
HIPIFY Documentation

Advanced Micro Devices, Inc.

Sep 27, 2024

CONCEPTUAL

1	hipify-clang	3
1.1	Dependencies	3
1.2	Usage	5
1.3	Using JSON compilation database	5
1.4	Hipification statistics	6
1.5	Building hipify-clang	9
1.6	Testing hipify-clang	9
1.7	Linux testing	12
1.8	Windows testing	14
2	hipify-perl	17
2.1	Usage	17
2.2	Building hipify-perl	17
3	Supported NVIDIA CUDA APIs	19
3.1	CUDA Runtime API supported by HIP	19
3.2	CUDA Driver API supported by HIP	60
3.3	CUCOMPLEX API supported by HIP	117
3.4	CUDA DEVICE API supported by HIP	119
3.5	CUDA RTC API supported by HIP	136
3.6	CUBLAS API supported by HIP	138
3.7	CUSPARSE API supported by HIP	165
3.8	CUSOLVER API supported by HIP	187
3.9	CURAND API supported by HIP	202
3.10	CUFFT API supported by HIP	209
3.11	CUDNN API supported by HIP	212
3.12	CUB API supported by HIP	235
4	License	239

`hipify-clang` and `hipify-perl` are tools that automatically translate NVIDIA CUDA source code into portable HIP C++.

Note: `hipify_torch` is a related tool that also translates CUDA source code into portable HIP C++. It was initially developed as part of the PyTorch project to cater to the project's unique requirements but was found to be useful for PyTorch-related projects and thus was released as an independent utility.

You can access HIPIFY code on our [GitHub repository](#).

The documentation is structured as follows:

Conceptual

- *[hipify-clang](#)*
- *[hipify-perl](#)*

API reference

- *[Supported APIs](#)*

To contribute to the documentation, refer to [Contributing to ROCm](#).

You can find licensing information on the [Licensing](#) page.

HIPIFY-CLANG

`hipify-clang` is a Clang-based tool for translating NVIDIA CUDA sources into HIP sources.

It translates CUDA source into an Abstract Syntax Tree (AST), which is traversed by transformation matchers. After applying all the matchers, the output HIP source is produced.

Advantages:

- `hipify-clang` is a translator. It parses complex constructs successfully or else reports an error.
- It supports Clang options such as `-I`, `-D`, and `-cuda-path`.
- The support for new CUDA versions is seamless, as the Clang front-end is statically linked into `hipify-clang` and does all the syntactical parsing of a CUDA source to HIP.
- It is very well supported as a compiler extension.

Disadvantages:

- You must ensure that the input CUDA code is correct as incorrect code can't be translated to HIP.
- You must install CUDA and in case of multiple installations, specify using `--cuda-path` option.
- You must provide all the `includes` and `defines` to successfully translate the code.

1.1 Dependencies

`hipify-clang` requires:

- **LLVM+Clang** of at least version **4.0.0**; the latest stable and recommended release: **18.1.8**.
- **CUDA** of at least version **7.0**, the latest supported version is **12.3.2**.

LLVM release version	Latest supported CUDA version	Windows	Linux
3.8.0 ¹ , 3.8.1 ¹ , 3.9.0 ¹ , 3.9.1 ¹	7.5		
4.0.0, 4.0.1, 5.0.0, 5.0.1, 5.0.2	8.0		
6.0.0, 6.0.1	9.0		
7.0.0, 7.0.1, 7.1.0	9.2	Works only with patch due to Clang bug 38811 patch for 7.0.0 ² patch for 7.0.1 ² patch for 7.1.0 ²	due to Clang bug 36384
8.0.0, 8.0.1	10.0	Works only with patch due to Clang bug 38811 patch for 8.0.0 ² patch for 8.0.1 ²	
9.0.0, 9.0.1	10.1		
10.0.0, 10.0.1	11.0.0		
10.0.0, 10.0.1	11.0.1, 11.1.0, 11.1.1	Works only with patch due to Clang bug 47332 patch for 10.0.0 ³ patch for 10.0.1 ³	Works only with patch due to Clang bug 47332 patch for 10.0.0 ³ patch for 10.0.1 ³
11.0.0	11.0.0		
11.0.0	11.0.1, 11.1.0, 11.1.1	Works only with patch due to Clang bug 47332 patch for 11.0.0 ³	Works only with patch due to Clang bug 47332 patch for 11.0.0 ³
11.0.1, 11.1.0	11.2.2		
12.0.0, 12.0.1, 13.0.0, 13.0.1	11.5.1		
14.0.0, 14.0.1, 14.0.2, 14.0.3, 14.0.4	11.7.1	Works only with patch due to Clang bug 54609 patch for 14.0.0 ² patch for 14.0.1 ² patch for 14.0.2 ² patch for 14.0.3 ² patch for 14.0.4 ²	
14.0.5, 14.0.6, 15.0.0, 15.0.1, 15.0.2, 15.0.3, 15.0.4, 15.0.5, 15.0.6, 15.0.7	11.8.0		
16.0.0, 16.0.1, 16.0.2, 16.0.3, 16.0.4, 16.0.5, 16.0.6	12.2.2		
17.0.1, 17.0.2, 17.0.3, 17.0.4, 17.0.5, 17.0.6, 18.1.0, 18.1.1, 18.1.2, 18.1.3, 18.1.4, 18.1.5, 18.1.6, 18.1.7, 18.1.8 ⁴	12.3.2 ⁴	Latest stable config	Latest stable config
19.0.0 git	12.5.1		

¹ LLVM 3.x is no longer supported (but might still work).

² Download the patch and unpack it into your LLVM distributive directory. This overwrites a few header files. You don't need to rebuild LLVM.

³ Download the patch and unpack it into your LLVM source directory. This overwrites the Cuda.cpp file. You need to rebuild LLVM.

⁴ Represents the latest supported and recommended configuration.

In most cases, you can get a suitable version of LLVM+Clang with your package manager. However, you can also download a release archive and build or install it. In case of multiple versions of LLVM installed, set CMAKE_PREFIX_PATH so that CMake can find the desired version of LLVM. For example, -DCMAKE_PREFIX_PATH=D:\LLVM\18.1.8\dist.

1.2 Usage

To process a file, `hipify-clang` needs access to the same headers that are required to compile it with Clang:

```
./hipify-clang square.cu --cuda-path=/usr/local/cuda-12.3 -I /usr/local/cuda-12.3/
↳ samples/common/inc
```

`hipify-clang` arguments are supplied first, followed by a separator `--` and the arguments to be passed to Clang for compiling the input file:

```
./hipify-clang cpp17.cu --cuda-path=/usr/local/cuda-12.3 -- -std=c++17
```

`hipify-clang` also supports the hipification of multiple files that can be specified in a single command with absolute or relative paths:

```
./hipify-clang cpp17.cu ../../square.cu /home/user/cuda/intro.cu --cuda-path=/usr/local/
↳ cuda-12.3 -- -std=c++17
```

To use a specific version of LLVM during hipification, specify the `hipify-clang` option `--clang-resource-directory=` to point to the Clang resource directory, which is the parent directory for the include folder that contains `__clang_cuda_runtime_wrapper.h` and other header files used during the hipification process:

```
./hipify-clang square.cu --cuda-path=/usr/local/cuda-12.3 --clang-resource-directory=/
↳ usr/llvm/18.1.8/dist/lib/clang/18
```

For more information, refer to the [Clang manual for compiling CUDA](#).

1.3 Using JSON compilation database

For some hipification automation (starting from Clang 8.0.0), you can also provide a [Compilation Database in JSON format](#) in the `compile_commands.json` file:

```
-p <folder containing compile_commands.json> or
-p=<folder containing compile_commands.json>
```

You can provide the compilation database in the `compile_commands.json` file or generate using Clang based on CMake. You can specify multiple source files as well.

To provide Clang options, use `compile_commands.json` file, whereas to provide `hipify-clang` options, use `hipify-clang` command line.

Note: Don't use the options separator `--` to avoid compilation error caused due to the `hipify-clang` options being provided before the separator.

Here's an [example](#) demonstrating the `compile_commands.json` usage:

```
[
  {
    "directory": "<test dir>",
    "command": "hipify-clang \"<CUDA dir>\" -I./include -v",
    "file": "cd_intro.cu"
```

(continues on next page)

```
}  
]
```

1.4 Hipification statistics

The options `--print-stats` and `--print-stats-csv` provide an overview of what is hipified and what is not, and the hipification statistics:

```
hipify-clang intro.cu -cuda-path="C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.  
↪3.2" --print-stats
```

```
[HIPIFY] info: file 'intro.cu' statistics:  
CONVERTED refs count: 40  
UNCONVERTED refs count: 0  
CONVERSION %: 100.0  
REPLACED bytes: 604  
[HIPIFY] info: file 'intro.cu' statistics:  
  CONVERTED refs count: 40  
  UNCONVERTED refs count: 0  
  CONVERSION %: 100.0  
  REPLACED bytes: 604  
  TOTAL bytes: 5794  
  CHANGED lines of code: 34  
  TOTAL lines of code: 174  
  CODE CHANGED (in bytes) %: 10.4  
  CODE CHANGED (in lines) %: 19.5  
  TIME ELAPSED s: 0.41  
[HIPIFY] info: CONVERTED refs by type:  
  error: 2  
  device: 2  
  memory: 16  
  event: 9  
  thread: 1  
  include_cuda_main_header: 1  
  type: 2  
  numeric_literal: 7  
[HIPIFY] info: CONVERTED refs by API:  
  CUDA Driver API: 1  
  CUDA RT API: 39  
[HIPIFY] info: CONVERTED refs by names:  
  cuda.h: 1  
  cudaDeviceReset: 1  
  cudaError_t: 1  
  cudaEventCreate: 2  
  cudaEventElapsedTime: 1  
  cudaEventRecord: 3  
  cudaEventSynchronize: 3  
  cudaEvent_t: 1  
  cudaFree: 4  
  cudaFreeHost: 3
```

(continues on next page)

(continued from previous page)

```
cudaGetDeviceCount: 1
cudaGetErrorString: 1
cudaGetLastError: 1
cudaMalloc: 3
cudaMemcpy: 6
cudaMemcpyDeviceToHost: 3
cudaMemcpyHostToDevice: 3
cudaSuccess: 1
cudaThreadSynchronize: 1
```

```
hipify-clang intro.cu -cuda-path="C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.
↪3.2" --print-stats-csv
```

This generates `intro.cu.csv` file with statistics:

file 'intro.cu' statistics:	
CONVERTED refs count	40
UNCONVERTED refs count	0
CONVERSION %	100.0
REPLACED bytes	604
TOTAL bytes	5794
CHANGED lines of code	34
TOTAL lines of code	174
CODE CHANGED (in bytes) %	10.4
CODE CHANGED (in lines) %	19.5
TIME ELAPSED s	0.41
CUDA ref type	Count
error	2
device	2
memory	16
event	9
thread	1
include_cuda_main_header	1
type	2
numeric_literal	7
CUDA API	Count
CUDA Driver API	1
CUDA RT API	39
CUDA ref name	Count
cuda.h	1
cudaDeviceReset	1
cudaError_t	1
cudaEventCreate	2
cudaEventElapsedTime	1
cudaEventRecord	3
cudaEventSynchronize	3
cudaEvent_t	1
cudaFree	4
cudaFreeHost	3
cudaGetDeviceCount	1
cudaGetErrorString	1
cudaGetLastError	1
cudaMalloc	3
cudaMemcpy	6
cudaMemcpyDeviceToHost	3
cudaMemcpyHostToDevice	3
cudaSuccess	1
cudaThreadSynchronize	1

In case of multiple source files, the statistics are provided per file and in total.

For a list of hipify-clang options, run `hipify-clang --help`.

1.5 Building hipify-clang

After cloning the HIPIFY repository (`git clone https://github.com/ROCm/HIPIFY.git`), run the following commands from the HIPIFY root folder.

```
cd .. \  
mkdir build dist \  
cd build  
  
cmake \  
-DCMAKE_INSTALL_PREFIX=../dist \  
-DCMAKE_BUILD_TYPE=Release \  
../hipify  
  
make -j install
```

To ensure LLVM being found or in case of multiple LLVM instances, specify the path to the root folder containing the LLVM distributive:

```
-DCMAKE_PREFIX_PATH=/usr/llvm/18.1.8/dist
```

On Windows, specify the following option for CMake in the first place: `-G "Visual Studio 17 2022"`. Build the generated `hipify-clang.sln` using Visual Studio 17 2022 instead of Make. See [Windows testing](#) for the supported tools for building.

As debug build type `-DCMAKE_BUILD_TYPE=Debug` is supported and tested, it is recommended to build LLVM+Clang in debug mode.

Also, 64-bit build mode (`-Thost=x64` on Windows) is supported, hence it is recommended to build LLVM+Clang in 64-bit mode.

You can find the binary at `./dist/hipify-clang` or at the folder specified by the `-DCMAKE_INSTALL_PREFIX` option.

1.6 Testing hipify-clang

`hipify-clang` is equipped with unit tests using LLVM [lit](#) or [FileCheck](#).

Build LLVM+Clang from sources, as prebuilt binaries are not exhaustive for testing. Before building, ensure that the [software required for building](#) belongs to an appropriate version.

1.6.1 LLVM <= 9.0.1

1. Download LLVM + Clang sources
2. Build LLVM+Clang:

```
cd .. \  
mkdir build dist \  
cd build
```

Linux:

```

cmake \
  -DCMAKE_INSTALL_PREFIX=../dist \
  -DLLVM_SOURCE_DIR=../llvm \
  -DLLVM_TARGETS_TO_BUILD="X86;NVPTX" \
  -DLLVM_INCLUDE_TESTS=OFF \
  -DCMAKE_BUILD_TYPE=Release \
  ../llvm
make -j install

```

Windows:

```

cmake \
  -G "Visual Studio 16 2019" \
  -A x64 \
  -Thost=x64 \
  -DCMAKE_INSTALL_PREFIX=../dist \
  -DLLVM_SOURCE_DIR=../llvm \
  -DLLVM_TARGETS_TO_BUILD="NVPTX" \
  -DLLVM_INCLUDE_TESTS=OFF \
  -DCMAKE_BUILD_TYPE=Release \
  ../llvm

```

3. Run Visual Studio 16 2019, open the generated LLVM.sln, build all, and build the INSTALL project.

1.6.2 LLVM >= 10.0.0

1. Download LLVM project sources.
2. Build LLVM project:

```

cd .. \
mkdir build dist \
cd build

```

Linux:

```

cmake \
  -DCMAKE_INSTALL_PREFIX=../dist \
  -DLLVM_TARGETS_TO_BUILD="" \
  -DLLVM_ENABLE_PROJECTS="clang" \
  -DLLVM_INCLUDE_TESTS=OFF \
  -DCMAKE_BUILD_TYPE=Release \
  ../llvm-project/llvm
make -j install

```

Windows:

```

cmake \
  -G "Visual Studio 17 2022" \
  -A x64 \
  -Thost=x64 \
  -DCMAKE_INSTALL_PREFIX=../dist \
  -DLLVM_TARGETS_TO_BUILD="" \

```

(continues on next page)

(continued from previous page)

```
-DLLVM_ENABLE_PROJECTS="clang" \  
-DLLVM_INCLUDE_TESTS=OFF \  
-DCMAKE_BUILD_TYPE=Release \  
../llvm-project/llvm
```

Run Visual Studio 17 2022, open the generated LLVM.sln, build all, and build project INSTALL.

3. Install CUDA version 7.0 or greater.

- In case of multiple CUDA installations, specify the particular version using DCUDA_TOOLKIT_ROOT_DIR option:

Linux:

```
-DCUDA_TOOLKIT_ROOT_DIR=/usr/include
```

Windows:

```
-DCUDA_TOOLKIT_ROOT_DIR="C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.  
↩3"  
-DCUDA_SDK_ROOT_DIR="C:/ProgramData/NVIDIA Corporation/CUDA Samples/v12.3"
```

4. Install cuDNN belonging to the version corresponding to the CUDA version:

- To specify the path to cuDNN, use the CUDA_DNN_ROOT_DIR option:

Linux:

```
-DCUDA_DNN_ROOT_DIR=/usr/include
```

Windows:

```
-DCUDA_DNN_ROOT_DIR=D:/CUDA/cuDNN/9.2.1
```

5. [Optional] Install CUB 1.9.8 for CUDA < 11.0 only; for CUDA >= 11.0, the CUB shipped with CUDA will be used for testing.

- To specify the path to CUB, use the CUDA_CUB_ROOT_DIR option (only for CUDA < 11.0):

Linux:

```
-DCUDA_CUB_ROOT_DIR=/srv/git/CUB
```

Windows:

```
-DCUDA_CUB_ROOT_DIR=D:/CUDA/CUB
```

6. Install Python version 2.7 or greater.

7. Install lit and FileCheck; these are distributed with LLVM.

- Install lit into Python:

Linux:

```
python /usr/llvm/18.1.8/llvm-project/llvm/utils/lit/setup.py install
```

Windows:

```
python D:/LLVM/18.1.8/llvm-project/llvm/utils/lit/setup.py install
```

In case of errors similar to `ModuleNotFoundError: No module named 'setuptools'`, upgrade the `setuptools` package:

```
python -m pip install --upgrade pip setuptools
```

- Starting with LLVM 6.0.1, specify the path to the `llvm-lit` Python script using the `LLVM_EXTERNAL_LIT` option:

Linux:

```
-DLLVM_EXTERNAL_LIT=/usr/llvm/18.1.8/build/bin/llvm-lit
```

Windows:

```
-DLLVM_EXTERNAL_LIT=D:/LLVM/18.1.8/build/Release/bin/llvm-lit.py
```

- **FileCheck:**

Linux:

Copy from `/usr/llvm/18.1.8/build/bin/` to `CMAKE_INSTALL_PREFIX/dist/bin`.

Windows:

Copy from `D:/LLVM/18.1.8/build/Release/bin` to `CMAKE_INSTALL_PREFIX/dist/bin`.

Alternatively, specify the path to `FileCheck` in the `CMAKE_INSTALL_PREFIX` option.

8. To run OpenGL tests successfully on:

Linux:

Install GL headers.

On Ubuntu, use: `sudo apt-get install mesa-common-dev`

Windows:

No installation required. All the required headers are shipped with the Windows SDK.

9. Set the `HIPIFY_CLANG_TESTS` option to `ON`: `-DHIPIFY_CLANG_TESTS=ON`
10. Build and run tests.

1.7 Linux testing

On Linux, the following configurations are tested:

- Ubuntu 14: LLVM 4.0.0 - 7.1.0, CUDA 7.0 - 9.0, cuDNN 5.0.5 - 7.6.5
- Ubuntu 16-19: LLVM 8.0.0 - 14.0.6, CUDA 7.0 - 10.2, cuDNN 5.1.10 - 8.0.5
- Ubuntu 20-21: LLVM 9.0.0 - 18.1.8, CUDA 7.0 - 12.3.2, cuDNN 5.1.10 - 9.2.1
- Ubuntu 22-23: LLVM 13.0.0 - 18.1.8, CUDA 7.0 - 12.3.2, cuDNN 8.0.5 - 9.2.1

Minimum build system requirements for the above configurations:

- CMake 3.16.8, GNU C/C++ 9.2, Python 3.0.

Recommended build system requirements:

- CMake 3.30.0, GNU C/C++ 13.2, Python 3.12.4.

Here's how to build hipify-clang with testing support on Ubuntu 23.10.01:

```
cmake
-DHIPIFY_CLANG_TESTS=ON \
-DCMAKE_BUILD_TYPE=Release \
-DCMAKE_INSTALL_PREFIX=../dist \
-DCMAKE_PREFIX_PATH=/usr/llvm/18.1.8/dist \
-DCUDA_TOOLKIT_ROOT_DIR=/usr/local/cuda-12.3.2 \
-DCUDA_DNN_ROOT_DIR=/usr/local/cudnn-9.2.1 \
-DLLVM_EXTERNAL_LIT=/usr/llvm/18.1.8/build/bin/llvm-lit \
../hipify
```

The corresponding successful output is:

```
-- The C compiler identification is GNU 13.2.0
-- The CXX compiler identification is GNU 13.2.0
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working C compiler: /usr/bin/cc - skipped
-- Detecting C compile features
-- Detecting C compile features - done
-- Detecting CXX compiler ABI info
-- Detecting CXX compiler ABI info - done
-- Check for working CXX compiler: /usr/bin/c++ - skipped
-- Detecting CXX compile features
-- Detecting CXX compile features - done
-- HIPIFY config:
--   - Build hipify-clang : ON
--   - Test hipify-clang : ON
--   - Is part of HIP SDK : OFF
-- Found ZLIB: /usr/lib/x86_64-linux-gnu/libz.so (found version "1.2.13")
-- Found LLVM 18.1.8:
--   - CMake module path : /usr/llvm/18.1.8/dist/lib/cmake/llvm
--   - Clang include path : /usr/llvm/18.1.8/dist/include
--   - LLVM Include path : /usr/llvm/18.1.8/dist/include
--   - Binary path      : /usr/llvm/18.1.8/dist/bin
-- Linker detection: GNU ld
-- ---- The below configuring for hipify-clang testing only ----
-- Found Python: /usr/bin/python3.12 (found version "3.12.4") found components:
↳ Interpreter
-- Found lit: /usr/local/bin/lit
-- Found FileCheck: /GIT/LLVM/trunk/dist/FileCheck
-- Initial CUDA to configure:
--   - CUDA Toolkit path : /usr/local/cuda-12.3.2
--   - CUDA Samples path :
--   - cuDNN path       : /usr/local/cudnn-9.2.1
--   - CUB path         :
-- Found CUDAToolkit: /usr/local/cuda-12.3.2/targets/x86_64-linux/include (found version
↳ "12.3.107")
-- Performing Test CMAKE_HAVE_LIBC_PTHREAD
-- Performing Test CMAKE_HAVE_LIBC_PTHREAD - Success
-- Found Threads: TRUE
```

(continues on next page)

(continued from previous page)

```
-- Found CUDA config:
--   - CUDA Toolkit path  : /usr/local/cuda-12.3.2
--   - CUDA Samples path  : OFF
--   - cudNN path         : /usr/local/cudnn-9.2.1
--   - CUB path           : /usr/local/cuda-12.3.2/include/cub
-- Configuring done (0.5s)
-- Generating done (0.0s)
-- Build files have been written to: /usr/hipify/build
```

```
make test-hipify
```

The corresponding successful output is:

```
Running HIPify regression tests
=====
CUDA 12.3.107 - will be used for testing
LLVM 18.1.8 - will be used for testing
x86_64 - Platform architecture
Linux 6.5.0-15-generic - Platform OS
64 - hipify-clang binary bitness
64 - python 3.12.4 binary bitness
=====
-- Testing: 106 tests, 12 threads --
Testing Time: 6.91s

Total Discovered Tests: 106
  Passed: 106 (100.00%)
```

1.8 Windows testing

Tested configurations:

LLVM	CUDA	cuDNN	Visual Studio	CMake	Python
4.0.0 -	7.0 -	5.1.10 -	2015.14.0, 2017.15.5.2	3.5.1 -	3.6.4 -
5.0.2	8.0	7.1.4		3.18.0	3.8.5
6.0.0 -	7.0 -	7.0.5 -	2015.14.0, 2017.15.5.5	3.6.0 -	3.7.2 -
6.0.1	9.0	7.6.5		3.18.0	3.8.5
7.0.0 -	7.0 -	7.0.5 -	2017.15.9.11	3.13.3 -	3.7.3 -
7.1.0	9.2	7.6.5		3.18.0	3.8.5
8.0.0 -	7.0 -	7.6.5	2017.15.9.15	3.14.2 -	3.7.4 -
8.0.1	10.0			3.18.0	3.8.5
9.0.0 -	7.0 -	7.6.5	2017.15.9.20, 2019.16.4.5	3.16.4 -	3.8.0 -
9.0.1	10.1			3.18.0	3.8.5
10.0.0 -	7.0 -	7.6.5 -	2017.15.9.30, 2019.16.8.3	3.19.2	3.9.1
11.0.0	11.1	8.0.5			
11.0.1 -	7.0 -	7.6.5 -	2017.15.9.31, 2019.16.8.4	3.19.3	3.9.2
11.1.0	11.2.2	8.0.5			
12.0.0 -	7.0 -	7.6.5 -	2017.15.9.43, 2019.16.11.9	3.22.2	3.10.2
13.0.1	11.5.1	8.3.2			
14.0.0 -	7.0 -	8.0.5 -	2017.15.9.57, ⁵ 2019.16.11.17, 2022.17.2.6	3.24.0	3.10.6
14.0.6	11.7.1	8.4.1			
15.0.0 -	7.0 -	8.0.5 -	2019.16.11.25, 2022.17.5.2	3.26.0	3.11.2
15.0.7	11.8.0	8.8.1			
16.0.0 -	7.0 -	8.0.5 -	2019.16.11.29, 2022.17.7.1	3.27.3	3.11.4
16.0.6	12.2.2	8.9.5			
17.0.1 ⁶ -	7.0 -	8.0.5 -	2019.16.11.37, 2022.17.10.4	3.30.0	3.12.4
18.1.8 ⁷	12.3.2	9.2.1			
19.0.0git	7.0 -	8.0.5 -	2019.16.11.37, 2022.17.10.4	3.30.0	3.12.4
	12.5.1	9.2.1			

⁵ LLVM 14.x.x is the latest major release supporting Visual Studio 2017.

To build LLVM 14.x.x correctly using Visual Studio 2017, add `-DLLVM_FORCE_USE_OLD_TOOLCHAIN=ON` to corresponding CMake command line.

You can also build LLVM < 14.x.x correctly using Visual Studio 2017 without the `LLVM_FORCE_USE_OLD_TOOLCHAIN` option.

⁶ Note that LLVM 17.0.0 was withdrawn due to an issue; use 17.0.1 or newer instead.

⁷ Note that LLVM 18.0.0 has never been released; use 18.1.0 or newer instead.

Building with testing support using Visual Studio 17 2022 on Windows 11:

```

cmake
-G "Visual Studio 17 2022" \
-A x64 \
-Thost=x64 \
-DHIPIFY_CLANG_TESTS=ON \
-DCMAKE_BUILD_TYPE=Release \
-DCMAKE_INSTALL_PREFIX=../dist \
-DCMAKE_PREFIX_PATH=D:/LLVM/18.1.8/dist \
-DCUDA_TOOLKIT_ROOT_DIR="C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.3" \
-DCUDA_SDK_ROOT_DIR="C:/ProgramData/NVIDIA Corporation/CUDA Samples/v12.3" \
-DCUDA_DNN_ROOT_DIR=D:/CUDA/cuDNN/9.2.1 \
    
```

(continues on next page)

(continued from previous page)

```
-DLLVM_EXTERNAL_LIT=D:/LLVM/18.1.8/build/Release/bin/llvm-lit.py \
../hipify
```

The corresponding successful output is:

```
-- Selecting Windows SDK version 10.0.22621.0 to target Windows 10.0.22631.
-- The C compiler identification is MSVC 19.39.33523.0
-- The CXX compiler identification is MSVC 19.39.33523.0
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working C compiler: C:/Program Files/Microsoft Visual Studio/2022/Community/
↪VC/Tools/MSVC/14.39.33519/bin/Hostx64/x64/cl.exe - skipped
-- Detecting C compile features
-- Detecting C compile features - done
-- Detecting CXX compiler ABI info
-- Detecting CXX compiler ABI info - done
-- Check for working CXX compiler: C:/Program Files/Microsoft Visual Studio/2022/
↪Community/VC/Tools/MSVC/14.39.33519/bin/Hostx64/x64/cl.exe - skipped
-- Detecting CXX compile features
-- Detecting CXX compile features - done
-- HIPIFY config:
--   - Build hipify-clang : ON
--   - Test hipify-clang : ON
--   - Is part of HIP SDK : OFF
-- Found LLVM 18.1.8:
--   - CMake module path : D:/LLVM/18.1.8/dist/lib/cmake/llvm
--   - Clang include path : D:/LLVM/18.1.8/dist/include
--   - LLVM Include path : D:/LLVM/18.1.8/dist/include
--   - Binary path      : D:/LLVM/18.1.8/dist/bin
-- ---- The below configuring for hipify-clang testing only ----
-- Found Python: C:/Users/TT/AppData/Local/Programs/Python/Python312/python.exe (found
↪version "3.12.4") found components: Interpreter
-- Found lit: C:/Users/TT/AppData/Local/Programs/Python/Python312/Scripts/lit.exe
-- Found FileCheck: D:/LLVM/18.1.8/dist/bin/FileCheck.exe
-- Initial CUDA to configure:
--   - CUDA Toolkit path : C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.3
--   - CUDA Samples path : C:/ProgramData/NVIDIA Corporation/CUDA Samples/v12.3
--   - cuDNN path       : D:/CUDA/cuDNN/9.2.1
--   - CUB path         :
-- Found CUDAToolkit: C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.3/include
↪(found version "12.3.107")
-- Found CUDA config:
--   - CUDA Toolkit path : C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.3
--   - CUDA Samples path : C:/ProgramData/NVIDIA Corporation/CUDA Samples/v12.3
--   - cuDNN path       : D:/CUDA/cuDNN/9.2.1
--   - CUB path         : C:/Program Files/NVIDIA GPU Computing Toolkit/CUDA/v12.3/
↪include/cub
-- Configuring done (1.4s)
-- Generating done (0.1s)
-- Build files have been written to: D:/HIPIFY/build
```

Run Visual Studio 17 2022, open the generated hipify-clang.sln, and build the project test-hipify.

HIPIFY-PERL

`hipify-perl` is an autogenerated perl-based script that heavily uses regular expressions.

Advantages:

- Ease of use
- No checks for input source NVIDIA CUDA code for correctness required
- No dependency on third party tools, including CUDA

Disadvantages:

- Inability or difficulty in implementing the following constructs:
 - Macros expansion
 - Namespaces:
 - * Redefinition of CUDA entities in user namespaces
 - * Using directive
 - Templates (some cases)
 - Device or host function calls differentiation
 - Correct injection of header files
 - Parsing complicated argument lists

2.1 Usage

```
perl hipify-perl square.cu > square.cu.hip
```

2.2 Building hipify-perl

To generate `hipify-perl`, run

```
hipify-clang --perl
```

You can choose to specify the output directory for the generated `hipify-perl` file using `--o-hipify-perl-dir` option.

SUPPORTED NVIDIA CUDA APIS

CUDA	HIP	ROC	HIP & ROC
CUDA Runtime API	<i>HIP API</i>		
CUDA Driver API	<i>HIP API</i>		
CUComplex API	<i>HIP API</i>		
CUDA Device API	<i>HIP Device API</i>		
CUDA RTC API	<i>HIP RTC API</i>		
CUBLAS API	<i>HIP BLAS API</i>	ROC BLAS API	HIP + ROC BLAS API
CUSPARSE API	<i>HIP SPARSE API</i>	ROC SPARSE API	HIP + ROC SPARSE API
CUSOLVER API	<i>HIP SOLVER API</i>		
CURAND API	<i>HIP RAND API</i>		
CUFFT API	<i>HIP FFT API</i>		
CUDNN API	<i>HIP DNN API</i>		
CUB API	<i>HIP CUB API</i>		

To generate the above documentation with the information about all supported CUDA APIs in Markdown format, run `hipify-clang --md` with or without specifying the output directory (-o).

3.1 CUDA Runtime API supported by HIP

3.1.1 1. Device Management

CUDA	A	D	C	R	HIP	A	D	C	R
<code>cudaChooseDevice</code>					<code>hipChooseDevice</code>	1.6.0			
<code>cudaDeviceFlushGPUDirectRDMAWrites</code>	11.3								
<code>cudaDeviceGetAttribute</code>					<code>hipDeviceGetAttribute</code>	1.6.0			

continues on next

Table 3.1 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaDeviceGetByPCIBusId					hipDeviceGetByPCIBusId	1.6.0				
cudaDeviceGetCacheConfig					hipDeviceGetCacheConfig	1.6.0				
cudaDeviceGetDefaultMemPool	11.2				hipDeviceGetDefaultMemPool	5.2.0				
cudaDeviceGetLimit					hipDeviceGetLimit	1.6.0				
cudaDeviceGetMemPool	11.2				hipDeviceGetMemPool	5.2.0				
cudaDeviceGetNvSciSyncAttributes	10.2									
cudaDeviceGetP2PAttribute	8.0				hipDeviceGetP2PAttribute	3.8.0				
cudaDeviceGetPCIBusId					hipDeviceGetPCIBusId	1.6.0				
cudaDeviceGetStreamPriorityRange					hipDeviceGetStreamPriorityRange	2.0.0				
cudaDeviceGetTexture1DLinearMaxWidth	11.1									
cudaDeviceReset					hipDeviceReset	1.6.0				
cudaDeviceSetCacheConfig					hipDeviceSetCacheConfig	1.6.0				
cudaDeviceSetLimit					hipDeviceSetLimit	5.3.0				
cudaDeviceSetMemPool	11.2				hipDeviceSetMemPool	5.2.0				
cudaDeviceSynchronize					hipDeviceSynchronize	1.6.0				
cudaGetDevice					hipGetDevice	1.6.0				
cudaGetDeviceCount					hipGetDeviceCount	1.6.0				
cudaGetDeviceFlags					hipGetDeviceFlags	3.6.0				
cudaGetDeviceProperties					hipGetDeviceProperties	1.6.0				
cudaInitDevice	12.0									
cudaIpcCloseMemHandle					hipIpcCloseMemHandle	1.6.0				
cudaIpcGetEventHandle					hipIpcGetEventHandle	1.6.0				
cudaIpcGetMemHandle					hipIpcGetMemHandle	1.6.0				
cudaIpcOpenEventHandle					hipIpcOpenEventHandle	1.6.0				
cudaIpcOpenMemHandle					hipIpcOpenMemHandle	1.6.0				
cudaSetDevice					hipSetDevice	1.6.0				
cudaSetDeviceFlags					hipSetDeviceFlags	1.6.0				
cudaSetValidDevices										

3.1.2 2. Device Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaDeviceGetSharedMemConf	12.4				hipDeviceGetSharedMemConf	1.6.0				
cudaDeviceSetSharedMemConf	12.4				hipDeviceSetSharedMemConf	1.6.0				

3.1.3 3. Thread Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaThreadExit		10.0			hipDeviceReset					1.6.0
cudaThreadGetCacheConfig		10.0			hipDeviceGetCacheConfig					1.6.0
cudaThreadGetLimit		10.0								
cudaThreadSetCacheConfig		10.0			hipDeviceSetCacheConfig					1.6.0
cudaThreadSetLimit		10.0								
cudaThreadSynchronize		10.0			hipDeviceSynchronize					1.6.0

3.1.4 4. Error Handling

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGetErrorName					hipGetErrorName					1.6.0
cudaGetErrorString					hipGetErrorString					1.6.0
cudaGetLastError					hipGetLastError					1.6.0
cudaPeekAtLastError					hipPeekAtLastError					1.6.0

3.1.5 5. Stream Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaCtxResetPersistingL2Ca	11.0									
cudaStreamAddCallback					hipStreamAddCallback	1.6.0				
cudaStreamAttachMemAsync					hipStreamAttachMemAsync	3.7.0				
cudaStreamBeginCapture	10.0				hipStreamBeginCapture	4.3.0				
cudaStreamBeginCaptureToGr	12.3				hipStreamBeginCaptureToC	6.2.0				6.2.0
cudaStreamCopyAttributes	11.0									
cudaStreamCreate					hipStreamCreate	1.6.0				
cudaStreamCreateWithFlags					hipStreamCreateWithFlags	1.6.0				
cudaStreamCreateWithPriori					hipStreamCreateWithPrior	2.0.0				
cudaStreamDestroy					hipStreamDestroy	1.6.0				
cudaStreamEndCapture	10.0				hipStreamEndCapture	4.3.0				
cudaStreamGetAttribute	11.0									
cudaStreamGetCaptureInfo	10.1				hipStreamGetCaptureInfo	5.0.0				
cudaStreamGetCaptureInfo_v	12.3									
cudaStreamGetFlags					hipStreamGetFlags	1.6.0				
cudaStreamGetId	12.0									
cudaStreamGetPriority					hipStreamGetPriority	2.0.0				
cudaStreamIsCapturing	10.0				hipStreamIsCapturing	5.0.0				
cudaStreamQuery					hipStreamQuery	1.6.0				
cudaStreamSetAttribute	11.0									
cudaStreamSynchronize					hipStreamSynchronize	1.6.0				
cudaStreamUpdateCaptureDep	11.3				hipStreamUpdateCaptureDe	5.0.0				
cudaStreamUpdateCaptureDep	12.3									
cudaStreamWaitEvent					hipStreamWaitEvent	1.6.0				
cudaThreadExchangeStreamCa	10.1				hipThreadExchangeStreamC	5.2.0				

3.1.6 6. Event Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaEventCreate					hipEventCreate	1.6.0				
cudaEventCreateWithFlags					hipEventCreateWithFlags	1.6.0				
cudaEventDestroy					hipEventDestroy	1.6.0				
cudaEventElapsedTime					hipEventElapsedTime	1.6.0				
cudaEventQuery					hipEventQuery	1.6.0				
cudaEventRecord					hipEventRecord	1.6.0				
cudaEventRecordWithFlags	11.1									
cudaEventSynchronize					hipEventSynchronize	1.6.0				

3.1.7 7. External Resource Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaDestroyExternalMemory	10.0				hipDestroyExternalMemor	4.3.0				
cudaDestroyExternalSemaphore	10.0				hipDestroyExternalSema	4.4.0				
cudaExternalMemoryGetMappedBu	10.0				hipExternalMemoryGetMa	4.3.0				
cudaExternalMemoryGetMappedMi	10.0									
cudaImportExternalMemory	10.0				hipImportExternalMemory	4.3.0				
cudaImportExternalSemaphore	10.0				hipImportExternalSemaph	4.4.0				
cudaSignalExternalSemaphoresA	10.0				hipSignalExternalSemaph	4.4.0				
cudaWaitExternalSemaphoresAsy	10.0				hipWaitExternalSemaphor	4.4.0				

3.1.8 8. Execution Control

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaFuncGetAttributes					hipFuncGetAttributes	1.9.0				
cudaFuncGetName	12.3									
cudaFuncGetParamInfo	12.4									
cudaFuncSetAttribute	9.0				hipFuncSetAttribute	3.9.0				
cudaFuncSetCacheConfig					hipFuncSetCacheConfig	1.6.0				
cudaGetParameterBuffer										
cudaGetParameterBufferV2										
cudaLaunchCooperativeKernel	9.0				hipLaunchCooperativeKernel	2.6.0				
cudaLaunchCooperativeKernel	9.0	11.3			hipLaunchCooperativeKernel	2.6.0				
cudaLaunchHostFunc	10.0				hipLaunchHostFunc	5.2.0				
cudaLaunchKernel					hipLaunchKernel	1.6.0				
cudaLaunchKernelExC	11.8									
cudaSetDoubleForDevice		10.0								
cudaSetDoubleForHost		10.0								

3.1.9 9. Execution Control [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaFuncSetSharedMemConfig		12.4			hipFuncSetSharedMemConfig	3.9.0				

3.1.10 10. Occupancy

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaOccupancyAvailableDyn	11.0									
cudaOccupancyMaxActiveBloc					hipOccupancyMaxActiveBloc	1.6.0				
cudaOccupancyMaxActiveBloc					hipOccupancyMaxActiveBloc	2.6.0				WithFlags
cudaOccupancyMaxActiveClus	11.8									
cudaOccupancyMaxPotentialB					hipOccupancyMaxPotentialB	1.6.0				
cudaOccupancyMaxPotentialB					hipOccupancyMaxPotentialB	5.5.0				
cudaOccupancyMaxPotentialB					hipOccupancyMaxPotentialB	5.5.0				WithFlags
cudaOccupancyMaxPotentialB					hipOccupancyMaxPotentialB	3.5.0				
cudaOccupancyMaxPotentialC	11.8									

3.1.11 11. Memory Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaArrayGetInfo					hipArrayGetInfo	5.6.0				
cudaArrayGetMemoryRequirements	11.6									
cudaArrayGetPlane	11.2									
cudaArrayGetSparseProperties	11.1									
cudaDeviceRegisterAsyncNotification	12.4									
cudaDeviceUnregisterAsyncNotification	12.4									
cudaFree					hipFree	1.5.0				
cudaFreeArray					hipFreeArray	1.6.0				
cudaFreeHost					hipHostFree	1.6.0				
cudaFreeMipmappedArray					hipFreeMipmappedArray	3.5.0				
cudaGetMipmappedArrayLevel					hipGetMipmappedArrayLevel	3.5.0				
cudaGetSymbolAddress					hipGetSymbolAddress	2.0.0				
cudaGetSymbolSize					hipGetSymbolSize	2.0.0				
cudaHostAlloc					hipHostAlloc	1.6.0				
cudaHostGetDevicePointer					hipHostGetDevicePointer	1.6.0				
cudaHostGetFlags					hipHostGetFlags	1.6.0				
cudaHostRegister					hipHostRegister	1.6.0				
cudaHostUnregister					hipHostUnregister	1.6.0				
cudaMalloc					hipMalloc	1.5.0				
cudaMalloc3D					hipMalloc3D	1.9.0				
cudaMalloc3DArray					hipMalloc3DArray	1.7.0				
cudaMallocArray					hipMallocArray	1.6.0				
cudaMallocHost					hipHostMalloc	1.6.0				
cudaMallocManaged					hipMallocManaged	2.5.0				

continues on next page

Table 3.2 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaMallocMipmappedArray					hipMallocMipmappedArray	3.5.0				
cudaMallocPitch					hipMallocPitch	1.6.0				
cudaMemAdvise	8.0				hipMemAdvise	3.7.0				
cudaMemAdvise_v2	12.2									
cudaMemGetInfo					hipMemGetInfo	1.6.0				
cudaMemPrefetchAsync	8.0				hipMemPrefetchAsync	3.7.0				
cudaMemPrefetchAsync_v2	12.2									
cudaMemRangeGetAttribute	8.0				hipMemRangeGetAttribute	3.7.0				
cudaMemRangeGetAttributes	8.0				hipMemRangeGetAttributes	3.7.0				
cudaMemcpy					hipMemcpy	1.5.0				
cudaMemcpy2D					hipMemcpy2D	1.6.0				
cudaMemcpy2DArrayToArray										
cudaMemcpy2DAsync					hipMemcpy2DAsync	1.6.0				
cudaMemcpy2DFromArray					hipMemcpy2DFromArray	3.0.0				
cudaMemcpy2DFromArrayAsync					hipMemcpy2DFromArrayAsync	3.0.0				
cudaMemcpy2DToArray					hipMemcpy2DToArray	1.6.0				
cudaMemcpy2DToArrayAsync					hipMemcpy2DToArrayAsync	4.3.0				
cudaMemcpy3D					hipMemcpy3D	1.6.0				
cudaMemcpy3DAsync					hipMemcpy3DAsync	2.8.0				
cudaMemcpy3DPeer										
cudaMemcpy3DPeerAsync										
cudaMemcpyAsync					hipMemcpyAsync	1.6.0				
cudaMemcpyFromSymbol					hipMemcpyFromSymbol	1.6.0				
cudaMemcpyFromSymbolAsync					hipMemcpyFromSymbolAsync	1.6.0				
cudaMemcpyPeer					hipMemcpyPeer	1.6.0				
cudaMemcpyPeerAsync					hipMemcpyPeerAsync	1.6.0				
cudaMemcpyToSymbol					hipMemcpyToSymbol	1.6.0				
cudaMemcpyToSymbolAsync					hipMemcpyToSymbolAsync	1.6.0				
cudaMemset					hipMemset	1.6.0				
cudaMemset2D					hipMemset2D	1.7.0				
cudaMemset2DAsync					hipMemset2DAsync	1.9.0				
cudaMemset3D					hipMemset3D	1.9.0				
cudaMemset3DAsync					hipMemset3DAsync	1.9.0				
cudaMemsetAsync					hipMemsetAsync	1.6.0				
make_cudaExtent					make_hipExtent	1.7.0				
make_cudaPitchedPtr					make_hipPitchedPtr	1.7.0				
make_cudaPos					make_hipPos	1.7.0				

3.1.12 12. Memory Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaMemcpyFromArrayToArray		10.1								
cudaMemcpyFromArray		10.1			hipMemcpyFromArray	1.9.0	3.8.0			
cudaMemcpyFromArrayAsync		10.1								
cudaMemcpyToArray		10.1			hipMemcpyToArray	1.6.0	3.8.0			
cudaMemcpyToArrayAsync		10.1								

3.1.13 13. Stream Ordered Memory Allocator

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaFreeAsync		11.2			hipFreeAsync		5.2.0			
cudaMallocAsync		11.2			hipMallocAsync		5.2.0			
cudaMallocFromPoolAsync		11.2			hipMallocFromPoolAsync		5.2.0			
cudaMemPoolCreate		11.2			hipMemPoolCreate		5.2.0			
cudaMemPoolDestroy		11.2			hipMemPoolDestroy		5.2.0			
cudaMemPoolExportPointer		11.2			hipMemPoolExportPointer		5.2.0			
cudaMemPoolExportToShareab		11.2			hipMemPoolExportToShareab		5.2.0			
cudaMemPoolGetAccess		11.2			hipMemPoolGetAccess		5.2.0			
cudaMemPoolGetAttribute		11.2			hipMemPoolGetAttribute		5.2.0			
cudaMemPoolImportFromShare		11.2			hipMemPoolImportFromShare		5.2.0			
cudaMemPoolImportPointer		11.2			hipMemPoolImportPointer		5.2.0			
cudaMemPoolSetAccess		11.2			hipMemPoolSetAccess		5.2.0			
cudaMemPoolSetAttribute		11.2			hipMemPoolSetAttribute		5.2.0			
cudaMemPoolTrimTo		11.2			hipMemPoolTrimTo		5.2.0			

3.1.14 14. Unified Addressing

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaPointerGetAttributes					hipPointerGetAttributes	1.6.0				

3.1.15 15. Peer Device Memory Access

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaDeviceCanAccessPeer					hipDeviceCanAccessPeer	1.9.0				
cudaDeviceDisablePeerAccess					hipDeviceDisablePeerAccess	1.9.0				
cudaDeviceEnablePeerAccess					hipDeviceEnablePeerAccess	1.9.0				

3.1.16 16. OpenGL Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGLGetDevices					hipGLGetDevices	4.5.0				
cudaGraphicsGLRegisterBuffer					hipGraphicsGLRegisterBuffer	4.5.0				
cudaGraphicsGLRegisterImage					hipGraphicsGLRegisterImage	5.1.0				
cudaWGLGetDevice										

3.1.17 17. OpenGL Interoperability [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGLMapBufferObject		10.0								
cudaGLMapBufferObjectAsync		10.0								
cudaGLRegisterBufferObject		10.0								
cudaGLSetBufferObjectMapFlags		10.0								
cudaGLSetGLDevice		10.0								
cudaGLUnmapBufferObject		10.0								
cudaGLUnmapBufferObjectAsync		10.0								
cudaGLUnregisterBufferObject		10.0								

3.1.18 18. Direct3D 9 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D9GetDevice										
cudaD3D9GetDevices										
cudaD3D9GetDirect3DDevice										
cudaD3D9SetDirect3DDevice										
cudaGraphicsD3D9RegisterResource										

3.1.19 19. Direct3D 9 Interoperability [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D9MapResources		10.0								
cudaD3D9RegisterResource										
cudaD3D9ResourceGetMappedArray		10.0								
cudaD3D9ResourceGetMappedPitch		10.0								
cudaD3D9ResourceGetMappedPointer		10.0								
cudaD3D9ResourceGetMappedSize		10.0								
cudaD3D9ResourceGetSurfaceDimensions		10.0								
cudaD3D9ResourceSetMapFlags		10.0								
cudaD3D9UnmapResources		10.0								
cudaD3D9UnregisterResource		10.0								

3.1.20 20. Direct3D 10 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D10GetDevice										
cudaD3D10GetDevices										
cudaGraphicsD3D10RegisterResource										

3.1.21 21. Direct3D 10 Interoperability [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D10GetDirect3DDevice										
cudaD3D10MapResources										
cudaD3D10RegisterResource										
cudaD3D10ResourceGetMappedArray										
cudaD3D10ResourceGetMappedPitch										
cudaD3D10ResourceGetMappedPointer										
cudaD3D10ResourceGetMappedSize										
cudaD3D10ResourceGetSurfaceDimensions										
cudaD3D10ResourceSetMapFlags										
cudaD3D10SetDirect3DDevice										
cudaD3D10UnmapResources										
cudaD3D10UnregisterResource										

3.1.22 22. Direct3D 11 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D11GetDevice										
cudaD3D11GetDevices										
cudaGraphicsD3D11RegisterResource										

3.1.23 23. Direct3D 11 Interoperability [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaD3D11GetDirect3DDevice										
cudaD3D11SetDirect3DDevice										

3.1.24 24. VDPAU Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGraphicsVDPAURegisterOutputSurface										
cudaGraphicsVDPAURegisterVideoSurface										
cudaVDPAUGetDevice										
cudaVDPAUSetVDPAUDevice										

3.1.25 25. EGL Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaEGLStreamConsumerAcquireFrame	9.1									
cudaEGLStreamConsumerConnect	9.1									
cudaEGLStreamConsumerConnectWithFlags	9.1									
cudaEGLStreamConsumerDisconnect	9.1									
cudaEGLStreamConsumerReleaseFrame	9.1									
cudaEGLStreamProducerConnect	9.1									
cudaEGLStreamProducerDisconnect	9.1									
cudaEGLStreamProducerPresentFrame	9.1									
cudaEGLStreamProducerReturnFrame	9.1									
cudaEventCreateFromEGLSync	9.1									
cudaGraphicsEGLRegisterImage	9.1									
cudaGraphicsResourceGetMappedEglFrame	9.1									

3.1.26 26. Graphics Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGraphicsMapResources					hipGraphicsMapResources	4.5.0				
cudaGraphicsResourceGetMapped										
cudaGraphicsResourceGetMapped					hipGraphicsResourceGetMa	4.5.0				
cudaGraphicsResourceSetMapFla										
cudaGraphicsSubResourceGetMap					hipGraphicsSubResourceGe	5.1.0				
cudaGraphicsUnmapResources					hipGraphicsUnmapResource	4.5.0				
cudaGraphicsUnregisterResourc					hipGraphicsUnregisterRes	4.5.0				

3.1.27 27. Texture Object Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaCreateChannelDesc					hipCreateChannelDesc	1.6.0				
cudaCreateTextureObject					hipCreateTextureObject	1.7.0				
cudaCreateTextureObject_v	11.8			12.0						
cudaDestroyTextureObject					hipDestroyTextureObject	1.7.0				
cudaGetChannelDesc					hipGetChannelDesc	1.7.0				
cudaGetTextureObjectResou:					hipGetTextureObjectResour	1.7.0				
cudaGetTextureObjectResou:					hipGetTextureObjectResour	1.7.0				
cudaGetTextureObjectTextu:					hipGetTextureObjectTextur	1.7.0				
cudaGetTextureObjectTextu:	11.8			12.0						

3.1.28 28. Surface Object Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaCreateSurfaceObject					hipCreateSurfaceObject	1.9.0				
cudaDestroySurfaceObject					hipDestroySurfaceObjec	1.9.0				
cudaGetSurfaceObjectResourceDe										

3.1.29 29. Version Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaDriverGetVersion					hipDriverGetVersion	1.6.0				
cudaRuntimeGetVersion					hipRuntimeGetVersion	1.6.0				

3.1.30 30. Graph Management

CUDA	A	D	C	R	HIP
cudaDeviceGetGraphMemAttribute	11.4				hipDeviceGetGraphMemAttribute
cudaDeviceGraphMemTrim	11.4				hipDeviceGraphMemTrim
cudaDeviceSetGraphMemAttribute	11.4				hipDeviceSetGraphMemAttribute
cudaGraphAddChildGraphNode	10.0				hipGraphAddChildGraphNode
cudaGraphAddDependencies	10.0				hipGraphAddDependencies
cudaGraphAddDependencies_v2	12.3				
cudaGraphAddEmptyNode	10.0				hipGraphAddEmptyNode
cudaGraphAddEventRecordNode	11.1				hipGraphAddEventRecordNode
cudaGraphAddEventWaitNode	11.1				hipGraphAddEventWaitNode
cudaGraphAddExternalSemaphoresSignalNode	11.2				hipGraphAddExternalSemaphoresSigna
cudaGraphAddExternalSemaphoresWaitNode	11.2				hipGraphAddExternalSemaphoresWait
cudaGraphAddHostNode	10.0				hipGraphAddHostNode
cudaGraphAddKernelNode	10.0				hipGraphAddKernelNode
cudaGraphAddMemAllocNode	11.4				hipGraphAddMemAllocNode
cudaGraphAddMemFreeNode	11.4				hipGraphAddMemFreeNode
cudaGraphAddMemcpyNode	10.0				hipGraphAddMemcpyNode
cudaGraphAddMemcpyNode1D	11.1				hipGraphAddMemcpyNode1D
cudaGraphAddMemcpyNodeFromSymbol	11.1				hipGraphAddMemcpyNodeFromSymbol
cudaGraphAddMemcpyNodeToSymbol	11.1				hipGraphAddMemcpyNodeToSymbol
cudaGraphAddMemsetNode	10.0				hipGraphAddMemsetNode
cudaGraphAddNode	12.2				hipGraphAddNode
cudaGraphAddNode_v2	12.3				
cudaGraphChildGraphNodeGetGraph	10.0				hipGraphChildGraphNodeGetGraph
cudaGraphClone	10.0				hipGraphClone
cudaGraphConditionalHandleCreate	12.3				

Table 3.3 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGraphCreate	10.0				hipGraphCreate
cudaGraphDebugDotPrint	11.3				hipGraphDebugDotPrint
cudaGraphDestroy	10.0				hipGraphDestroy
cudaGraphDestroyNode	10.0				hipGraphDestroyNode
cudaGraphEventRecordNodeGetEvent	11.1				hipGraphEventRecordNodeGetEvent
cudaGraphEventRecordNodeSetEvent	11.1				hipGraphEventRecordNodeSetEvent
cudaGraphEventWaitNodeGetEvent	11.1				hipGraphEventWaitNodeGetEvent
cudaGraphEventWaitNodeSetEvent	11.1				hipGraphEventWaitNodeSetEvent
cudaGraphExecChildGraphNodeSetParams	11.1				hipGraphExecChildGraphNodeSetParams
cudaGraphExecDestroy	10.0				hipGraphExecDestroy
cudaGraphExecEventRecordNodeSetEvent	11.1				hipGraphExecEventRecordNodeSetEvent
cudaGraphExecEventWaitNodeSetEvent	11.1				hipGraphExecEventWaitNodeSetEvent
cudaGraphExecExternalSemaphoresSignalNodeSetParams	11.2				hipGraphExecExternalSemaphoresSignalNodeSetParams
cudaGraphExecExternalSemaphoresWaitNodeSetParams	11.2				hipGraphExecExternalSemaphoresWaitNodeSetParams
cudaGraphExecGetFlags	12.0				hipGraphExecGetFlags
cudaGraphExecHostNodeSetParams	11.0				hipGraphExecHostNodeSetParams
cudaGraphExecKernelNodeSetParams	11.0				hipGraphExecKernelNodeSetParams
cudaGraphExecMemcpyNodeSetParams	11.0				hipGraphExecMemcpyNodeSetParams
cudaGraphExecMemcpyNodeSetParams1D	11.1				hipGraphExecMemcpyNodeSetParams1D
cudaGraphExecMemcpyNodeSetParamsFromSymbol	11.1				hipGraphExecMemcpyNodeSetParamsFromSymbol
cudaGraphExecMemcpyNodeSetParamsToSymbol	11.1				hipGraphExecMemcpyNodeSetParamsToSymbol
cudaGraphExecMemsetNodeSetParams	11.0				hipGraphExecMemsetNodeSetParams
cudaGraphExecNodeSetParams	12.2				hipGraphExecNodeSetParams
cudaGraphExecUpdate	11.0				hipGraphExecUpdate
cudaGraphExternalSemaphoresSignalNodeGetParams	11.2				hipGraphExternalSemaphoresSignalNodeGetParams
cudaGraphExternalSemaphoresSignalNodeSetParams	11.2				hipGraphExternalSemaphoresSignalNodeSetParams
cudaGraphExternalSemaphoresWaitNodeGetParams	11.2				hipGraphExternalSemaphoresWaitNodeGetParams
cudaGraphExternalSemaphoresWaitNodeSetParams	11.2				hipGraphExternalSemaphoresWaitNodeSetParams
cudaGraphGetEdges	10.0				hipGraphGetEdges
cudaGraphGetEdges_v2	12.3				
cudaGraphGetNodes	10.0				hipGraphGetNodes
cudaGraphGetRootNodes	10.0				hipGraphGetRootNodes
cudaGraphHostNodeGetParams	10.0				hipGraphHostNodeGetParams
cudaGraphHostNodeSetParams	10.0				hipGraphHostNodeSetParams
cudaGraphInstantiate	10.0				hipGraphInstantiate
cudaGraphInstantiateWithFlags	11.4				hipGraphInstantiateWithFlags
cudaGraphInstantiateWithParams	12.0				hipGraphInstantiateWithParams
cudaGraphKernelNodeCopyAttributes	11.0				hipGraphKernelNodeCopyAttributes
cudaGraphKernelNodeGetAttribute	11.0				hipGraphKernelNodeGetAttribute
cudaGraphKernelNodeGetParams	11.0				hipGraphKernelNodeGetParams
cudaGraphKernelNodeSetAttribute	11.0				hipGraphKernelNodeSetAttribute
cudaGraphKernelNodeSetParams	11.0				hipGraphKernelNodeSetParams
cudaGraphLaunch	11.0				hipGraphLaunch
cudaGraphMemAllocNodeGetParams	11.4				hipGraphMemAllocNodeGetParams
cudaGraphMemFreeNodeGetParams	11.4				hipGraphMemFreeNodeGetParams
cudaGraphMemcpyNodeGetParams	11.0				hipGraphMemcpyNodeGetParams
cudaGraphMemcpyNodeSetParams	11.0				hipGraphMemcpyNodeSetParams
cudaGraphMemcpyNodeSetParams1D	11.1				hipGraphMemcpyNodeSetParams1D
cudaGraphMemcpyNodeSetParamsFromSymbol	11.1				hipGraphMemcpyNodeSetParamsFromSymbol
cudaGraphMemcpyNodeSetParamsToSymbol	11.1				hipGraphMemcpyNodeSetParamsToSymbol

Table 3.3 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGraphMemsetNodeGetParams	11.0				hipGraphMemsetNodeGetParams
cudaGraphMemsetNodeSetParams	11.0				hipGraphMemsetNodeSetParams
cudaGraphNodeFindInClone	11.0				hipGraphNodeFindInClone
cudaGraphNodeGetDependencies	11.0				hipGraphNodeGetDependencies
cudaGraphNodeGetDependencies_v2	12.3				
cudaGraphNodeGetDependentNodes	11.0				hipGraphNodeGetDependentNodes
cudaGraphNodeGetDependentNodes_v2	12.3				
cudaGraphNodeGetEnabled	11.6				hipGraphNodeGetEnabled
cudaGraphNodeGetType	11.0				hipGraphNodeGetType
cudaGraphNodeSetEnabled	11.6				hipGraphNodeSetEnabled
cudaGraphNodeSetParams	12.2				hipGraphNodeSetParams
cudaGraphReleaseUserObject	11.3				hipGraphReleaseUserObject
cudaGraphRemoveDependencies	11.0				hipGraphRemoveDependencies
cudaGraphRemoveDependencies_v2	12.3				
cudaGraphRetainUserObject	11.3				hipGraphRetainUserObject
cudaGraphUpload	11.1				hipGraphUpload
cudaUserObjectCreate	11.3				hipUserObjectCreate
cudaUserObjectRelease	11.3				hipUserObjectRelease
cudaUserObjectRetain	11.3				hipUserObjectRetain

3.1.31 31. Driver Entry Point Access

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGetDriverEntryPoint	11.3		12.0		hipGetProcAddress	6.2.0				6.2.0
cudaGetDriverEntryPointByVersion	12.5									

3.1.32 32. C++ API Routines

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGetKernel	12.1									

3.1.33 33. Interactions with the CUDA Driver API

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaGetFuncBySymbol	11.0				hipGetFuncBySymbol	6.2.0				6.2.0

3.1.34 34. Profiler Control

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaProfilerStart					hipProfilerStart	1.6.0	3.0.0			
cudaProfilerStop					hipProfilerStop	1.6.0	3.0.0			

3.1.35 35. Data types used by CUDA Runtime

CUDA	A	D	C	R	HIP
CUDART_2_OVER_PI					HIP_2_OVER_PI
CUDART_2_OVER_PI_F					HIP_2_OVER_PI_F
CUDART_3PIO4					HIP_3PIO4
CUDART_3PIO4_F					HIP_3PIO4_F
CUDART_DBL2INT_CVT					HIP_DBL2INT_CVT
CUDART_INF					HIP_INF
CUDART_INF_F					HIP_INF_F
CUDART_L2E					HIP_L2E
CUDART_L2E_F					HIP_L2E_F
CUDART_L2E_HI					HIP_L2E_HI
CUDART_L2E_LO					HIP_L2E_LO
CUDART_L2T					HIP_L2T
CUDART_L2T_F					HIP_L2T_F
CUDART_LG2					HIP_LG2
CUDART_LG2_F					HIP_LG2_F
CUDART_LG2_HI					HIP_LG2_HI
CUDART_LG2_LO					HIP_LG2_LO
CUDART_LG2_X_1024					HIP_LG2_X_1024
CUDART_LG2_X_1075					HIP_LG2_X_1075
CUDART_LGE					HIP_LGE
CUDART_LGE_F					HIP_LGE_F
CUDART_LGE_HI					HIP_LGE_HI
CUDART_LGE_LO					HIP_LGE_LO
CUDART_LN2					HIP_LN2
CUDART_LN2_F					HIP_LN2_F
CUDART_LN2_HI					HIP_LN2_HI
CUDART_LN2_LO					HIP_LN2_LO
CUDART_LN2_X_1024					HIP_LN2_X_1024
CUDART_LN2_X_1025					HIP_LN2_X_1025
CUDART_LN2_X_1075					HIP_LN2_X_1075
CUDART_LNPI					HIP_LNPI
CUDART_LNPI_F					HIP_LNPI_F
CUDART_LNT					HIP_LNT
CUDART_LNT_F					HIP_LNT_F
CUDART_LNT_HI					HIP_LNT_HI
CUDART_LNT_LO					HIP_LNT_LO
CUDART_MAX_NORMAL_F					HIP_MAX_NORMAL_F
CUDART_MIN_DENORM					HIP_MIN_DENORM

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
CUDART_MIN_DENORM_F					HIP_MIN_DENORM_F
CUDART_NAN					HIP_NAN
CUDART_NAN_F					HIP_NAN_F
CUDART_NEG_ZERO					HIP_NEG_ZERO
CUDART_NEG_ZERO_F					HIP_NEG_ZERO_F
CUDART_NORM_HUGE_F					HIP_NORM_HUGE_F
CUDART_ONE					HIP_ONE
CUDART_ONE_F					HIP_ONE_F
CUDART_PI					HIP_PI
CUDART_PIO2					HIP_PIO2
CUDART_PIO2_F					HIP_PIO2_F
CUDART_PIO2_HI					HIP_PIO2_HI
CUDART_PIO2_LO					HIP_PIO2_LO
CUDART_PIO4					HIP_PIO4
CUDART_PIO4_F					HIP_PIO4_F
CUDART_PIO4_HI					HIP_PIO4_HI
CUDART_PIO4_LO					HIP_PIO4_LO
CUDART_PI_F					HIP_PI_F
CUDART_PI_HI					HIP_PI_HI
CUDART_PI_LO					HIP_PI_LO
CUDART_REMQUO_BITS_F					HIP_REMQUO_BITS_F
CUDART_REMQUO_MASK_F					HIP_REMQUO_MASK_F
CUDART_SQRT_2OPI					HIP_SQRT_2OPI
CUDART_SQRT_2PI					HIP_SQRT_2PI
CUDART_SQRT_2PI_HI					HIP_SQRT_2PI_HI
CUDART_SQRT_2PI_LO					HIP_SQRT_2PI_LO
CUDART_SQRT_2_OVER_PI_F					HIP_SQRT_2_OVER_PI_F
CUDART_SQRT_HALF					HIP_SQRT_HALF
CUDART_SQRT_HALF_F					HIP_SQRT_HALF_F
CUDART_SQRT_HALF_HI					HIP_SQRT_HALF_HI
CUDART_SQRT_HALF_HI_F					HIP_SQRT_HALF_HI_F
CUDART_SQRT_HALF_LO					HIP_SQRT_HALF_LO
CUDART_SQRT_HALF_LO_F					HIP_SQRT_HALF_LO_F
CUDART_SQRT_PIO2					HIP_SQRT_PIO2
CUDART_SQRT_PIO2_HI					HIP_SQRT_PIO2_HI
CUDART_SQRT_PIO2_LO					HIP_SQRT_PIO2_LO
CUDART_SQRT_TWO					HIP_SQRT_TWO
CUDART_SQRT_TWO_F					HIP_SQRT_TWO_F
CUDART_THIRD					HIP_THIRD
CUDART_THIRD_F					HIP_THIRD_F
CUDART_TRIG_PLOSS					HIP_TRIG_PLOSS
CUDART_TRIG_PLOSS_F					HIP_TRIG_PLOSS_F
CUDART_TWOTHIRD					HIP_TWOTHIRD
CUDART_TWO_TO_126_F					HIP_TWO_TO_126_F
CUDART_TWO_TO_23					HIP_TWO_TO_23
CUDART_TWO_TO_23_F					HIP_TWO_TO_23_F
CUDART_TWO_TO_24_F					HIP_TWO_TO_24_F
CUDART_TWO_TO_31_F					HIP_TWO_TO_31_F
CUDART_TWO_TO_32_F					HIP_TWO_TO_32_F
CUDART_TWO_TO_52					HIP_TWO_TO_52

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
CUDART_TWO_TO_53					HIP_TWO_TO_53
CUDART_TWO_TO_54					HIP_TWO_TO_54
CUDART_TWO_TO_M1022					HIP_TWO_TO_M1022
CUDART_TWO_TO_M126_F					HIP_TWO_TO_M126_F
CUDART_TWO_TO_M54					HIP_TWO_TO_M54
CUDART_ZERO					HIP_ZERO
CUDART_ZERO_F					HIP_ZERO_F
CUDA_EGL_MAX_PLANES	9.1				
CUDA_IPC_HANDLE_SIZE					HIP_IPC_HANDLE_SIZE
CUeglStreamConnection_st	9.1				
CUevent_st					hipEvent_t
CUexternalMemory_st	10.0				
CUexternalSemaphore_st	10.0				
CUgraphExec_st	10.0				hipGraphExec
CUgraphNode_st	10.0				hipGraphNode
CUgraph_st	10.0				hipGraph
CUkern_st	12.1				
CUstream_st					hipStream_t
CUuuid_st					hipUUID_t
cudaAccessPolicyWindow	11.0				hipAccessPolicyWindow
cudaAccessProperty	11.0				hipAccessProperty
cudaAccessPropertyNormal	11.0				hipAccessPropertyNormal
cudaAccessPropertyPersisting	11.0				hipAccessPropertyPersisting
cudaAccessPropertyStreaming	11.0				hipAccessPropertyStreaming
cudaAddressModeBorder					hipAddressModeBorder
cudaAddressModeClamp					hipAddressModeClamp
cudaAddressModeMirror					hipAddressModeMirror
cudaAddressModeWrap					hipAddressModeWrap
cudaArray					hipArray
cudaArrayColorAttachment	10.0				
cudaArrayCubemap					hipArrayCubemap
cudaArrayDefault					hipArrayDefault
cudaArrayDeferredMapping	11.6				
cudaArrayLayered					hipArrayLayered
cudaArrayMemoryRequirements	11.6				
cudaArraySparse	11.1				
cudaArraySparseProperties	11.1				
cudaArraySparsePropertiesSingleMipTail	11.1				
cudaArraySurfaceLoadStore					hipArraySurfaceLoadStore
cudaArrayTextureGather					hipArrayTextureGather
cudaArray_const_t					hipArray_const_t
cudaArray_t					hipArray_t
cudaAsyncCallback	12.4				
cudaAsyncCallbackEntry	12.4				
cudaAsyncCallbackHandle_t	12.4				
cudaAsyncNotificationInfo	12.4				
cudaAsyncNotificationInfo_t	12.4				
cudaBoundaryModeClamp					hipBoundaryModeClamp
cudaBoundaryModeTrap					hipBoundaryModeTrap
cudaBoundaryModeZero					hipBoundaryModeZero

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaCGScope	9.0				
cudaCGScopeGrid	9.0				
cudaCGScopeInvalid	9.0				
cudaCGScopeMultiGrid	9.0				
cudaCSV				12.0	
cudaChannelFormatDesc					hipChannelFormatDesc
cudaChannelFormatKind					hipChannelFormatKind
cudaChannelFormatKindFloat					hipChannelFormatKindFloa
cudaChannelFormatKindNV12	11.2				
cudaChannelFormatKindNone					hipChannelFormatKindNon
cudaChannelFormatKindSigned					hipChannelFormatKindSig
cudaChannelFormatKindSignedBlockCompressed4	11.5				
cudaChannelFormatKindSignedBlockCompressed5	11.5				
cudaChannelFormatKindSignedBlockCompressed6H	11.5				
cudaChannelFormatKindSignedNormalized16X1	11.5				
cudaChannelFormatKindSignedNormalized16X2	11.5				
cudaChannelFormatKindSignedNormalized16X4	11.5				
cudaChannelFormatKindSignedNormalized8X1	11.5				
cudaChannelFormatKindSignedNormalized8X2	11.5				
cudaChannelFormatKindSignedNormalized8X4	11.5				
cudaChannelFormatKindUnsigned					hipChannelFormatKindUns
cudaChannelFormatKindUnsignedBlockCompressed1	11.5				
cudaChannelFormatKindUnsignedBlockCompressed1SRGB	11.5				
cudaChannelFormatKindUnsignedBlockCompressed2	11.5				
cudaChannelFormatKindUnsignedBlockCompressed2SRGB	11.5				
cudaChannelFormatKindUnsignedBlockCompressed3	11.5				
cudaChannelFormatKindUnsignedBlockCompressed3SRGB	11.5				
cudaChannelFormatKindUnsignedBlockCompressed4	11.5				
cudaChannelFormatKindUnsignedBlockCompressed5	11.5				
cudaChannelFormatKindUnsignedBlockCompressed6H	11.5				
cudaChannelFormatKindUnsignedBlockCompressed7	11.5				
cudaChannelFormatKindUnsignedBlockCompressed7SRGB	11.5				
cudaChannelFormatKindUnsignedNormalized16X1	11.5				
cudaChannelFormatKindUnsignedNormalized16X2	11.5				
cudaChannelFormatKindUnsignedNormalized16X4	11.5				
cudaChannelFormatKindUnsignedNormalized8X1	11.5				
cudaChannelFormatKindUnsignedNormalized8X2	11.5				
cudaChannelFormatKindUnsignedNormalized8X4	11.5				
cudaChildGraphNodeParams	12.2				hipChildGraphNodeParams
cudaClusterSchedulingPolicy	11.8				
cudaClusterSchedulingPolicyDefault	11.8				
cudaClusterSchedulingPolicyLoadBalancing	11.8				
cudaClusterSchedulingPolicySpread	11.8				
cudaComputeMode					hipComputeMode
cudaComputeModeDefault					hipComputeModeDefault
cudaComputeModeExclusive					hipComputeModeExclusive
cudaComputeModeExclusiveProcess					hipComputeModeExclusivel
cudaComputeModeProhibited					hipComputeModeProhibite
cudaConditionalNodeParams	12.3				
cudaCooperativeLaunchMultiDeviceNoPostSync	9.0				hipCooperativeLaunchMul

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaCooperativeLaunchMultiDeviceNoPreSync	9.0				hipCooperativeLaunchMul
cudaCpuDeviceId	8.0				hipCpuDeviceId
cudaD3D10DeviceList					
cudaD3D10DeviceListAll					
cudaD3D10DeviceListCurrentFrame					
cudaD3D10DeviceListNextFrame					
cudaD3D10MapFlags					
cudaD3D10MapFlagsNone					
cudaD3D10MapFlagsReadOnly					
cudaD3D10MapFlagsWriteDiscard					
cudaD3D10RegisterFlags					
cudaD3D10RegisterFlagsArray					
cudaD3D10RegisterFlagsNone					
cudaD3D11DeviceList					
cudaD3D11DeviceListAll					
cudaD3D11DeviceListCurrentFrame					
cudaD3D11DeviceListNextFrame					
cudaD3D9DeviceList					
cudaD3D9DeviceListAll					
cudaD3D9DeviceListCurrentFrame					
cudaD3D9DeviceListNextFrame					
cudaD3D9MapFlags					
cudaD3D9MapFlagsNone					
cudaD3D9MapFlagsReadOnly					
cudaD3D9MapFlagsWriteDiscard					
cudaD3D9RegisterFlags					
cudaD3D9RegisterFlagsArray					
cudaD3D9RegisterFlagsNone					
cudaDevAttrAsyncEngineCount					hipDeviceAttributeAsyncl
cudaDevAttrCanFlushRemoteWrites	9.2				
cudaDevAttrCanMapHostMemory					hipDeviceAttributeCanMap
cudaDevAttrCanUseHostPointerForRegisteredMem	8.0				hipDeviceAttributeCanUse
cudaDevAttrClockRate					hipDeviceAttributeClock
cudaDevAttrClusterLaunch	11.8				
cudaDevAttrComputeCapabilityMajor					hipDeviceAttributeCompu
cudaDevAttrComputeCapabilityMinor					hipDeviceAttributeCompu
cudaDevAttrComputeMode					hipDeviceAttributeCompu
cudaDevAttrComputePreemptionSupported	8.0				hipDeviceAttributeCompu
cudaDevAttrConcurrentKernels					hipDeviceAttributeConcur
cudaDevAttrConcurrentManagedAccess	8.0				hipDeviceAttributeConcur
cudaDevAttrCooperativeLaunch	9.0				hipDeviceAttributeCooper
cudaDevAttrCooperativeMultiDeviceLaunch	9.0				hipDeviceAttributeCooper
cudaDevAttrD3D12CigSupported	12.5				
cudaDevAttrDeferredMappingCudaArraySupported	11.6				
cudaDevAttrDirectManagedMemAccessFromHost	9.2				hipDeviceAttributeDirec
cudaDevAttrEccEnabled					hipDeviceAttributeEccEna
cudaDevAttrGPUDirectRDMAFlushWritesOptions	11.3				
cudaDevAttrGPUDirectRDMASupported	11.3				
cudaDevAttrGPUDirectRDMAWritesOrdering	11.3				
cudaDevAttrGlobalL1CacheSupported					hipDeviceAttributeGloba

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaDevAttrGlobalMemoryBusWidth					hipDeviceAttributeMemory
cudaDevAttrGpuOverlap					hipDeviceAttributeAsync
cudaDevAttrHostNativeAtomicSupported	8.0				hipDeviceAttributeHostNa
cudaDevAttrHostNumaId	12.2				
cudaDevAttrHostRegisterReadOnlySupported	11.1				
cudaDevAttrHostRegisterSupported	9.2				hipDeviceAttributeHostR
cudaDevAttrIntegrated					hipDeviceAttributeIntegr
cudaDevAttrIpcEventSupport	12.0				
cudaDevAttrIsMultiGpuBoard					hipDeviceAttributeIsMul
cudaDevAttrKernelExecTimeout					hipDeviceAttributeKerne
cudaDevAttrL2CacheSize					hipDeviceAttributeL2Cach
cudaDevAttrLocalL1CacheSupported					hipDeviceAttributeLocal
cudaDevAttrManagedMemory					hipDeviceAttributeManag
cudaDevAttrMax	11.4				
cudaDevAttrMaxAccessPolicyWindowSize	11.3				
cudaDevAttrMaxBlockDimX					hipDeviceAttributeMaxBl
cudaDevAttrMaxBlockDimY					hipDeviceAttributeMaxBl
cudaDevAttrMaxBlockDimZ					hipDeviceAttributeMaxBl
cudaDevAttrMaxBlocksPerMultiprocessor	11.0				hipDeviceAttributeMaxBl
cudaDevAttrMaxGridDimX					hipDeviceAttributeMaxGr
cudaDevAttrMaxGridDimY					hipDeviceAttributeMaxGr
cudaDevAttrMaxGridDimZ					hipDeviceAttributeMaxGr
cudaDevAttrMaxPersistingL2CacheSize	11.3				
cudaDevAttrMaxPitch					hipDeviceAttributeMaxPi
cudaDevAttrMaxRegistersPerBlock					hipDeviceAttributeMaxReg
cudaDevAttrMaxRegistersPerMultiprocessor					hipDeviceAttributeMaxReg
cudaDevAttrMaxSharedMemoryPerBlock					hipDeviceAttributeMaxSha
cudaDevAttrMaxSharedMemoryPerBlockOptin	9.0				hipDeviceAttributeShare
cudaDevAttrMaxSharedMemoryPerMultiprocessor					hipDeviceAttributeMaxSha
cudaDevAttrMaxSurface1DLayeredLayers					
cudaDevAttrMaxSurface1DLayeredWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface1DWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface2DHeight					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface2DLayeredHeight					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface2DLayeredLayers					
cudaDevAttrMaxSurface2DLayeredWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface2DWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface3DDepth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface3DHeight					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurface3DWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurfaceCubemapLayeredLayers					
cudaDevAttrMaxSurfaceCubemapLayeredWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxSurfaceCubemapWidth					hipDeviceAttributeMaxSur
cudaDevAttrMaxTexture1DLayeredLayers					
cudaDevAttrMaxTexture1DLayeredWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture1DLinearWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture1DMipmappedWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture1DWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DGatherHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DGatherWidth					hipDeviceAttributeMaxTex

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaDevAttrMaxTexture2DHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DLayeredHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DLayeredLayers					
cudaDevAttrMaxTexture2DLayeredWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DLinearHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DLinearPitch					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DLinearWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DMipmappedHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DMipmappedWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture2DWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DDepth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DDepthAlt					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DHeight					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DHeightAlt					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTexture3DWidthAlt					hipDeviceAttributeMaxTex
cudaDevAttrMaxTextureCubemapLayeredLayers					
cudaDevAttrMaxTextureCubemapLayeredWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxTextureCubemapWidth					hipDeviceAttributeMaxTex
cudaDevAttrMaxThreadsPerBlock					hipDeviceAttributeMaxTh
cudaDevAttrMaxThreadsPerMultiProcessor					hipDeviceAttributeMaxTh
cudaDevAttrMaxTimelineSemaphoreInteropSupported	11.2	11.5			
cudaDevAttrMemSyncDomainCount	12.0				
cudaDevAttrMemoryClockRate					hipDeviceAttributeMemory
cudaDevAttrMemoryPoolSupportedHandleTypes	11.3				
cudaDevAttrMemoryPoolsSupported	11.2				hipDeviceAttributeMemory
cudaDevAttrMpsEnabled	12.3				
cudaDevAttrMultiGpuBoardGroupID					hipDeviceAttributeMulti
cudaDevAttrMultiProcessorCount					hipDeviceAttributeMulti
cudaDevAttrNumaConfig	12.2				
cudaDevAttrNumaId	12.2				
cudaDevAttrPageableMemoryAccess	8.0				hipDeviceAttributePageab
cudaDevAttrPageableMemoryAccessUsesHostPageTables	9.2				hipDeviceAttributePageab
cudaDevAttrPciBusId					hipDeviceAttributePciBus
cudaDevAttrPciDeviceId					hipDeviceAttributePciDev
cudaDevAttrPciDomainId					hipDeviceAttributePciDon
cudaDevAttrReserved122	12.0				
cudaDevAttrReserved123	12.0				
cudaDevAttrReserved124	12.0				
cudaDevAttrReserved127	12.1				
cudaDevAttrReserved128	12.1				
cudaDevAttrReserved129	12.1				
cudaDevAttrReserved132	12.1				
cudaDevAttrReserved92	9.0				
cudaDevAttrReserved93	9.0				
cudaDevAttrReserved94	9.0				hipDeviceAttributeCanUs
cudaDevAttrReservedSharedMemoryPerBlock	11.0				
cudaDevAttrSingleToDoublePrecisionPerfRatio	8.0				hipDeviceAttributeSingl
cudaDevAttrSparseCudaArraySupported	11.1				
cudaDevAttrStreamPrioritiesSupported					hipDeviceAttributeStrea

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaDevAttrSurfaceAlignment					hipDeviceAttributeSurfa
cudaDevAttrTccDriver					hipDeviceAttributeTccDr
cudaDevAttrTextureAlignment					hipDeviceAttributeTextur
cudaDevAttrTexturePitchAlignment					hipDeviceAttributeTextur
cudaDevAttrTimelineSemaphoreInteropSupported	11.5				
cudaDevAttrTotalConstantMemory					hipDeviceAttributeTotal
cudaDevAttrUnifiedAddressing					hipDeviceAttributeUnifi
cudaDevAttrWarpSize					hipDeviceAttributeWarpS
cudaDevP2PAttrAccessSupported	8.0				hipDevP2PAttrAccessSupp
cudaDevP2PAttrCudaArrayAccessSupported	9.2				hipDevP2PAttrHipArrayAc
cudaDevP2PAttrNativeAtomicSupported	8.0				hipDevP2PAttrNativeAtom
cudaDevP2PAttrPerformanceRank	8.0				hipDevP2PAttrPerformanc
cudaDeviceAttr					hipDeviceAttribute_t
cudaDeviceBlockingSync					hipDeviceScheduleBlocki
cudaDeviceLmemResizeToMax					hipDeviceLmemResizeToMa
cudaDeviceMapHost					hipDeviceMapHost
cudaDeviceMask					
cudaDeviceNumaConfig	12.2				
cudaDeviceNumaConfigNone	12.2				
cudaDeviceNumaConfigNumaNode	12.2				
cudaDeviceP2PAttr	8.0				hipDeviceP2PAttr
cudaDeviceProp					hipDeviceProp_t
cudaDevicePropDontCare				12.0	
cudaDeviceScheduleAuto					hipDeviceScheduleAuto
cudaDeviceScheduleBlockingSync					hipDeviceScheduleBlocki
cudaDeviceScheduleMask					hipDeviceScheduleMask
cudaDeviceScheduleSpin					hipDeviceScheduleSpin
cudaDeviceScheduleYield					hipDeviceScheduleYield
cudaDeviceSyncMemops	12.1				
cudaDriverEntryPointQueryResult	12.0				hipDriverProcAddressQue
cudaDriverEntryPointSuccess	12.0				HIP_GET_PROC_ADDRESS_SU
cudaDriverEntryPointSymbolNotFound	12.0				HIP_GET_PROC_ADDRESS_SY
cudaDriverEntryPointVersionNotSufficient	12.0				HIP_GET_PROC_ADDRESS_VE
cudaEglColorFormat	9.1				
cudaEglColorFormatA	9.1				
cudaEglColorFormatABGR	9.1				
cudaEglColorFormatARGB	9.1				
cudaEglColorFormatAYUV	9.1				
cudaEglColorFormatAYUV_ER	9.1				
cudaEglColorFormatBGR	9.1				
cudaEglColorFormatBGRA	9.1				
cudaEglColorFormatBayer10BGGR	9.1				
cudaEglColorFormatBayer10GBRG	9.1				
cudaEglColorFormatBayer10GRBG	9.1				
cudaEglColorFormatBayer10RGGB	9.1				
cudaEglColorFormatBayer12BGGR	9.1				
cudaEglColorFormatBayer12GBRG	9.1				
cudaEglColorFormatBayer12GRBG	9.1				
cudaEglColorFormatBayer12RGGB	9.1				
cudaEglColorFormatBayer14BGGR	9.1				

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaEglColorFormatBayer14GBRG	9.1				
cudaEglColorFormatBayer14GRBG	9.1				
cudaEglColorFormatBayer14RGGG	9.1				
cudaEglColorFormatBayer20BGGR	9.1				
cudaEglColorFormatBayer20GBRG	9.1				
cudaEglColorFormatBayer20GRBG	9.1				
cudaEglColorFormatBayer20RGGG	9.1				
cudaEglColorFormatBayerBGGR	9.1				
cudaEglColorFormatBayerGBRG	9.1				
cudaEglColorFormatBayerGRBG	9.1				
cudaEglColorFormatBayerIspBGGR	9.2				
cudaEglColorFormatBayerIspGBRG	9.2				
cudaEglColorFormatBayerIspGRBG	9.2				
cudaEglColorFormatBayerIspRGGG	9.2				
cudaEglColorFormatBayerRGGG	9.1				
cudaEglColorFormatL	9.1				
cudaEglColorFormatR	9.1				
cudaEglColorFormatRG	9.1				
cudaEglColorFormatRGB	9.1				
cudaEglColorFormatRGBA	9.1				
cudaEglColorFormatUYVY422	9.1				
cudaEglColorFormatUYVY_ER	9.1				
cudaEglColorFormatVYUY_ER	9.1				
cudaEglColorFormatY10V10U10_420SemiPlanar	9.1				
cudaEglColorFormatY10V10U10_444SemiPlanar	9.1				
cudaEglColorFormatY12V12U12_420SemiPlanar	9.1				
cudaEglColorFormatY12V12U12_444SemiPlanar	9.1				
cudaEglColorFormatYUV420Planar	9.1				
cudaEglColorFormatYUV420Planar_ER	9.1				
cudaEglColorFormatYUV420SemiPlanar	9.1				
cudaEglColorFormatYUV420SemiPlanar_ER	9.1				
cudaEglColorFormatYUV422Planar	9.1				
cudaEglColorFormatYUV422Planar_ER	9.1				
cudaEglColorFormatYUV422SemiPlanar	9.1				
cudaEglColorFormatYUV422SemiPlanar_ER	9.1				
cudaEglColorFormatYUV444Planar	9.1				
cudaEglColorFormatYUV444Planar_ER	9.1				
cudaEglColorFormatYUV444SemiPlanar	9.1				
cudaEglColorFormatYUV444SemiPlanar_ER	9.1				
cudaEglColorFormatYUVA_ER	9.1				
cudaEglColorFormatYUV_ER	9.1				
cudaEglColorFormatYUYV422	9.1				
cudaEglColorFormatYUYV_ER	9.1				
cudaEglColorFormatYVU420Planar	9.1				
cudaEglColorFormatYVU420Planar_ER	9.1				
cudaEglColorFormatYVU420SemiPlanar	9.1				
cudaEglColorFormatYVU420SemiPlanar_ER	9.1				
cudaEglColorFormatYVU422Planar	9.1				
cudaEglColorFormatYVU422Planar_ER	9.1				
cudaEglColorFormatYVU422SemiPlanar	9.1				

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaEglColorFormatYVU422SemiPlanar_ER	9.1				
cudaEglColorFormatYVU444Planar	9.1				
cudaEglColorFormatYVU444Planar_ER	9.1				
cudaEglColorFormatYVU444SemiPlanar	9.1				
cudaEglColorFormatYVU444SemiPlanar_ER					
cudaEglColorFormatYVYU_ER	9.1				
cudaEglFrame	9.1				
cudaEglFrameType	9.1				
cudaEglFrameTypeArray	9.1				
cudaEglFrameTypePitch	9.1				
cudaEglFrame_st	9.1				
cudaEglPlaneDesc	9.1				
cudaEglPlaneDesc_st	9.1				
cudaEglResourceLocationFlags	9.1				
cudaEglResourceLocationSystemem	9.1				
cudaEglResourceLocationVidmem	9.1				
cudaEglStreamConnection	9.1				
cudaEnableDefault	11.3				
cudaEnableLegacyStream	11.3				
cudaEnablePerThreadDefaultStream	11.3				
cudaError					hipError_t
cudaErrorAddressOfConstant		3.1			
cudaErrorAlreadyAcquired	10.1				hipErrorAlreadyAcquired
cudaErrorAlreadyMapped	10.1				hipErrorAlreadyMapped
cudaErrorApiFailureBase		4.1			
cudaErrorArrayIsMapped	10.1				hipErrorArrayIsMapped
cudaErrorAssert					hipErrorAssert
cudaErrorCallRequiresNewerDriver	11.1				
cudaErrorCapturedEvent	10.0				hipErrorCapturedEvent
cudaErrorCdpNotSupported	12.0				
cudaErrorCdpVersionMismatch	12.0				
cudaErrorCompatNotSupportedOnDevice	10.1				
cudaErrorContextIsDestroyed	10.1				hipErrorContextIsDestroyed
cudaErrorCooperativeLaunchTooLarge	9.0				hipErrorCooperativeLaunchTooLarge
cudaErrorCudartUnloading					hipErrorDeinitialized
cudaErrorDeviceAlreadyInUse					hipErrorContextAlreadyInUse
cudaErrorDeviceNotLicensed	11.1				
cudaErrorDeviceUninitialized	10.2				hipErrorInvalidContext
cudaErrorDevicesUnavailable					
cudaErrorDuplicateSurfaceName					
cudaErrorDuplicateTextureName					
cudaErrorDuplicateVariableName					
cudaErrorECCUncorrectable					hipErrorECCNotCorrectable
cudaErrorExternalDevice					
cudaErrorFileNotFound	10.1				hipErrorFileNotFound
cudaErrorGraphExecUpdateFailure	10.2				hipErrorGraphExecUpdateFailure
cudaErrorHardwareStackError					
cudaErrorHostMemoryAlreadyRegistered					hipErrorHostMemoryAlreadyRegistered
cudaErrorHostMemoryNotRegistered					hipErrorHostMemoryNotRegistered
cudaErrorIllegalAddress					hipErrorIllegalAddress

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaErrorIllegalInstruction					
cudaErrorIllegalState	10.0				hipErrorIllegalState
cudaErrorIncompatibleDriverContext					
cudaErrorInitializationError					hipErrorNotInitialized
cudaErrorInsufficientDriver					hipErrorInsufficientDriver
cudaErrorInvalidAddressSpace					
cudaErrorInvalidChannelDescriptor					
cudaErrorInvalidClusterSize	11.8				
cudaErrorInvalidConfiguration					hipErrorInvalidConfiguration
cudaErrorInvalidDevice					hipErrorInvalidDevice
cudaErrorInvalidDeviceFunction					hipErrorInvalidDeviceFunction
cudaErrorInvalidDevicePointer		10.1			hipErrorInvalidDevicePointer
cudaErrorInvalidFilterSetting					
cudaErrorInvalidGraphicsContext					hipErrorInvalidGraphicsContext
cudaErrorInvalidHostPointer		10.1			
cudaErrorInvalidKernelImage					hipErrorInvalidImage
cudaErrorInvalidMemcpyDirection					hipErrorInvalidMemcpyDirection
cudaErrorInvalidNormSetting					
cudaErrorInvalidPc					
cudaErrorInvalidPitchValue					hipErrorInvalidPitchValue
cudaErrorInvalidPtx					hipErrorInvalidKernelFile
cudaErrorInvalidResourceHandle					hipErrorInvalidHandle
cudaErrorInvalidSource	10.1				hipErrorInvalidSource
cudaErrorInvalidSurface					
cudaErrorInvalidSymbol					hipErrorInvalidSymbol
cudaErrorInvalidTexture					
cudaErrorInvalidTextureBinding					
cudaErrorInvalidValue					hipErrorInvalidValue
cudaErrorJitCompilationDisabled	11.2				
cudaErrorJitCompilerNotFound	9.0				
cudaErrorLaunchFailure					hipErrorLaunchFailure
cudaErrorLaunchFileScopedSurf					
cudaErrorLaunchFileScopedTex					
cudaErrorLaunchIncompatibleTexturing	10.1				
cudaErrorLaunchMaxDepthExceeded					
cudaErrorLaunchOutOfResources					hipErrorLaunchOutOfResources
cudaErrorLaunchPendingCountExceeded					
cudaErrorLaunchTimeout					hipErrorLaunchTimeout
cudaErrorLossyQuery	12.3				hipErrorLossyQuery
cudaErrorMapBufferObjectFailed					hipErrorMapFailed
cudaErrorMemoryAllocation					hipErrorOutOfMemory
cudaErrorMemoryValueTooLarge		3.1			
cudaErrorMisalignedAddress					
cudaErrorMissingConfiguration					hipErrorMissingConfiguration
cudaErrorMixedDeviceExecution		3.1			
cudaErrorMpsClientTerminated	11.8				
cudaErrorMpsConnectionFailed	11.4				
cudaErrorMpsMaxClientsReached	11.4				
cudaErrorMpsMaxConnectionsReached	11.4				
cudaErrorMpsRpcFailure	11.4				

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaErrorMpsServerNotReady	11.4				
cudaErrorNoDevice					hipErrorNoDevice
cudaErrorNoKernelImageForDevice					hipErrorNoBinaryForGpu
cudaErrorNotMapped	10.1				hipErrorNotMapped
cudaErrorNotMappedAsArray	10.1				hipErrorNotMappedAsArray
cudaErrorNotMappedAsPointer	10.1				hipErrorNotMappedAsPointer
cudaErrorNotPermitted					
cudaErrorNotReady					hipErrorNotReady
cudaErrorNotSupported					hipErrorNotSupported
cudaErrorNotYetImplemented		4.1			
cudaErrorNvlinkUncorrectable	8.0				
cudaErrorOperatingSystem					hipErrorOperatingSystem
cudaErrorPeerAccessAlreadyEnabled					hipErrorPeerAccessAlreadyEnabled
cudaErrorPeerAccessNotEnabled					hipErrorPeerAccessNotEnabled
cudaErrorPeerAccessUnsupported					hipErrorPeerAccessUnsupported
cudaErrorPriorLaunchFailure		3.1			hipErrorPriorLaunchFailure
cudaErrorProfilerAlreadyStarted		5.0			hipErrorProfilerAlreadyStarted
cudaErrorProfilerAlreadyStopped		5.0			hipErrorProfilerAlreadyStopped
cudaErrorProfilerDisabled					hipErrorProfilerDisabled
cudaErrorProfilerNotInitialized		5.0			hipErrorProfilerNotInitialized
cudaErrorSetOnActiveProcess					hipErrorSetOnActiveProcess
cudaErrorSharedObjectInitFailed					hipErrorSharedObjectInitFailed
cudaErrorSharedObjectSymbolNotFound					hipErrorSharedObjectSymbolNotFound
cudaErrorSoftwareValidityNotEstablished	11.2				
cudaErrorStartupFailure					
cudaErrorStreamCaptureImplicit	10.0				hipErrorStreamCaptureImplicit
cudaErrorStreamCaptureInvalidated	10.0				hipErrorStreamCaptureInvalidated
cudaErrorStreamCaptureIsolation	10.0				hipErrorStreamCaptureIsolation
cudaErrorStreamCaptureMerge	10.0				hipErrorStreamCaptureMerge
cudaErrorStreamCaptureUnjoined	10.0				hipErrorStreamCaptureUnjoined
cudaErrorStreamCaptureUnmatched	10.0				hipErrorStreamCaptureUnmatched
cudaErrorStreamCaptureUnsupported	10.0				hipErrorStreamCaptureUnsupported
cudaErrorStreamCaptureWrongThread	10.1				hipErrorStreamCaptureWrongThread
cudaErrorStubLibrary	11.1				
cudaErrorSymbolNotFound	10.1				hipErrorNotFound
cudaErrorSyncDepthExceeded					
cudaErrorSynchronizationError		3.1			
cudaErrorSystemDriverMismatch	10.1				
cudaErrorSystemNotReady	10.0				
cudaErrorTextureFetchFailed		3.1			
cudaErrorTextureNotBound		3.1			
cudaErrorTimeout	10.2				
cudaErrorTooManyPeers					
cudaErrorUnknown					hipErrorUnknown
cudaErrorUnmapBufferObjectFailed					hipErrorUnmapFailed
cudaErrorUnsupportedDevSideSync	12.1				
cudaErrorUnsupportedExecAffinity	11.4				
cudaErrorUnsupportedLimit					hipErrorUnsupportedLimit
cudaErrorUnsupportedPtxVersion	11.1				
cudaError_t					hipError_t

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaEventBlockingSync					hipEventBlockingSync
cudaEventDefault					hipEventDefault
cudaEventDisableTiming					hipEventDisableTiming
cudaEventInterprocess					hipEventInterprocess
cudaEventRecordDefault	11.1				
cudaEventRecordExternal	11.1				
cudaEventRecordNodeParams	12.2				hipEventRecordNodeParams
cudaEventWaitDefault	11.1				
cudaEventWaitExternal					
cudaEventWaitNodeParams	12.2				hipEventWaitNodeParams
cudaEvent_t					hipEvent_t
cudaExtent					hipExtent
cudaExternalMemoryBufferDesc	10.0				hipExternalMemoryBufferDesc
cudaExternalMemoryDedicated	10.0				hipExternalMemoryDedicated
cudaExternalMemoryHandleDesc	10.0				hipExternalMemoryHandleDesc
cudaExternalMemoryHandleType	10.0				hipExternalMemoryHandleType
cudaExternalMemoryHandleTypeD3D11Resource	10.0				hipExternalMemoryHandleTypeD3D11Resource
cudaExternalMemoryHandleTypeD3D11ResourceKmt	10.2				hipExternalMemoryHandleTypeD3D11ResourceKmt
cudaExternalMemoryHandleTypeD3D12Heap	10.0				hipExternalMemoryHandleTypeD3D12Heap
cudaExternalMemoryHandleTypeD3D12Resource	10.0				hipExternalMemoryHandleTypeD3D12Resource
cudaExternalMemoryHandleTypeNvSciBuf	10.2				hipExternalMemoryHandleTypeNvSciBuf
cudaExternalMemoryHandleTypeOpaqueFd	10.0				hipExternalMemoryHandleTypeOpaqueFd
cudaExternalMemoryHandleTypeOpaqueWin32	10.0				hipExternalMemoryHandleTypeOpaqueWin32
cudaExternalMemoryHandleTypeOpaqueWin32Kmt	10.0				hipExternalMemoryHandleTypeOpaqueWin32Kmt
cudaExternalMemoryMipmappedArrayDesc	10.0				hipExternalMemoryMipmappedArrayDesc
cudaExternalMemory_t	10.0				hipExternalMemory_t
cudaExternalSemaphoreHandleDesc	10.0				hipExternalSemaphoreHandleDesc
cudaExternalSemaphoreHandleType	10.0				hipExternalSemaphoreHandleType
cudaExternalSemaphoreHandleTypeD3D11Fence	10.2				hipExternalSemaphoreHandleTypeD3D11Fence
cudaExternalSemaphoreHandleTypeD3D12Fence	10.0				hipExternalSemaphoreHandleTypeD3D12Fence
cudaExternalSemaphoreHandleTypeKeyedMutex	10.2				hipExternalSemaphoreHandleTypeKeyedMutex
cudaExternalSemaphoreHandleTypeKeyedMutexKmt	10.2				hipExternalSemaphoreHandleTypeKeyedMutexKmt
cudaExternalSemaphoreHandleTypeNvSciSync	10.2				hipExternalSemaphoreHandleTypeNvSciSync
cudaExternalSemaphoreHandleTypeOpaqueFd	10.0				hipExternalSemaphoreHandleTypeOpaqueFd
cudaExternalSemaphoreHandleTypeOpaqueWin32	10.0				hipExternalSemaphoreHandleTypeOpaqueWin32
cudaExternalSemaphoreHandleTypeOpaqueWin32Kmt	10.0				hipExternalSemaphoreHandleTypeOpaqueWin32Kmt
cudaExternalSemaphoreHandleTypeTimelineSemaphoreFd	11.2				hipExternalSemaphoreHandleTypeTimelineSemaphoreFd
cudaExternalSemaphoreHandleTypeTimelineSemaphoreWin32	11.2				hipExternalSemaphoreHandleTypeTimelineSemaphoreWin32
cudaExternalSemaphoreSignalNodeParams	11.2				hipExternalSemaphoreSignalNodeParams
cudaExternalSemaphoreSignalNodeParamsV2	12.2				hipExternalSemaphoreSignalNodeParamsV2
cudaExternalSemaphoreSignalParams	10.0				hipExternalSemaphoreSignalParams
cudaExternalSemaphoreSignalParams_v1	11.2				hipExternalSemaphoreSignalParams_v1
cudaExternalSemaphoreSignalSkipNvSciBufMemSync	10.2				hipExternalSemaphoreSignalSkipNvSciBufMemSync
cudaExternalSemaphoreWaitNodeParams	11.2				hipExternalSemaphoreWaitNodeParams
cudaExternalSemaphoreWaitNodeParamsV2	12.2				hipExternalSemaphoreWaitNodeParamsV2
cudaExternalSemaphoreWaitParams	10.0				hipExternalSemaphoreWaitParams
cudaExternalSemaphoreWaitParams_v1	11.2				hipExternalSemaphoreWaitParams_v1
cudaExternalSemaphoreWaitSkipNvSciBufMemSync	10.2				hipExternalSemaphoreWaitSkipNvSciBufMemSync
cudaExternalSemaphore_t	10.0				hipExternalSemaphore_t
cudaFilterModeLinear					hipFilterModeLinear

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaFilterModePoint					hipFilterModePoint
cudaFlushGPUDirectRDMAWritesOptionHost	11.3				hipFlushGPUDirectRDMAWr
cudaFlushGPUDirectRDMAWritesOptionMemOps	11.3				hipFlushGPUDirectRDMAWr
cudaFlushGPUDirectRDMAWritesOptions	11.3				hipFlushGPUDirectRDMAWr
cudaFlushGPUDirectRDMAWritesScope	11.3				
cudaFlushGPUDirectRDMAWritesTarget	11.3				
cudaFlushGPUDirectRDMAWritesTargetCurrentDevice	11.3				
cudaFlushGPUDirectRDMAWritesToAllDevices	11.3				
cudaFlushGPUDirectRDMAWritesToOwner	11.3				
cudaFormatModeAuto					
cudaFormatModeForced					
cudaFuncAttribute	9.0				hipFuncAttribute
cudaFuncAttributeClusterDimMustBeSet	11.8				
cudaFuncAttributeClusterSchedulingPolicyPreference	11.8				
cudaFuncAttributeMax	9.0				hipFuncAttributeMax
cudaFuncAttributeMaxDynamicSharedMemorySize	9.0				hipFuncAttributeMaxDyna
cudaFuncAttributeNonPortableClusterSizeAllowed	11.8				
cudaFuncAttributePreferredSharedMemoryCarveout	9.0				hipFuncAttributePreferr
cudaFuncAttributeRequiredClusterDepth	11.8				
cudaFuncAttributeRequiredClusterHeight	11.8				
cudaFuncAttributeRequiredClusterWidth	11.8				
cudaFuncAttributes					hipFuncAttributes
cudaFuncCache					hipFuncCache_t
cudaFuncCachePreferEqual					hipFuncCachePreferEqual
cudaFuncCachePreferL1					hipFuncCachePreferL1
cudaFuncCachePreferNone					hipFuncCachePreferNone
cudaFuncCachePreferShared					hipFuncCachePreferShare
cudaFunction_t	11.0				hipFunction_t
cudaGLDeviceList					hipGLDeviceList
cudaGLDeviceListAll					hipGLDeviceListAll
cudaGLDeviceListCurrentFrame					hipGLDeviceListCurrentF
cudaGLDeviceListNextFrame					hipGLDeviceListNextFrame
cudaGLMapFlags					
cudaGLMapFlagsNone					
cudaGLMapFlagsReadOnly					
cudaGLMapFlagsWriteDiscard					
cudaGPUDirectRDMAWritesOrdering	11.3				hipGPUDirectRDMAWritesO
cudaGPUDirectRDMAWritesOrderingAllDevices	11.3				hipGPUDirectRDMAWritesO
cudaGPUDirectRDMAWritesOrderingNone	11.3				hipGPUDirectRDMAWritesO
cudaGPUDirectRDMAWritesOrderingOwner	11.3				hipGPUDirectRDMAWritesO
cudaGetDriverEntryPointFlags	11.3				
cudaGraphCondAssignDefault	12.3				
cudaGraphCondTypeIf	12.3				
cudaGraphCondTypeWhile	12.3				
cudaGraphConditionalHandle	12.3				
cudaGraphConditionalHandleFlags	12.3				
cudaGraphConditionalNodeType	12.3				
cudaGraphDebugDotFlags	11.3				hipGraphDebugDotFlags
cudaGraphDebugDotFlagsConditionalNodeParams	12.3				
cudaGraphDebugDotFlagsEventNodeParams	11.3				hipGraphDebugDotFlagsEv

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGraphDebugDotFlagsExtSemasSignalNodeParams	11.3				hipGraphDebugDotFlagsEx
cudaGraphDebugDotFlagsExtSemasWaitNodeParams	11.3				hipGraphDebugDotFlagsEx
cudaGraphDebugDotFlagsHandles	11.3				hipGraphDebugDotFlagsHar
cudaGraphDebugDotFlagsHostNodeParams	11.3				hipGraphDebugDotFlagsHo
cudaGraphDebugDotFlagsKernelNodeAttributes	11.3				hipGraphDebugDotFlagsKe
cudaGraphDebugDotFlagsKernelNodeParams	11.3				hipGraphDebugDotFlagsKe
cudaGraphDebugDotFlagsMemcpyNodeParams	11.3				hipGraphDebugDotFlagsMer
cudaGraphDebugDotFlagsMemsetNodeParams	11.3				hipGraphDebugDotFlagsMer
cudaGraphDebugDotFlagsVerbose	11.3				hipGraphDebugDotFlagsVer
cudaGraphDependencyType	12.3				hipGraphDependencyType
cudaGraphDependencyTypeDefault	12.3				hipGraphDependencyTypeD
cudaGraphDependencyTypeProgrammatic	12.3				hipGraphDependencyTypeP
cudaGraphDependencyType_enum	12.3				hipGraphDependencyType
cudaGraphDeviceNode_t	12.4				
cudaGraphEdgeData	12.3				hipGraphEdgeData
cudaGraphEdgeData_st	12.3				hipGraphEdgeData
cudaGraphExecUpdateError	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorAttributesChanged	11.6				
cudaGraphExecUpdateErrorFunctionChanged	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorNodeTypeChanged	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorNotSupported	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorParametersChanged	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorTopologyChanged	10.2				hipGraphExecUpdateError
cudaGraphExecUpdateErrorUnsupportedFunctionChange	11.2				hipGraphExecUpdateError
cudaGraphExecUpdateResult	10.2				hipGraphExecUpdateResul
cudaGraphExecUpdateResultInfo	12.0				
cudaGraphExecUpdateResultInfo_st	12.0				
cudaGraphExecUpdateSuccess	10.2				hipGraphExecUpdateSucces
cudaGraphExec_t	10.0				hipGraphExec_t
cudaGraphInstantiateError	12.0				hipGraphInstantiateError
cudaGraphInstantiateFlagAutoFreeOnLaunch	11.4				hipGraphInstantiateFlag
cudaGraphInstantiateFlagDeviceLaunch	12.0				hipGraphInstantiateFlag
cudaGraphInstantiateFlagUpload	12.0				hipGraphInstantiateFlag
cudaGraphInstantiateFlagUseNodePriority	11.7				hipGraphInstantiateFlag
cudaGraphInstantiateFlags	11.4				hipGraphInstantiateFlags
cudaGraphInstantiateInvalidStructure	12.0				hipGraphInstantiateInva
cudaGraphInstantiateMultipleDevicesNotSupported	12.0				hipGraphInstantiateMult
cudaGraphInstantiateNodeOperationNotSupported	12.0				hipGraphInstantiateNode
cudaGraphInstantiateParams	12.0				hipGraphInstantiateParam
cudaGraphInstantiateParams_st	12.0				hipGraphInstantiateParam
cudaGraphInstantiateResult	12.0				hipGraphInstantiateResu
cudaGraphInstantiateSuccess	12.0				hipGraphInstantiateSucc
cudaGraphKernelNodeField	12.4				
cudaGraphKernelNodeFieldEnabled	12.4				
cudaGraphKernelNodeFieldGridDim	12.4				
cudaGraphKernelNodeFieldInvalid	12.4				
cudaGraphKernelNodeFieldParam	12.4				
cudaGraphKernelNodePortDefault	12.3				hipGraphKernelNodePortD
cudaGraphKernelNodePortLaunchCompletion	12.3				hipGraphKernelNodePortL
cudaGraphKernelNodePortProgrammatic	12.3				hipGraphKernelNodePortP

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGraphKernelNodeUpdate	12.4				
cudaGraphMemAttrReservedMemCurrent	11.4				hipGraphMemAttrReservedMemCurrent
cudaGraphMemAttrReservedMemHigh	11.4				hipGraphMemAttrReservedMemHigh
cudaGraphMemAttrUsedMemCurrent	11.4				hipGraphMemAttrUsedMemCurrent
cudaGraphMemAttrUsedMemHigh	11.4				hipGraphMemAttrUsedMemHigh
cudaGraphMemAttributeType	11.4				hipGraphMemAttributeType
cudaGraphNodeParams	12.2				hipGraphNodeParams
cudaGraphNodeType	10.0				hipGraphNodeType
cudaGraphNodeTypeConditional	12.3				hipGraphNodeTypeConditional
cudaGraphNodeTypeCount	10.0				hipGraphNodeTypeCount
cudaGraphNodeTypeEmpty	10.0				hipGraphNodeTypeEmpty
cudaGraphNodeTypeEventRecord	11.1				hipGraphNodeTypeEventRecord
cudaGraphNodeTypeExtSemaphoreSignal	11.4				hipGraphNodeTypeExtSemaphoreSignal
cudaGraphNodeTypeExtSemaphoreWait	11.4				hipGraphNodeTypeExtSemaphoreWait
cudaGraphNodeTypeGraph	10.0				hipGraphNodeTypeGraph
cudaGraphNodeTypeHost	10.0				hipGraphNodeTypeHost
cudaGraphNodeTypeKernel	10.0				hipGraphNodeTypeKernel
cudaGraphNodeTypeMemAlloc	11.4				hipGraphNodeTypeMemAlloc
cudaGraphNodeTypeMemFree	11.4				hipGraphNodeTypeMemFree
cudaGraphNodeTypeMemcpy	10.0				hipGraphNodeTypeMemcpy
cudaGraphNodeTypeMemset	10.0				hipGraphNodeTypeMemset
cudaGraphNodeTypeWaitEvent	11.1				hipGraphNodeTypeWaitEvent
cudaGraphNode_t	10.0				hipGraphNode_t
cudaGraphUserObjectMove	11.3				hipGraphUserObjectMove
cudaGraph_t	10.0				hipGraph_t
cudaGraphicsCubeFace					
cudaGraphicsCubeFaceNegativeX					
cudaGraphicsCubeFaceNegativeY					
cudaGraphicsCubeFaceNegativeZ					
cudaGraphicsCubeFacePositiveX					
cudaGraphicsCubeFacePositiveY					
cudaGraphicsCubeFacePositiveZ					
cudaGraphicsMapFlags					
cudaGraphicsMapFlagsNone					
cudaGraphicsMapFlagsReadOnly					
cudaGraphicsMapFlagsWriteDiscard					
cudaGraphicsRegisterFlags					hipGraphicsRegisterFlags
cudaGraphicsRegisterFlagsNone					hipGraphicsRegisterFlagsNone
cudaGraphicsRegisterFlagsReadOnly					hipGraphicsRegisterFlagsReadOnly
cudaGraphicsRegisterFlagsSurfaceLoadStore					hipGraphicsRegisterFlagsSurfaceLoadStore
cudaGraphicsRegisterFlagsTextureGather					hipGraphicsRegisterFlagsTextureGather
cudaGraphicsRegisterFlagsWriteDiscard					hipGraphicsRegisterFlagsWriteDiscard
cudaGraphicsResource					hipGraphicsResource
cudaGraphicsResource_t					hipGraphicsResource_t
cudaHostAllocDefault					hipHostMallocDefault
cudaHostAllocMapped					hipHostMallocMapped
cudaHostAllocPortable					hipHostMallocPortable
cudaHostAllocWriteCombined					hipHostMallocWriteCombined
cudaHostFn_t	10.0				hipHostFn_t
cudaHostNodeParams	10.0				hipHostNodeParams

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaHostNodeParamsV2	12.2				
cudaHostRegisterDefault					hipHostRegisterDefault
cudaHostRegisterIoMemory	7.5				hipHostRegisterIoMemory
cudaHostRegisterMapped					hipHostRegisterMapped
cudaHostRegisterPortable					hipHostRegisterPortable
cudaHostRegisterReadOnly	11.1				hipHostRegisterReadOnly
cudaInitDeviceFlagsAreValid	12.0				
cudaInvalidDeviceId	8.0				hipInvalidDeviceId
cudaIpcEventHandle_st					hipIpcEventHandle_st
cudaIpcEventHandle_t					hipIpcEventHandle_t
cudaIpcMemHandle_st					hipIpcMemHandle_st
cudaIpcMemHandle_t					hipIpcMemHandle_t
cudaIpcMemLazyEnablePeerAccess					hipIpcMemLazyEnablePeerAccess
cudaKernelNodeAttrID	11.0				hipKernelNodeAttrID
cudaKernelNodeAttrValue	11.0				hipKernelNodeAttrValue
cudaKernelNodeAttributeAccessPolicyWindow	11.0				hipKernelNodeAttributeAccessPolicyWindow
cudaKernelNodeAttributeClusterDimension	11.8				
cudaKernelNodeAttributeClusterSchedulingPolicyPreference	11.8				
cudaKernelNodeAttributeCooperative	11.0				hipKernelNodeAttributeCooperative
cudaKernelNodeAttributeDeviceUpdatableKernelNode	12.4				
cudaKernelNodeAttributeMemSyncDomain	12.0				
cudaKernelNodeAttributeMemSyncDomainMap	12.0				
cudaKernelNodeAttributePreferredSharedMemoryCarveout	12.5				
cudaKernelNodeAttributePriority	11.7				hipKernelNodeAttributePriority
cudaKernelNodeParams	10.0				hipKernelNodeParams
cudaKernelNodeParamsV2	12.2				
cudaKernel_t	12.1				
cudaKeyValuePair				12.0	
cudaLaunchAttribute	11.8				
cudaLaunchAttributeAccessPolicyWindow	11.8				hipLaunchAttributeAccessPolicyWindow
cudaLaunchAttributeClusterDimension	11.8				
cudaLaunchAttributeClusterSchedulingPolicyPreference	11.8				
cudaLaunchAttributeCooperative	11.8				hipLaunchAttributeCooperative
cudaLaunchAttributeDeviceUpdatableKernelNode	12.4				
cudaLaunchAttributeID	11.8				hipLaunchAttributeID
cudaLaunchAttributeIgnore	11.8				
cudaLaunchAttributeLaunchCompletionEvent	12.3				
cudaLaunchAttributeMemSyncDomain	12.0				
cudaLaunchAttributeMemSyncDomainMap	12.0				
cudaLaunchAttributePreferredSharedMemoryCarveout	12.5				
cudaLaunchAttributePriority	11.8				hipLaunchAttributePriority
cudaLaunchAttributeProgrammaticEvent	11.8				
cudaLaunchAttributeProgrammaticStreamSerialization	11.8				
cudaLaunchAttributeSynchronizationPolicy	11.8				
cudaLaunchAttributeValue	11.8				hipLaunchAttributeValue
cudaLaunchAttribute_st	11.8				
cudaLaunchConfig_st	11.8				
cudaLaunchConfig_t	11.8				
cudaLaunchMemSyncDomain	12.0				
cudaLaunchMemSyncDomainDefault	12.0				

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaLaunchMemSyncDomainMap	12.0				
cudaLaunchMemSyncDomainMap_st	12.0				
cudaLaunchMemSyncDomainRemote	12.0				
cudaLaunchParams	9.0				hipLaunchParams
cudaLimit					hipLimit_t
cudaLimitDevRuntimePendingLaunchCount					
cudaLimitDevRuntimeSyncDepth					
cudaLimitMallocHeapSize					hipLimitMallocHeapSize
cudaLimitMaxL2FetchGranularity	10.0				
cudaLimitPersistingL2CacheSize	11.0				
cudaLimitPrintfFifoSize					hipLimitPrintfFifoSize
cudaLimitStackSize					hipLimitStackSize
cudaMemAccessDesc	11.2				hipMemAccessDesc
cudaMemAccessFlags	11.2				hipMemAccessFlags
cudaMemAccessFlagsProtNone	11.2				hipMemAccessFlagsProtNone
cudaMemAccessFlagsProtRead	11.2				hipMemAccessFlagsProtRead
cudaMemAccessFlagsProtReadWrite	11.2				hipMemAccessFlagsProtReadWrite
cudaMemAdviseSetAccessedBy	8.0				hipMemAdviseSetAccessedBy
cudaMemAdviseSetPreferredLocation	8.0				hipMemAdviseSetPreferredLocation
cudaMemAdviseSetReadMostly	8.0				hipMemAdviseSetReadMostly
cudaMemAdviseUnsetAccessedBy	8.0				hipMemAdviseUnsetAccessedBy
cudaMemAdviseUnsetPreferredLocation	8.0				hipMemAdviseUnsetPreferredLocation
cudaMemAdviseUnsetReadMostly	8.0				hipMemAdviseUnsetReadMostly
cudaMemAllocNodeParams	11.4				hipMemAllocNodeParams
cudaMemAllocNodeParamsV2	12.2				
cudaMemAllocationHandleType	11.2				hipMemAllocationHandleType
cudaMemAllocationType	11.2				hipMemAllocationType
cudaMemAllocationTypeInvalid	11.2				hipMemAllocationTypeInvalid
cudaMemAllocationTypeMax	11.2				hipMemAllocationTypeMax
cudaMemAllocationTypePinned	11.2				hipMemAllocationTypePinned
cudaMemAttachGlobal					hipMemAttachGlobal
cudaMemAttachHost					hipMemAttachHost
cudaMemAttachSingle					hipMemAttachSingle
cudaMemFabricHandle_st	12.3				
cudaMemFabricHandle_t	12.3				
cudaMemFreeNodeParams	12.2				hipMemFreeNodeParams
cudaMemHandleTypeFabric	12.4				
cudaMemHandleTypeNone	11.2				hipMemHandleTypeNone
cudaMemHandleTypePosixFileDescriptor	11.2				hipMemHandleTypePosixFileDescriptor
cudaMemHandleTypeWin32	11.2				hipMemHandleTypeWin32
cudaMemHandleTypeWin32Kmt	11.2				hipMemHandleTypeWin32Kmt
cudaMemLocation	11.2				hipMemLocation
cudaMemLocationType	11.2				hipMemLocationType
cudaMemLocationTypeDevice	11.2				hipMemLocationTypeDevice
cudaMemLocationTypeHost	12.2				
cudaMemLocationTypeHostNuma	12.2				
cudaMemLocationTypeHostNumaCurrent	12.2				
cudaMemLocationTypeInvalid	11.2				hipMemLocationTypeInvalid
cudaMemPoolAttr	11.2				hipMemPoolAttr
cudaMemPoolAttrReleaseThreshold	11.2				hipMemPoolAttrReleaseThreshold

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaMemPoolAttrReservedMemCurrent	11.3				hipMemPoolAttrReservedMemCurrent
cudaMemPoolAttrReservedMemHigh	11.3				hipMemPoolAttrReservedMemHigh
cudaMemPoolAttrUsedMemCurrent	11.3				hipMemPoolAttrUsedMemCurrent
cudaMemPoolAttrUsedMemHigh	11.3				hipMemPoolAttrUsedMemHigh
cudaMemPoolProps	11.2				hipMemPoolProps
cudaMemPoolPtrExportData	11.2				hipMemPoolPtrExportData
cudaMemPoolReuseAllowInternalDependencies	11.2				hipMemPoolReuseAllowInternalDependencies
cudaMemPoolReuseAllowOpportunistic	11.2				hipMemPoolReuseAllowOpportunistic
cudaMemPoolReuseFollowEventDependencies	11.2				hipMemPoolReuseFollowEventDependencies
cudaMemPool_t	11.2				hipMemPool_t
cudaMemRangeAttribute	8.0				hipMemRangeAttribute
cudaMemRangeAttributeAccessedBy	8.0				hipMemRangeAttributeAccessedBy
cudaMemRangeAttributeLastPrefetchLocation	8.0				hipMemRangeAttributeLastPrefetchLocation
cudaMemRangeAttributeLastPrefetchLocationId	12.2				hipMemRangeAttributeLastPrefetchLocationId
cudaMemRangeAttributeLastPrefetchLocationType	12.2				hipMemRangeAttributeLastPrefetchLocationType
cudaMemRangeAttributePreferredLocation	8.0				hipMemRangeAttributePreferredLocation
cudaMemRangeAttributePreferredLocationId	12.2				hipMemRangeAttributePreferredLocationId
cudaMemRangeAttributePreferredLocationType	12.2				hipMemRangeAttributePreferredLocationType
cudaMemRangeAttributeReadMostly	8.0				hipMemRangeAttributeReadMostly
cudaMemcpy3DParms					hipMemcpy3DParms
cudaMemcpy3DPeerParms					hipMemcpy3DPeerParms
cudaMemcpyDefault					hipMemcpyDefault
cudaMemcpyDeviceToDevice					hipMemcpyDeviceToDevice
cudaMemcpyDeviceToHost					hipMemcpyDeviceToHost
cudaMemcpyHostToDevice					hipMemcpyHostToDevice
cudaMemcpyHostToHost					hipMemcpyHostToHost
cudaMemcpyKind					hipMemcpyKind
cudaMemcpyNodeParams	12.2				hipMemcpyNodeParams
cudaMemoryAdvise	8.0				hipMemoryAdvise
cudaMemoryType					hipMemoryType
cudaMemoryTypeDevice					hipMemoryTypeDevice
cudaMemoryTypeHost					hipMemoryTypeHost
cudaMemoryTypeManaged	10.0				hipMemoryTypeManaged
cudaMemoryTypeUnregistered					hipMemoryTypeUnregistered
cudaMemsetParams	10.0				hipMemsetParams
cudaMemsetParamsV2	12.2				hipMemsetParamsV2
cudaMipmappedArray					hipMipmappedArray
cudaMipmappedArray_const_t					hipMipmappedArray_const_t
cudaMipmappedArray_t					hipMipmappedArray_t
cudaNvSciSyncAttrSignal	10.2				hipNvSciSyncAttrSignal
cudaNvSciSyncAttrWait	10.2				hipNvSciSyncAttrWait
cudaOccupancyDefault					hipOccupancyDefault
cudaOccupancyDisableCachingOverride					hipOccupancyDisableCachingOverride
cudaOutputMode				12.0	hipOutputMode
cudaOutputMode_t				12.0	hipOutputMode_t
cudaPitchedPtr					hipPitchedPtr
cudaPointerAttributes					hipPointerAttribute_t
cudaPos					hipPos
cudaReadModeElementType					hipReadModeElementType
cudaReadModeNormalizedFloat					hipReadModeNormalizedFloat

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaResViewFormatFloat1					hipResViewFormatFloat1
cudaResViewFormatFloat2					hipResViewFormatFloat2
cudaResViewFormatFloat4					hipResViewFormatFloat4
cudaResViewFormatHalf1					hipResViewFormatHalf1
cudaResViewFormatHalf2					hipResViewFormatHalf2
cudaResViewFormatHalf4					hipResViewFormatHalf4
cudaResViewFormatNone					hipResViewFormatNone
cudaResViewFormatSignedBlockCompressed4					hipResViewFormatSignedBlockCompressed4
cudaResViewFormatSignedBlockCompressed5					hipResViewFormatSignedBlockCompressed5
cudaResViewFormatSignedBlockCompressed6H					hipResViewFormatSignedBlockCompressed6H
cudaResViewFormatSignedChar1					hipResViewFormatSignedChar1
cudaResViewFormatSignedChar2					hipResViewFormatSignedChar2
cudaResViewFormatSignedChar4					hipResViewFormatSignedChar4
cudaResViewFormatSignedInt1					hipResViewFormatSignedInt1
cudaResViewFormatSignedInt2					hipResViewFormatSignedInt2
cudaResViewFormatSignedInt4					hipResViewFormatSignedInt4
cudaResViewFormatSignedShort1					hipResViewFormatSignedShort1
cudaResViewFormatSignedShort2					hipResViewFormatSignedShort2
cudaResViewFormatSignedShort4					hipResViewFormatSignedShort4
cudaResViewFormatUnsignedBlockCompressed1					hipResViewFormatUnsignedBlockCompressed1
cudaResViewFormatUnsignedBlockCompressed2					hipResViewFormatUnsignedBlockCompressed2
cudaResViewFormatUnsignedBlockCompressed3					hipResViewFormatUnsignedBlockCompressed3
cudaResViewFormatUnsignedBlockCompressed4					hipResViewFormatUnsignedBlockCompressed4
cudaResViewFormatUnsignedBlockCompressed5					hipResViewFormatUnsignedBlockCompressed5
cudaResViewFormatUnsignedBlockCompressed6H					hipResViewFormatUnsignedBlockCompressed6H
cudaResViewFormatUnsignedBlockCompressed7					hipResViewFormatUnsignedBlockCompressed7
cudaResViewFormatUnsignedChar1					hipResViewFormatUnsignedChar1
cudaResViewFormatUnsignedChar2					hipResViewFormatUnsignedChar2
cudaResViewFormatUnsignedChar4					hipResViewFormatUnsignedChar4
cudaResViewFormatUnsignedInt1					hipResViewFormatUnsignedInt1
cudaResViewFormatUnsignedInt2					hipResViewFormatUnsignedInt2
cudaResViewFormatUnsignedInt4					hipResViewFormatUnsignedInt4
cudaResViewFormatUnsignedShort1					hipResViewFormatUnsignedShort1
cudaResViewFormatUnsignedShort2					hipResViewFormatUnsignedShort2
cudaResViewFormatUnsignedShort4					hipResViewFormatUnsignedShort4
cudaResourceDesc					hipResourceDesc
cudaResourceType					hipResourceType
cudaResourceTypeArray					hipResourceTypeArray
cudaResourceTypeLinear					hipResourceTypeLinear
cudaResourceTypeMipmappedArray					hipResourceTypeMipmappedArray
cudaResourceTypePitch2D					hipResourceTypePitch2D
cudaResourceViewDesc					hipResourceViewDesc
cudaResourceViewFormat					hipResourceViewFormat
cudaSharedCarveout		9.0			
cudaSharedMemBankSizeDefault					hipSharedMemBankSizeDefault
cudaSharedMemBankSizeEightByte					hipSharedMemBankSizeEightByte
cudaSharedMemBankSizeFourByte					hipSharedMemBankSizeFourByte
cudaSharedMemConfig			12.4		hipSharedMemConfig
cudaSharedmemCarveoutDefault		9.0			
cudaSharedmemCarveoutMaxL1		9.0			

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaSharedmemCarveoutMaxShared	9.0				
cudaStreamAddCaptureDependencies	11.3				hipStreamAddCaptureDepe
cudaStreamAttrID	11.0				
cudaStreamAttrValue	11.0				
cudaStreamAttributeAccessPolicyWindow	11.0				
cudaStreamAttributeMemSyncDomain	12.0				
cudaStreamAttributeMemSyncDomainMap	12.0				
cudaStreamAttributePriority	12.0				
cudaStreamAttributeSynchronizationPolicy	11.0				
cudaStreamCallback_t					hipStreamCallback_t
cudaStreamCaptureMode	10.1				hipStreamCaptureMode
cudaStreamCaptureModeGlobal	10.1				hipStreamCaptureModeGlo
cudaStreamCaptureModeRelaxed	10.1				hipStreamCaptureModeRel
cudaStreamCaptureModeThreadLocal	10.1				hipStreamCaptureModeThre
cudaStreamCaptureStatus	10.0				hipStreamCaptureStatus
cudaStreamCaptureStatusActive	10.0				hipStreamCaptureStatusA
cudaStreamCaptureStatusInvalidated	10.0				hipStreamCaptureStatusI
cudaStreamCaptureStatusNone	10.0				hipStreamCaptureStatusN
cudaStreamDefault					hipStreamDefault
cudaStreamLegacy	9.0				hipStreamLegacy
cudaStreamNonBlocking					hipStreamNonBlocking
cudaStreamPerThread					hipStreamPerThread
cudaStreamSetCaptureDependencies	11.3				hipStreamSetCaptureDepe
cudaStreamUpdateCaptureDependenciesFlags	11.3				hipStreamUpdateCaptureD
cudaStream_t					hipStream_t
cudaSuccess					hipSuccess
cudaSurfaceBoundaryMode					hipSurfaceBoundaryMode
cudaSurfaceFormatMode					
cudaSurfaceObject_t					hipSurfaceObject_t
cudaSyncPolicyAuto	11.0				
cudaSyncPolicyBlockingSync	11.0				
cudaSyncPolicySpin	11.0				
cudaSyncPolicyYield	11.0				
cudaSynchronizationPolicy	11.0				
cudaTextureAddressMode					hipTextureAddressMode
cudaTextureDesc					hipTextureDesc
cudaTextureFilterMode					hipTextureFilterMode
cudaTextureObject_t					hipTextureObject_t
cudaTextureReadMode					hipTextureReadMode
cudaTextureType1D					hipTextureType1D
cudaTextureType1DLayered					hipTextureType1DLayered
cudaTextureType2D					hipTextureType2D
cudaTextureType2DLayered					hipTextureType2DLayered
cudaTextureType3D					hipTextureType3D
cudaTextureTypeCubemap					hipTextureTypeCubemap
cudaTextureTypeCubemapLayered					hipTextureTypeCubemapLay
cudaUUID_t					hipUUID
cudaUserObjectFlags	11.3				hipUserObjectFlags
cudaUserObjectNoDestructorSync	11.3				hipUserObjectNoDestructo
cudaUserObjectRetainFlags	11.3				hipUserObjectRetainFlags

Table 3.4 – continued from previous page

CUDA	A	D	C	R	HIP
cudaUserObject_t	11.3				hipUserObject_t
libraryPropertyType	8.0				
libraryPropertyType_t	8.0				
surfaceReference				12.0	surfaceReference
texture				12.0	texture
textureReference					textureReference

3.1.36 36. Execution Control [REMOVED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaConfigureCall				10.1	hipConfigureCall	1.9.0				
cudaLaunch				10.1	hipLaunchByPtr	1.9.0				
cudaSetupArgument				10.1	hipSetupArgument	1.9.0				

3.1.37 37. Texture Reference Management [REMOVED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaBindTexture		11.0		12.0	hipBindTexture	1.6.0	3.8.0			
cudaBindTexture2D		11.0		12.0	hipBindTexture2D	1.7.0	3.8.0			
cudaBindTextureToArray		11.0		12.0	hipBindTextureToArray	1.6.0	3.8.0			
cudaBindTextureToMipmappedSubImageRange		11.0		12.0	hipBindTextureToMipmappedSubImageRange	1.7.0	5.7.0			
cudaGetTextureAlignmentOffset		11.0		12.0	hipGetTextureAlignmentOffset	1.9.0	3.8.0			
cudaGetTextureReference		11.0		12.0	hipGetTextureReference	1.7.0	5.3.0			
cudaUnbindTexture		11.0		12.0	hipUnbindTexture	1.6.0	3.8.0			

3.1.38 38. Surface Reference Management [REMOVED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaBindSurfaceToArray		11.0		12.0						
cudaGetSurfaceReference		11.0		12.0						

3.1.39 39. Profiler Control [REMOVED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cudaProfilerInitialize		11.0		12.0						

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.2 CUDA Driver API supported by HIP

3.2.1 1. CUDA Driver Data Types

CUDA	A	D	C	R	HIP
CIG_DATA_TYPE_D3D12_COMMAND_QUEUE	12.5				
CUCoredumpGenerationFlags	12.5				
CUDA_ARRAY3D_2DARRAY		5.0			
CUDA_ARRAY3D_COLOR_ATTACHMENT	10.0				
CUDA_ARRAY3D_CUBEMAP					hipArrayCubemap
CUDA_ARRAY3D_DEFERRED_MAPPING	11.6				
CUDA_ARRAY3D_DEPTH_TEXTURE					
CUDA_ARRAY3D_DESCRIPTOR					HIP_ARRAY3D_DESCRIPTOR
CUDA_ARRAY3D_DESCRIPTOR_st					HIP_ARRAY3D_DESCRIPTOR_st
CUDA_ARRAY3D_DESCRIPTOR_v2	11.3				HIP_ARRAY3D_DESCRIPTOR_v2
CUDA_ARRAY3D_LAYERED					hipArrayLayered
CUDA_ARRAY3D_SPARSE	11.1				
CUDA_ARRAY3D_SURFACE_LDST					hipArraySurfaceLDST
CUDA_ARRAY3D_TEXTURE_GATHER					hipArrayTextureGather
CUDA_ARRAY3D_VIDEO_ENCODE_DECODE	12.5				
CUDA_ARRAY_DESCRIPTOR					HIP_ARRAY_DESCRIPTOR
CUDA_ARRAY_DESCRIPTOR_st					HIP_ARRAY_DESCRIPTOR_st
CUDA_ARRAY_DESCRIPTOR_v1					HIP_ARRAY_DESCRIPTOR_v1
CUDA_ARRAY_DESCRIPTOR_v1_st					HIP_ARRAY_DESCRIPTOR_v1_st
CUDA_ARRAY_DESCRIPTOR_v2	11.3				HIP_ARRAY_DESCRIPTOR_v2
CUDA_ARRAY_MEMORY_REQUIREMENTS	11.6				
CUDA_ARRAY_MEMORY_REQUIREMENTS_st	11.6				
CUDA_ARRAY_MEMORY_REQUIREMENTS_v1	11.6				
CUDA_ARRAY_SPARSE_PROPERTIES	11.1				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUDA_ARRAY_SPARSE_PROPERTIES_st	11.1				
CUDA_ARRAY_SPARSE_PROPERTIES_v1	11.3				
CUDA_BATCH_MEM_OP_NODE_PARAMS	11.7				
CUDA_BATCH_MEM_OP_NODE_PARAMS_st	11.7			12.2	
CUDA_BATCH_MEM_OP_NODE_PARAMS_v1	12.2				
CUDA_BATCH_MEM_OP_NODE_PARAMS_v1_st	12.2				
CUDA_BATCH_MEM_OP_NODE_PARAMS_v2	12.2				
CUDA_BATCH_MEM_OP_NODE_PARAMS_v2_st	12.2				
CUDA_CB					
CUDA_CHILD_GRAPH_NODE_PARAMS	12.2				hipChildGraphNo
CUDA_CHILD_GRAPH_NODE_PARAMS_st	12.2				hipChildGraphNo
CUDA_CONDITIONAL_NODE_PARAMS	12.3				
CUDA_COOPERATIVE_LAUNCH_MULTI_DEVICE_NO_POST_LAUNCH_SYNC	9.0				hipCooperativeL
CUDA_COOPERATIVE_LAUNCH_MULTI_DEVICE_NO_PRE_LAUNCH_SYNC	9.0				hipCooperativeL
CUDA_ERROR_ALREADY_ACQUIRED					hipErrorAlready
CUDA_ERROR_ALREADY_MAPPED					hipErrorAlready
CUDA_ERROR_ARRAY_IS_MAPPED					hipErrorArrayIsl
CUDA_ERROR_ASSERT					hipErrorAssert
CUDA_ERROR_CAPTURED_EVENT	10.0				hipErrorCapture
CUDA_ERROR_CDP_NOT_SUPPORTED	12.0				
CUDA_ERROR_CDP_VERSION_MISMATCH	12.0				
CUDA_ERROR_COMPAT_NOT_SUPPORTED_ON_DEVICE	10.1				
CUDA_ERROR_CONTEXT_ALREADY_CURRENT		3.2			hipErrorContext
CUDA_ERROR_CONTEXT_ALREADY_IN_USE					hipErrorContext
CUDA_ERROR_CONTEXT_IS_DESTROYED					hipErrorContext
CUDA_ERROR_COOPERATIVE_LAUNCH_TOO_LARGE	9.0				hipErrorCoopera
CUDA_ERROR_DEINITIALIZED					hipErrorDeiniti
CUDA_ERROR_DEVICE_NOT_LICENSED	11.1				
CUDA_ERROR_DEVICE_UNAVAILABLE	11.7				
CUDA_ERROR_ECC_UNCORRECTABLE					hipErrorECCNotC
CUDA_ERROR_EXTERNAL_DEVICE	11.4				
CUDA_ERROR_FILE_NOT_FOUND					hipErrorFileNot
CUDA_ERROR_FUNCTION_NOT_LOADED	12.4				
CUDA_ERROR_GRAPH_EXEC_UPDATE_FAILURE	10.2				hipErrorGraphEx
CUDA_ERROR_HARDWARE_STACK_ERROR					
CUDA_ERROR_HOST_MEMORY_ALREADY_REGISTERED					hipErrorHostMem
CUDA_ERROR_HOST_MEMORY_NOT_REGISTERED					hipErrorHostMem
CUDA_ERROR_ILLEGAL_ADDRESS					hipErrorIllegal
CUDA_ERROR_ILLEGAL_INSTRUCTION					
CUDA_ERROR_ILLEGAL_STATE	10.0				hipErrorIllegal
CUDA_ERROR_INVALID_ADDRESS_SPACE					
CUDA_ERROR_INVALID_CLUSTER_SIZE	11.8				
CUDA_ERROR_INVALID_CONTEXT					hipErrorInvalid
CUDA_ERROR_INVALID_DEVICE					hipErrorInvalid
CUDA_ERROR_INVALID_GRAPHICS_CONTEXT					hipErrorInvalid
CUDA_ERROR_INVALID_HANDLE					hipErrorInvalid
CUDA_ERROR_INVALID_IMAGE					hipErrorInvalid
CUDA_ERROR_INVALID_PC					
CUDA_ERROR_INVALID_PTX					hipErrorInvalid
CUDA_ERROR_INVALID_RESOURCE_CONFIGURATION	12.4				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUDA_ERROR_INVALID_RESOURCE_TYPE	12.4				
CUDA_ERROR_INVALID_SOURCE					hipErrorInvalidSource
CUDA_ERROR_INVALID_VALUE					hipErrorInvalidValue
CUDA_ERROR_JIT_COMPILATION_DISABLED	11.2				
CUDA_ERROR_JIT_COMPILER_NOT_FOUND	9.0				
CUDA_ERROR_LAUNCH_FAILED					hipErrorLaunchFailed
CUDA_ERROR_LAUNCH_INCOMPATIBLE_TEXTURING					
CUDA_ERROR_LAUNCH_OUT_OF_RESOURCES					hipErrorLaunchOutOfResources
CUDA_ERROR_LAUNCH_TIMEOUT					hipErrorLaunchTimeout
CUDA_ERROR_LOSSY_QUERY					
CUDA_ERROR_MAP_FAILED					hipErrorMapFailed
CUDA_ERROR_MISALIGNED_ADDRESS					
CUDA_ERROR_MPS_CLIENT_TERMINATED	11.8				
CUDA_ERROR_MPS_CONNECTION_FAILED	11.4				
CUDA_ERROR_MPS_MAX_CLIENTS_REACHED	11.4				
CUDA_ERROR_MPS_MAX_CONNECTIONS_REACHED	11.4				
CUDA_ERROR_MPS_RPC_FAILURE	11.4				
CUDA_ERROR_MPS_SERVER_NOT_READY	11.4				
CUDA_ERROR_NOT_FOUND					hipErrorNotFound
CUDA_ERROR_NOT_INITIALIZED					hipErrorNotInitialized
CUDA_ERROR_NOT_MAPPED					hipErrorNotMapped
CUDA_ERROR_NOT_MAPPED_AS_ARRAY					hipErrorNotMappedAsArray
CUDA_ERROR_NOT_MAPPED_AS_POINTER					hipErrorNotMappedAsPointer
CUDA_ERROR_NOT_PERMITTED					
CUDA_ERROR_NOT_READY					hipErrorNotReady
CUDA_ERROR_NOT_SUPPORTED					hipErrorNotSupported
CUDA_ERROR_NO_BINARY_FOR_GPU					hipErrorNoBinaryForGPU
CUDA_ERROR_NO_DEVICE					hipErrorNoDevice
CUDA_ERROR_NVLINK_UNCORRECTABLE	8.0				
CUDA_ERROR_OPERATING_SYSTEM					hipErrorOperatingSystem
CUDA_ERROR_OUT_OF_MEMORY					hipErrorOutOfMemory
CUDA_ERROR_PEER_ACCESS_ALREADY_ENABLED					hipErrorPeerAccessAlreadyEnabled
CUDA_ERROR_PEER_ACCESS_NOT_ENABLED					hipErrorPeerAccessNotEnabled
CUDA_ERROR_PEER_ACCESS_UNSUPPORTED					hipErrorPeerAccessUnsupported
CUDA_ERROR_PRIMARY_CONTEXT_ACTIVE					hipErrorSetOnActiveContext
CUDA_ERROR_PROFILER_ALREADY_STARTED		5.0			hipErrorProfilerAlreadyStarted
CUDA_ERROR_PROFILER_ALREADY_STOPPED		5.0			hipErrorProfilerAlreadyStopped
CUDA_ERROR_PROFILER_DISABLED					hipErrorProfilerDisabled
CUDA_ERROR_PROFILER_NOT_INITIALIZED		5.0			hipErrorProfilerNotInitialized
CUDA_ERROR_SHARED_OBJECT_INIT_FAILED					hipErrorSharedObjectInitFailed
CUDA_ERROR_SHARED_OBJECT_SYMBOL_NOT_FOUND					hipErrorSharedObjectSymbolNotFound
CUDA_ERROR_STREAM_CAPTURE_IMPLICIT	10.0				hipErrorStreamCaptureImplicit
CUDA_ERROR_STREAM_CAPTURE_INVALIDATED	10.0				hipErrorStreamCaptureInvalidated
CUDA_ERROR_STREAM_CAPTURE_ISOLATION	10.0				hipErrorStreamCaptureIsolation
CUDA_ERROR_STREAM_CAPTURE_MERGE	10.0				hipErrorStreamCaptureMerge
CUDA_ERROR_STREAM_CAPTURE_UNJOINED	10.0				hipErrorStreamCaptureUnjoined
CUDA_ERROR_STREAM_CAPTURE_UNMATCHED	10.0				hipErrorStreamCaptureUnmatched
CUDA_ERROR_STREAM_CAPTURE_UNSUPPORTED	10.0				hipErrorStreamCaptureUnsupported
CUDA_ERROR_STREAM_CAPTURE_WRONG_THREAD	10.1				hipErrorStreamCaptureWrongThread
CUDA_ERROR_STUB_LIBRARY	11.1				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUDA_ERROR_SYSTEM_DRIVER_MISMATCH	10.1				
CUDA_ERROR_SYSTEM_NOT_READY	10.0				
CUDA_ERROR_TIMEOUT	10.2				
CUDA_ERROR_TOO_MANY_PEERS					
CUDA_ERROR_UNKNOWN					hipErrorUnknown
CUDA_ERROR_UNMAP_FAILED					hipErrorUnmapFa
CUDA_ERROR_UNSUPPORTED_DEVSIDE_SYNC	12.1				
CUDA_ERROR_UNSUPPORTED_EXEC_AFFINITY	11.4				
CUDA_ERROR_UNSUPPORTED_LIMIT					hipErrorUnsuppor
CUDA_ERROR_UNSUPPORTED_PTX_VERSION	11.1				
CUDA_EVENT_RECORD_NODE_PARAMS	12.2				hipEventRecordNe
CUDA_EVENT_RECORD_NODE_PARAMS_st	12.2				hipEventRecordNe
CUDA_EVENT_WAIT_NODE_PARAMS	12.2				hipEventWaitNode
CUDA_EVENT_WAIT_NODE_PARAMS_st	12.2				hipEventWaitNode
CUDA_EXTERNAL_MEMORY_BUFFER_DESC	10.0				hipExternalMemor
CUDA_EXTERNAL_MEMORY_BUFFER_DESC_st	10.0				hipExternalMemor
CUDA_EXTERNAL_MEMORY_BUFFER_DESC_v1	11.3				hipExternalMemor
CUDA_EXTERNAL_MEMORY_DEDICATED	10.0				hipExternalMemor
CUDA_EXTERNAL_MEMORY_HANDLE_DESC	10.0				hipExternalMemor
CUDA_EXTERNAL_MEMORY_HANDLE_DESC_st	10.0				hipExternalMemor
CUDA_EXTERNAL_MEMORY_HANDLE_DESC_v1	11.3				hipExternalMemor
CUDA_EXTERNAL_MEMORY_MIPMAPPED_ARRAY_DESC	10.0				
CUDA_EXTERNAL_MEMORY_MIPMAPPED_ARRAY_DESC_st	10.0				
CUDA_EXTERNAL_MEMORY_MIPMAPPED_ARRAY_DESC_v1	11.3				
CUDA_EXTERNAL_SEMAPHORE_HANDLE_DESC	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_HANDLE_DESC_st	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_HANDLE_DESC_v1	11.3				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_SIGNAL_PARAMS	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_SIGNAL_PARAMS_st	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_SIGNAL_PARAMS_v1	11.3				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_SIGNAL_SKIP_NVSCIBUF_MEMSYNC	10.2				
CUDA_EXTERNAL_SEMAPHORE_WAIT_PARAMS	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_WAIT_PARAMS_st	10.0				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_WAIT_PARAMS_v1	11.3				hipExternalSemap
CUDA_EXTERNAL_SEMAPHORE_WAIT_SKIP_NVSCIBUF_MEMSYNC	10.2				
CUDA_EXT_SEM_SIGNAL_NODE_PARAMS	11.2				hipExternalSemap
CUDA_EXT_SEM_SIGNAL_NODE_PARAMS_st	11.2				hipExternalSemap
CUDA_EXT_SEM_SIGNAL_NODE_PARAMS_v1	11.3				hipExternalSemap
CUDA_EXT_SEM_SIGNAL_NODE_PARAMS_v2	12.2				hipExternalSemap
CUDA_EXT_SEM_SIGNAL_NODE_PARAMS_v2_st	12.2				hipExternalSemap
CUDA_EXT_SEM_WAIT_NODE_PARAMS	11.2				hipExternalSemap
CUDA_EXT_SEM_WAIT_NODE_PARAMS_st	11.2				hipExternalSemap
CUDA_EXT_SEM_WAIT_NODE_PARAMS_v1	11.3				hipExternalSemap
CUDA_EXT_SEM_WAIT_NODE_PARAMS_v2	12.2				hipExternalSemap
CUDA_EXT_SEM_WAIT_NODE_PARAMS_v2_st	12.2				hipExternalSemap
CUDA_GRAPH_INSTANTIATE_ERROR	12.0				hipGraphInstant:
CUDA_GRAPH_INSTANTIATE_FLAG_AUTO_FREE_ON_LAUNCH	11.4				hipGraphInstant:
CUDA_GRAPH_INSTANTIATE_FLAG_DEVICE_LAUNCH	12.0				hipGraphInstant:
CUDA_GRAPH_INSTANTIATE_FLAG_UPLOAD	12.0				hipGraphInstant:
CUDA_GRAPH_INSTANTIATE_FLAG_USE_NODE_PRIORITY	11.7				hipGraphInstant:

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUDA_GRAPH_INSTANTIATE_INVALID_STRUCTURE	12.0				hipGraphInstant
CUDA_GRAPH_INSTANTIATE_MULTIPLE_CTXS_NOT_SUPPORTED	12.0				hipGraphInstant
CUDA_GRAPH_INSTANTIATE_NODE_OPERATION_NOT_SUPPORTED	12.0				hipGraphInstant
CUDA_GRAPH_INSTANTIATE_PARAMS	12.0				hipGraphInstant
CUDA_GRAPH_INSTANTIATE_PARAMS_st	12.0				hipGraphInstant
CUDA_GRAPH_INSTANTIATE_SUCCESS	12.0				hipGraphInstant
CUDA_HOST_NODE_PARAMS	10.0				hipHostNodeParam
CUDA_HOST_NODE_PARAMS_st	10.0				hipHostNodeParam
CUDA_HOST_NODE_PARAMS_v1	11.3				hipHostNodeParam
CUDA_HOST_NODE_PARAMS_v2	12.2				
CUDA_HOST_NODE_PARAMS_v2_st	12.2				
CUDA_KERNEL_NODE_PARAMS	10.0				hipKernelNodePar
CUDA_KERNEL_NODE_PARAMS_st	10.0				hipKernelNodePar
CUDA_KERNEL_NODE_PARAMS_v1	11.3				hipKernelNodePar
CUDA_KERNEL_NODE_PARAMS_v2	12.0				
CUDA_KERNEL_NODE_PARAMS_v2_st	12.0				
CUDA_KERNEL_NODE_PARAMS_v3	12.2				
CUDA_KERNEL_NODE_PARAMS_v3_st	12.2				
CUDA_LAUNCH_PARAMS	9.0				hipFunctionLaun
CUDA_LAUNCH_PARAMS_st	9.0				hipFunctionLaun
CUDA_LAUNCH_PARAMS_v1	11.3				hipFunctionLaun
CUDA_MEMCPY2D					hip_Memcpy2D
CUDA_MEMCPY2D_st					hip_Memcpy2D
CUDA_MEMCPY2D_v1					hip_Memcpy2D
CUDA_MEMCPY2D_v1_st					hip_Memcpy2D
CUDA_MEMCPY2D_v2	11.3				hip_Memcpy2D
CUDA_MEMCPY3D					HIP_MEMCPY3D
CUDA_MEMCPY3D_PEER					
CUDA_MEMCPY3D_PEER_st					
CUDA_MEMCPY3D_PEER_v1	11.3				
CUDA_MEMCPY3D_st					HIP_MEMCPY3D
CUDA_MEMCPY3D_v1					HIP_MEMCPY3D
CUDA_MEMCPY3D_v1_st					HIP_MEMCPY3D
CUDA_MEMCPY3D_v2	11.3				HIP_MEMCPY3D
CUDA_MEMCPY_NODE_PARAMS	12.2				hipMemcpyNodePa
CUDA_MEMCPY_NODE_PARAMS_st	12.2				hipMemcpyNodePa
CUDA_MEMSET_NODE_PARAMS	10.0				HIP_MEMSET_NODE
CUDA_MEMSET_NODE_PARAMS_st	10.0				HIP_MEMSET_NODE
CUDA_MEMSET_NODE_PARAMS_v1	11.3				HIP_MEMSET_NODE
CUDA_MEMSET_NODE_PARAMS_v2	12.2				
CUDA_MEMSET_NODE_PARAMS_v2_st	12.2				
CUDA_MEM_ALLOC_NODE_PARAMS	11.4				hipMemAllocNode
CUDA_MEM_ALLOC_NODE_PARAMS_st	11.4			12.2	hipMemAllocNode
CUDA_MEM_ALLOC_NODE_PARAMS_v1	12.2				hipMemAllocNode
CUDA_MEM_ALLOC_NODE_PARAMS_v1_st	12.2				hipMemAllocNode
CUDA_MEM_ALLOC_NODE_PARAMS_v2	12.2				
CUDA_MEM_ALLOC_NODE_PARAMS_v2_st	12.2				
CUDA_MEM_FREE_NODE_PARAMS	12.2				hipMemFreeNodePa
CUDA_MEM_FREE_NODE_PARAMS_st	12.2				hipMemFreeNodePa
CUDA_NVSCISYNC_ATTR_SIGNAL	10.2				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUDA_NVSCISYNC_ATTR_WAIT	10.2				
CUDA_POINTER_ATTRIBUTE_ACCESS_FLAGS	11.1				
CUDA_POINTER_ATTRIBUTE_ACCESS_FLAGS_enum	11.1				
CUDA_POINTER_ATTRIBUTE_P2P_TOKENS					
CUDA_POINTER_ATTRIBUTE_P2P_TOKENS_st					
CUDA_POINTER_ATTRIBUTE_P2P_TOKENS_v1	11.3				
CUDA_RESOURCE_DESC					HIP_RESOURCE_DES
CUDA_RESOURCE_DESC_st					HIP_RESOURCE_DES
CUDA_RESOURCE_DESC_v1	11.3				HIP_RESOURCE_DES
CUDA_RESOURCE_VIEW_DESC					HIP_RESOURCE_VI
CUDA_RESOURCE_VIEW_DESC_st					HIP_RESOURCE_VI
CUDA_RESOURCE_VIEW_DESC_v1	11.3				HIP_RESOURCE_VI
CUDA_SUCCESS					hipSuccess
CUDA_TEXTURE_DESC					HIP_TEXTURE_DES
CUDA_TEXTURE_DESC_st					HIP_TEXTURE_DES
CUDA_TEXTURE_DESC_v1	11.3				HIP_TEXTURE_DES
CUGLDeviceList					hipGLDeviceList
CUGLDeviceList_enum					hipGLDeviceList
CUGLmap_flags					
CUGLmap_flags_enum					
CUGPUDirectRDMAWritesOrdering	11.3				hipGPUDirectRDM
CUGPUDirectRDMAWritesOrdering_enum	11.3				hipGPUDirectRDM
CU_ACCESS_PROPERTY_NORMAL	11.0				hipAccessProper
CU_ACCESS_PROPERTY_PERSISTING	11.0				hipAccessProper
CU_ACCESS_PROPERTY_STREAMING	11.0				hipAccessProper
CU_AD_FORMAT_AYUV	12.5				
CU_AD_FORMAT_BC1_UNORM	11.5				
CU_AD_FORMAT_BC1_UNORM_SRGB	11.5				
CU_AD_FORMAT_BC2_UNORM	11.5				
CU_AD_FORMAT_BC2_UNORM_SRGB	11.5				
CU_AD_FORMAT_BC3_UNORM	11.5				
CU_AD_FORMAT_BC3_UNORM_SRGB	11.5				
CU_AD_FORMAT_BC4_SNORM	11.5				
CU_AD_FORMAT_BC4_UNORM	11.5				
CU_AD_FORMAT_BC5_SNORM	11.5				
CU_AD_FORMAT_BC5_UNORM	11.5				
CU_AD_FORMAT_BC6H_SF16	11.5				
CU_AD_FORMAT_BC6H_UF16	11.5				
CU_AD_FORMAT_BC7_UNORM	11.5				
CU_AD_FORMAT_BC7_UNORM_SRGB	11.5				
CU_AD_FORMAT_FLOAT					HIP_AD_FORMAT_F
CU_AD_FORMAT_HALF					HIP_AD_FORMAT_H
CU_AD_FORMAT_MAX	12.5				
CU_AD_FORMAT_NV12	11.2				
CU_AD_FORMAT_NV16	12.5				
CU_AD_FORMAT_P010	12.5				
CU_AD_FORMAT_P016	12.5				
CU_AD_FORMAT_P210	12.5				
CU_AD_FORMAT_P216	12.5				
CU_AD_FORMAT_SIGNED_INT16					HIP_AD_FORMAT_S

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_AD_FORMAT_SIGNED_INT32					HIP_AD_FORMAT_S
CU_AD_FORMAT_SIGNED_INT8					HIP_AD_FORMAT_S
CU_AD_FORMAT_SNORM_INT16X1	11.5				
CU_AD_FORMAT_SNORM_INT16X2	11.5				
CU_AD_FORMAT_SNORM_INT16X4	11.5				
CU_AD_FORMAT_SNORM_INT8X1	11.5				
CU_AD_FORMAT_SNORM_INT8X2	11.5				
CU_AD_FORMAT_SNORM_INT8X4	11.5				
CU_AD_FORMAT_UNORM_INT16X1	11.5				
CU_AD_FORMAT_UNORM_INT16X2	11.5				
CU_AD_FORMAT_UNORM_INT16X4	11.5				
CU_AD_FORMAT_UNORM_INT8X1	11.5				
CU_AD_FORMAT_UNORM_INT8X2	11.5				
CU_AD_FORMAT_UNORM_INT8X4	11.5				
CU_AD_FORMAT_UNSIGNED_INT16					HIP_AD_FORMAT_UI
CU_AD_FORMAT_UNSIGNED_INT32					HIP_AD_FORMAT_UI
CU_AD_FORMAT_UNSIGNED_INT8					HIP_AD_FORMAT_UI
CU_AD_FORMAT_Y210	12.5				
CU_AD_FORMAT_Y216	12.5				
CU_AD_FORMAT_Y410	12.5				
CU_AD_FORMAT_Y416	12.5				
CU_AD_FORMAT_Y444_PLANAR10	12.5				
CU_AD_FORMAT_Y444_PLANAR8	12.5				
CU_AD_FORMAT_YUY2	12.5				
CU_ARRAY_SPARSE_PROPERTIES_SINGLE_MIPTAIL	11.1				
CU_ARRAY_SPARSE_SUBRESOURCE_TYPE_MIPTAIL	11.1				hipArraySparseS
CU_ARRAY_SPARSE_SUBRESOURCE_TYPE_SPARSE_LEVEL	11.1				hipArraySparseS
CU_ASYNC_NOTIFICATION_TYPE_OVER_BUDGET	12.4				
CU_CLUSTER_SCHEDULING_POLICY_DEFAULT	11.8				
CU_CLUSTER_SCHEDULING_POLICY_LOAD_BALANCING	11.8				
CU_CLUSTER_SCHEDULING_POLICY_SPREAD	11.8				
CU_COMPUTEMODE_DEFAULT					hipComputeModeD
CU_COMPUTEMODE_EXCLUSIVE				8.0	hipComputeModeE
CU_COMPUTEMODE_EXCLUSIVE_PROCESS					hipComputeModeE
CU_COMPUTEMODE_PROHIBITED					hipComputeModeP
CU_COMPUTE_ACCELERATED_TARGET_BASE	12.0				
CU_COREDUMP_DEFAULT_FLAGS	12.5				
CU_COREDUMP_ENABLE_ON_EXCEPTION	12.1				
CU_COREDUMP_ENABLE_USER_TRIGGER	12.1				
CU_COREDUMP_FILE	12.1				
CU_COREDUMP_GENERATION_FLAGS	12.5				
CU_COREDUMP_LIGHTWEIGHT	12.1				
CU_COREDUMP_LIGHTWEIGHT_FLAGS	12.5				
CU_COREDUMP_MAX	12.1				
CU_COREDUMP_PIPE	12.1				
CU_COREDUMP_SKIP_ABORT	12.5				
CU_COREDUMP_SKIP_GLOBAL_MEMORY	12.5				
CU_COREDUMP_SKIP_LOCAL_MEMORY	12.5				
CU_COREDUMP_SKIP_NONRELOCATED_ELF_IMAGES	12.5				
CU_COREDUMP_SKIP_SHARED_MEMORY	12.5				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_COREDUMP_TRIGGER_HOST	12.1				
CU_CTX_BLOCKING_SYNC		4.0			hipDeviceSchedu
CU_CTX_COREDUMP_ENABLE	12.1				
CU_CTX_FLAGS_MASK					
CU_CTX_LMEM_RESIZE_TO_MAX					hipDeviceLmemRes
CU_CTX_MAP_HOST					hipDeviceMapHos
CU_CTX_SCHED_AUTO					hipDeviceSchedu
CU_CTX_SCHED_BLOCKING_SYNC					hipDeviceSchedu
CU_CTX_SCHED_MASK					hipDeviceSchedu
CU_CTX_SCHED_SPIN					hipDeviceSchedu
CU_CTX_SCHED_YIELD					hipDeviceSchedu
CU_CTX_SYNC_MEMOPS	12.1				
CU_CTX_USER_COREDUMP_ENABLE	12.1				
CU_CUBEMAP_FACE_NEGATIVE_X					
CU_CUBEMAP_FACE_NEGATIVE_Y					
CU_CUBEMAP_FACE_NEGATIVE_Z					
CU_CUBEMAP_FACE_POSITIVE_X					
CU_CUBEMAP_FACE_POSITIVE_Y					
CU_CUBEMAP_FACE_POSITIVE_Z					
CU_D3D10_DEVICE_LIST_ALL					
CU_D3D10_DEVICE_LIST_CURRENT_FRAME					
CU_D3D10_DEVICE_LIST_NEXT_FRAME					
CU_D3D10_MAPRESOURCE_FLAGS_NONE					
CU_D3D10_MAPRESOURCE_FLAGS_READONLY					
CU_D3D10_MAPRESOURCE_FLAGS_WRITEDISCARD					
CU_D3D10_REGISTER_FLAGS_ARRAY					
CU_D3D10_REGISTER_FLAGS_NONE					
CU_D3D11_DEVICE_LIST_ALL					
CU_D3D11_DEVICE_LIST_CURRENT_FRAME					
CU_D3D11_DEVICE_LIST_NEXT_FRAME					
CU_D3D9_DEVICE_LIST_ALL					
CU_D3D9_DEVICE_LIST_CURRENT_FRAME					
CU_D3D9_DEVICE_LIST_NEXT_FRAME					
CU_D3D9_MAPRESOURCE_FLAGS_NONE					
CU_D3D9_MAPRESOURCE_FLAGS_READONLY					
CU_D3D9_MAPRESOURCE_FLAGS_WRITEDISCARD					
CU_D3D9_REGISTER_FLAGS_ARRAY					
CU_D3D9_REGISTER_FLAGS_NONE					
CU_DEVICE_ATTRIBUTE_ASYNC_ENGINE_COUNT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CAN_FLUSH_REMOTE_WRITES	9.2				
CU_DEVICE_ATTRIBUTE_CAN_MAP_HOST_MEMORY					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CAN_TEX2D_GATHER		5.0			
CU_DEVICE_ATTRIBUTE_CAN_USE_64_BIT_STREAM_MEM_OPS	9.0				
CU_DEVICE_ATTRIBUTE_CAN_USE_64_BIT_STREAM_MEM_OPS_V1	12.0	12.0			
CU_DEVICE_ATTRIBUTE_CAN_USE_64_BIT_STREAM_MEM_OPS_V2	11.7			12.0	
CU_DEVICE_ATTRIBUTE_CAN_USE_HOST_POINTER_FOR_REGISTERED_MEM	9.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CAN_USE_STREAM_MEM_OPS	9.0			12.0	
CU_DEVICE_ATTRIBUTE_CAN_USE_STREAM_MEM_OPS_V1	12.0	12.0			
CU_DEVICE_ATTRIBUTE_CAN_USE_STREAM_WAIT_VALUE_NOR	9.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CAN_USE_STREAM_WAIT_VALUE_NOR_V1	12.0	12.0			hipDeviceAttrib

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_DEVICE_ATTRIBUTE_CAN_USE_STREAM_WAIT_VALUE_NOR_V2	11.7			12.0	
CU_DEVICE_ATTRIBUTE_CLOCK_RATE					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CLUSTER_LAUNCH	11.8				
CU_DEVICE_ATTRIBUTE_COMPUTE_CAPABILITY_MAJOR					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_COMPUTE_CAPABILITY_MINOR					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_COMPUTE_MODE					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_COMPUTE_PREEMPTION_SUPPORTED	8.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CONCURRENT_KERNELS					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_CONCURRENT_MANAGED_ACCESS	8.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_COOPERATIVE_LAUNCH	9.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_COOPERATIVE_MULTI_DEVICE_LAUNCH	9.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_D3D12_CIG_SUPPORTED	12.5				
CU_DEVICE_ATTRIBUTE_DEFERRED_MAPPING_CUDA_ARRAY_SUPPORTED	11.6				
CU_DEVICE_ATTRIBUTE_DIRECT_MANAGED_MEM_ACCESS_FROM_HOST	9.2				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_DMA_BUF_SUPPORTED	11.7				
CU_DEVICE_ATTRIBUTE_ECC_ENABLED					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_GENERIC_COMPRESSION_SUPPORTED	11.0				
CU_DEVICE_ATTRIBUTE_GLOBAL_L1_CACHE_SUPPORTED					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_GLOBAL_MEMORY_BUS_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_GPU_DIRECT_RDMA_FLUSH_WRITES_OPTIONS	11.3				
CU_DEVICE_ATTRIBUTE_GPU_DIRECT_RDMA_SUPPORTED	11.3				
CU_DEVICE_ATTRIBUTE_GPU_DIRECT_RDMA_WITH_CUDA_VMM_SUPPORTED	11.0				
CU_DEVICE_ATTRIBUTE_GPU_DIRECT_RDMA_WRITES_ORDERING	11.3				
CU_DEVICE_ATTRIBUTE_GPU_OVERLAP		5.0			hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_HANDLE_TYPE_FABRIC_SUPPORTED	12.3				
CU_DEVICE_ATTRIBUTE_HANDLE_TYPE_POSIX_FILE_DESCRIPTOR_SUPPORTED	10.2				
CU_DEVICE_ATTRIBUTE_HANDLE_TYPE_WIN32_HANDLE_SUPPORTED	10.2				
CU_DEVICE_ATTRIBUTE_HANDLE_TYPE_WIN32_KMT_HANDLE_SUPPORTED	10.2				
CU_DEVICE_ATTRIBUTE_HOST_NATIVE_ATOMIC_SUPPORTED	8.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_HOST_NUMA_ID	12.2				
CU_DEVICE_ATTRIBUTE_HOST_REGISTER_SUPPORTED	9.2				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_INTEGRATED					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_IPC_EVENT_SUPPORTED	12.0				
CU_DEVICE_ATTRIBUTE_KERNEL_EXEC_TIMEOUT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_L2_CACHE_SIZE					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_LOCAL_L1_CACHE_SUPPORTED					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MANAGED_MEMORY					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAX					
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE1D_LAYERED_LAYERS					
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE1D_LAYERED_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE1D_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE2D_HEIGHT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE2D_LAYERED_HEIGHT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE2D_LAYERED_LAYERS					
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE2D_LAYERED_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE2D_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE3D_DEPTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE3D_HEIGHT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACE3D_WIDTH					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACECUBEMAP_LAYERED_LAYERS					

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACECUBEMAP_LAYERED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_SURFACECUBEMAP_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE1D_LAYERED_LAYERS					
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE1D_LAYERED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE1D_LINEAR_WIDTH		11.2			hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE1D_MIPMAPPED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE1D_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_ARRAY_HEIGHT		5.0			hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_ARRAY_NUMSLICES		5.0			
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_ARRAY_WIDTH		5.0			hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_GATHER_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_GATHER_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LAYERED_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LAYERED_LAYERS					
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LAYERED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LINEAR_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LINEAR_PITCH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_LINEAR_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_MIPMAPPED_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_MIPMAPPED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE2D_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_DEPTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_DEPTH_ALTERNATE					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_HEIGHT					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_HEIGHT_ALTERNATE					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURE3D_WIDTH_ALTERNATE					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURECUBEMAP_LAYERED_LAYERS					
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURECUBEMAP_LAYERED_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAXIMUM_TEXTURECUBEMAP_WIDTH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_ACCESS_POLICY_WINDOW_SIZE	11.0				
CU_DEVICE_ATTRIBUTE_MAX_BLOCKS_PER_MULTIPROCESSOR	11.0				hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_BLOCK_DIM_X					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_BLOCK_DIM_Y					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_BLOCK_DIM_Z					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_GRID_DIM_X					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_GRID_DIM_Y					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_GRID_DIM_Z					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_PERSISTING_L2_CACHE_SIZE	11.0				
CU_DEVICE_ATTRIBUTE_MAX_PITCH					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_REGISTERS_PER_BLOCK					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_REGISTERS_PER_MULTIPROCESSOR					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_SHARED_MEMORY_PER_BLOCK					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_SHARED_MEMORY_PER_BLOCK_OPTIN	9.0				hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_SHARED_MEMORY_PER_MULTIPROCESSOR					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_THREADS_PER_BLOCK					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MAX_THREADS_PER_MULTIPROCESSOR					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MEMORY_CLOCK_RATE					hipDeviceAttribu
CU_DEVICE_ATTRIBUTE_MEMORY_POOLS_SUPPORTED	11.2				hipDeviceAttribu

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_DEVICE_ATTRIBUTE_MEMPOOL_SUPPORTED_HANDLE_TYPES	11.3				
CU_DEVICE_ATTRIBUTE_MEM_SYNC_DOMAIN_COUNT	12.0				
CU_DEVICE_ATTRIBUTE_MPS_ENABLED	12.3				
CU_DEVICE_ATTRIBUTE_MULTICAST_SUPPORTED	12.1				
CU_DEVICE_ATTRIBUTE_MULTIPROCESSOR_COUNT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MULTI_GPU_BOARD					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_MULTI_GPU_BOARD_GROUP_ID					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_NUMA_CONFIG	12.2				
CU_DEVICE_ATTRIBUTE_NUMA_ID	12.2				
CU_DEVICE_ATTRIBUTE_PAGEABLE_MEMORY_ACCESS	8.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_PAGEABLE_MEMORY_ACCESS_USES_HOST_PAGE_TABLES	9.2				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_PCI_BUS_ID					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_PCI_DEVICE_ID					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_PCI_DOMAIN_ID					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_READ_ONLY_HOST_REGISTER_SUPPORTEDED	11.1				
CU_DEVICE_ATTRIBUTE_REGISTERS_PER_BLOCK		5.0			hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_RESERVED_SHARED_MEMORY_PER_BLOCK	11.0				
CU_DEVICE_ATTRIBUTE_SHARED_MEMORY_PER_BLOCK		5.0			hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_SINGLE_TO_DOUBLE_PRECISION_PERF_RATIO	8.0				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_SPARSE_CUDA_ARRAY_SUPPORTED	11.1				
CU_DEVICE_ATTRIBUTE_STREAM_PRIORITIES_SUPPORTED					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_SURFACE_ALIGNMENT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_TCC_DRIVER					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_TENSOR_MAP_ACCESS_SUPPORTED	12.0				
CU_DEVICE_ATTRIBUTE_TEXTURE_ALIGNMENT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_TEXTURE_PITCH_ALIGNMENT					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_TIMELINE_SEMAPHORE_INTEROP_SUPPORTED	11.2				
CU_DEVICE_ATTRIBUTE_TOTAL_CONSTANT_MEMORY					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_UNIFIED_ADDRESSING					hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_UNIFIED_FUNCTION_POINTERS	12.0				
CU_DEVICE_ATTRIBUTE_VIRTUAL_ADDRESS_MANAGEMENT_SUPPORTED	10.2	11.2			
CU_DEVICE_ATTRIBUTE_VIRTUAL_MEMORY_MANAGEMENT_SUPPORTED	11.2				hipDeviceAttrib
CU_DEVICE_ATTRIBUTE_WARP_SIZE					hipDeviceAttrib
CU_DEVICE_CPU	8.0				hipCpuDeviceId
CU_DEVICE_INVALID	8.0				hipInvalidDevice
CU_DEVICE_NUMA_CONFIG_NONE	12.2				
CU_DEVICE_NUMA_CONFIG_NUMA_NODE	12.2				
CU_DEVICE_P2P_ATTRIBUTE_ACCESS_ACCESS_SUPPORTED	10.1	10.1			hipDevP2PAttrHip
CU_DEVICE_P2P_ATTRIBUTE_ACCESS_SUPPORTED	8.0				hipDevP2PAttrAc
CU_DEVICE_P2P_ATTRIBUTE_ARRAY_ACCESS_ACCESS_SUPPORTED	9.2	10.0		10.1	hipDevP2PAttrHip
CU_DEVICE_P2P_ATTRIBUTE_CUDA_ARRAY_ACCESS_SUPPORTED	10.0				hipDevP2PAttrHip
CU_DEVICE_P2P_ATTRIBUTE_NATIVE_ATOMIC_SUPPORTED	8.0				hipDevP2PAttrNa
CU_DEVICE_P2P_ATTRIBUTE_PERFORMANCE_RANK	8.0				hipDevP2PAttrPer
CU_DEV_RESOURCE_TYPE_INVALID	12.4				
CU_DEV_RESOURCE_TYPE_MAX	12.4				
CU_DEV_RESOURCE_TYPE_SM	12.4				
CU_DEV_SM_RESOURCE_SPLIT_IGNORE_SM_COSCHEDULING	12.5				
CU_DEV_SM_RESOURCE_SPLIT_MAX_POTENTIAL_CLUSTER_SIZE	12.5				
CU_EGL_COLOR_FORMAT_A	9.1				
CU_EGL_COLOR_FORMAT_ABGR	9.1				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_EGL_COLOR_FORMAT_ARGB	9.0				
CU_EGL_COLOR_FORMAT_AYUV	9.1				
CU_EGL_COLOR_FORMAT_AYUV_ER	9.1				
CU_EGL_COLOR_FORMAT_BAYER10_BGGR	9.1				
CU_EGL_COLOR_FORMAT_BAYER10_GBRG	9.1				
CU_EGL_COLOR_FORMAT_BAYER10_GRBG	9.1				
CU_EGL_COLOR_FORMAT_BAYER10_RGGB	9.1				
CU_EGL_COLOR_FORMAT_BAYER12_BGGR	9.1				
CU_EGL_COLOR_FORMAT_BAYER12_GBRG	9.1				
CU_EGL_COLOR_FORMAT_BAYER12_GRBG	9.1				
CU_EGL_COLOR_FORMAT_BAYER12_RGGB	9.1				
CU_EGL_COLOR_FORMAT_BAYER14_BGGR	9.1				
CU_EGL_COLOR_FORMAT_BAYER14_GBRG	9.1				
CU_EGL_COLOR_FORMAT_BAYER14_GRBG	9.1				
CU_EGL_COLOR_FORMAT_BAYER14_RGGB	9.1				
CU_EGL_COLOR_FORMAT_BAYER20_BGGR	9.1				
CU_EGL_COLOR_FORMAT_BAYER20_GBRG	9.1				
CU_EGL_COLOR_FORMAT_BAYER20_GRBG	9.1				
CU_EGL_COLOR_FORMAT_BAYER20_RGGB	9.1				
CU_EGL_COLOR_FORMAT_BAYER_BGGR	9.1				
CU_EGL_COLOR_FORMAT_BAYER_GBRG	9.1				
CU_EGL_COLOR_FORMAT_BAYER_GRBG	9.1				
CU_EGL_COLOR_FORMAT_BAYER_ISP_BGGR	9.2				
CU_EGL_COLOR_FORMAT_BAYER_ISP_GBRG	9.2				
CU_EGL_COLOR_FORMAT_BAYER_ISP_GRBG	9.2				
CU_EGL_COLOR_FORMAT_BAYER_ISP_RGGB	9.2				
CU_EGL_COLOR_FORMAT_BAYER_RGGB	9.1				
CU_EGL_COLOR_FORMAT_BGR	9.0				
CU_EGL_COLOR_FORMAT_BGRA	9.1				
CU_EGL_COLOR_FORMAT_L	9.0				
CU_EGL_COLOR_FORMAT_MAX	9.0				
CU_EGL_COLOR_FORMAT_R	9.0				
CU_EGL_COLOR_FORMAT_RG	9.1				
CU_EGL_COLOR_FORMAT_RGB	9.0				
CU_EGL_COLOR_FORMAT_RGBA					
CU_EGL_COLOR_FORMAT_UYVY_422	9.0				
CU_EGL_COLOR_FORMAT_UYVY_ER	9.1				
CU_EGL_COLOR_FORMAT_VYUY_ER	9.1				
CU_EGL_COLOR_FORMAT_Y10V10U10_420_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_Y10V10U10_444_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_Y12V12U12_420_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_Y12V12U12_444_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_YUV420_PLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV420_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YUV420_SEMIPLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV420_SEMIPLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YUV422_PLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV422_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YUV422_SEMIPLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV422_SEMIPLANAR_ER	9.1				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_EGL_COLOR_FORMAT_YUV444_PLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV444_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YUV444_SEMIPLANAR	9.0				
CU_EGL_COLOR_FORMAT_YUV444_SEMIPLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YUVA_ER	9.1				
CU_EGL_COLOR_FORMAT_YUV_ER	9.1				
CU_EGL_COLOR_FORMAT_YUYV_422	9.0				
CU_EGL_COLOR_FORMAT_YUYV_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU420_PLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU420_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU420_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU420_SEMIPLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU422_PLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU422_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU422_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU422_SEMIPLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU444_PLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU444_PLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVU444_SEMIPLANAR	9.1				
CU_EGL_COLOR_FORMAT_YVU444_SEMIPLANAR_ER	9.1				
CU_EGL_COLOR_FORMAT_YVYU_ER	9.1				
CU_EGL_FRAME_TYPE_ARRAY	9.0				
CU_EGL_FRAME_TYPE_PITCH	9.0				
CU_EGL_RESOURCE_LOCATION_SYSMEM	9.0				
CU_EGL_RESOURCE_LOCATION_VIDMEM	9.0				
CU_EVENT_BLOCKING_SYNC					hipEventBlockingSync
CU_EVENT_DEFAULT					hipEventDefault
CU_EVENT_DISABLE_TIMING					hipEventDisableTiming
CU_EVENT_INTERPROCESS					hipEventInterprocess
CU_EVENT_RECORD_DEFAULT	11.1				
CU_EVENT_RECORD_EXTERNAL	11.1				
CU_EVENT_SCHED_AUTO	11.8				
CU_EVENT_SCHED_BLOCKING_SYNC	11.8				
CU_EVENT_SCHED_SPIN	11.8				
CU_EVENT_SCHED_YIELD	11.8				
CU_EVENT_WAIT_DEFAULT	11.1				
CU_EVENT_WAIT_EXTERNAL	11.1				
CU_EXEC_AFFINITY_TYPE_MAX	11.4				
CU_EXEC_AFFINITY_TYPE_SM_COUNT	11.4				
CU_EXTERNAL_MEMORY_HANDLE_TYPE_D3D11_RESOURCE	10.2				hipExternalMemoryHandleTypeD3D11Resource
CU_EXTERNAL_MEMORY_HANDLE_TYPE_D3D11_RESOURCE_KMT	10.2				hipExternalMemoryHandleTypeD3D11ResourceKMT
CU_EXTERNAL_MEMORY_HANDLE_TYPE_D3D12_HEAP	10.0				hipExternalMemoryHandleTypeD3D12Heap
CU_EXTERNAL_MEMORY_HANDLE_TYPE_D3D12_RESOURCE	10.0				hipExternalMemoryHandleTypeD3D12Resource
CU_EXTERNAL_MEMORY_HANDLE_TYPE_NVSCIBUF	10.2				
CU_EXTERNAL_MEMORY_HANDLE_TYPE_OPAQUE_FD	10.0				hipExternalMemoryHandleTypeOpaqueFd
CU_EXTERNAL_MEMORY_HANDLE_TYPE_OPAQUE_WIN32	10.0				hipExternalMemoryHandleTypeOpaqueWin32
CU_EXTERNAL_MEMORY_HANDLE_TYPE_OPAQUE_WIN32_KMT	10.0				hipExternalMemoryHandleTypeOpaqueWin32KMT
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_D3D11_FENCE	10.2				
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_D3D11_KEYED_MUTEX	10.2				
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_D3D11_KEYED_MUTEX_KMT	10.2				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_D3D12_FENCE	10.0				hipExternalSema
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_NVSCISYNC	10.2				
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_OPAQUE_FD	10.0				hipExternalSema
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_OPAQUE_WIN32	10.0				hipExternalSema
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_OPAQUE_WIN32_KMT	10.0				hipExternalSema
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_TIMELINE_SEMAPHORE_FD	11.2				
CU_EXTERNAL_SEMAPHORE_HANDLE_TYPE_TIMELINE_SEMAPHORE_WIN32	11.2				
CU_FLUSH_GPU_DIRECT_RDMA_WRITES_OPTION_HOST	11.3				hipFlushGPUDirec
CU_FLUSH_GPU_DIRECT_RDMA_WRITES_OPTION_MEMOPS	11.3				hipFlushGPUDirec
CU_FLUSH_GPU_DIRECT_RDMA_WRITES_TARGET_CURRENT_CTX	11.3				
CU_FLUSH_GPU_DIRECT_RDMA_WRITES_TO_ALL_DEVICES	11.3				
CU_FLUSH_GPU_DIRECT_RDMA_WRITES_TO_OWNER	11.3				
CU_FUNCTION_LOADING_STATE_LOADED	12.4				
CU_FUNCTION_LOADING_STATE_MAX	12.4				
CU_FUNCTION_LOADING_STATE_UNLOADED	12.4				
CU_FUNC_ATTRIBUTE_BINARY_VERSION					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_CACHE_MODE_CA					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_CLUSTER_SCHEDULING_POLICY_PREFERENCE	11.8				
CU_FUNC_ATTRIBUTE_CLUSTER_SIZE_MUST_BE_SET	11.8				
CU_FUNC_ATTRIBUTE_CONST_SIZE_BYTES					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_LOCAL_SIZE_BYTES					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_MAX					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_MAX_DYNAMIC_SHARED_SIZE_BYTES	9.0				HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_MAX_THREADS_PER_BLOCK					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_NON_PORTABLE_CLUSTER_SIZE_ALLOWED	11.8				
CU_FUNC_ATTRIBUTE_NUM_REGS					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_PREFERRED_SHARED_MEMORY_CARVEOUT	9.0				HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_PTX_VERSION					HIP_FUNC_ATTRIBU
CU_FUNC_ATTRIBUTE_REQUIRED_CLUSTER_DEPTH	11.8				
CU_FUNC_ATTRIBUTE_REQUIRED_CLUSTER_HEIGHT	11.8				
CU_FUNC_ATTRIBUTE_REQUIRED_CLUSTER_WIDTH	11.8				
CU_FUNC_ATTRIBUTE_SHARED_SIZE_BYTES					HIP_FUNC_ATTRIBU
CU_FUNC_CACHE_PREFER_EQUAL					hipFuncCachePre
CU_FUNC_CACHE_PREFER_L1					hipFuncCachePre
CU_FUNC_CACHE_PREFER_NONE					hipFuncCachePre
CU_FUNC_CACHE_PREFER_SHARED					hipFuncCachePre
CU_GET_PROC_ADDRESS_DEFAULT	11.3				
CU_GET_PROC_ADDRESS_LEGACY_STREAM	11.3				
CU_GET_PROC_ADDRESS_PER_THREAD_DEFAULT_STREAM	11.3				
CU_GET_PROC_ADDRESS_SUCCESS	12.0				HIP_GET_PROC_ADI
CU_GET_PROC_ADDRESS_SYMBOL_NOT_FOUND	12.0				HIP_GET_PROC_ADI
CU_GET_PROC_ADDRESS_VERSION_NOT_SUFFICIENT	12.0				HIP_GET_PROC_ADI
CU_GL_DEVICE_LIST_ALL					hipGLDeviceList
CU_GL_DEVICE_LIST_CURRENT_FRAME					hipGLDeviceList
CU_GL_DEVICE_LIST_NEXT_FRAME					hipGLDeviceList
CU_GL_MAP_RESOURCE_FLAGS_NONE					
CU_GL_MAP_RESOURCE_FLAGS_READ_ONLY					
CU_GL_MAP_RESOURCE_FLAGS_WRITE_DISCARD					
CU_GPU_DIRECT_RDMA_WRITES_ORDERING_ALL_DEVICES	11.3				hipGPUDirectRDM
CU_GPU_DIRECT_RDMA_WRITES_ORDERING_NONE	11.3				hipGPUDirectRDM

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_GPU_DIRECT_RDMA_WRITES_ORDERING_OWNER	11.3				hipGPUDirectRDM
CU_GRAPHICS_MAP_RESOURCE_FLAGS_NONE					
CU_GRAPHICS_MAP_RESOURCE_FLAGS_READ_ONLY					
CU_GRAPHICS_MAP_RESOURCE_FLAGS_WRITE_DISCARD					
CU_GRAPHICS_REGISTER_FLAGS_NONE					hipGraphicsRegi
CU_GRAPHICS_REGISTER_FLAGS_READ_ONLY					hipGraphicsRegi
CU_GRAPHICS_REGISTER_FLAGS_SURFACE_LDST					hipGraphicsRegi
CU_GRAPHICS_REGISTER_FLAGS_TEXTURE_GATHER					hipGraphicsRegi
CU_GRAPHICS_REGISTER_FLAGS_WRITE_DISCARD					hipGraphicsRegi
CU_GRAPH_COND_ASSIGN_DEFAULT	12.3				
CU_GRAPH_COND_TYPE_IF	12.3				
CU_GRAPH_COND_TYPE_WHILE	12.3				
CU_GRAPH_DEBUG_DOT_FLAGS_BATCH_MEM_OP_NODE_PARAMS	11.7				
CU_GRAPH_DEBUG_DOT_FLAGS_CONDITIONAL_NODE_PARAMS	12.3				
CU_GRAPH_DEBUG_DOT_FLAGS_EVENT_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_EXTRA_TOPO_INFO	12.0				
CU_GRAPH_DEBUG_DOT_FLAGS_EXT_SEMAS_SIGNAL_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_EXT_SEMAS_WAIT_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_HANDLES	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_HOST_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_KERNEL_NODE_ATTRIBUTES	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_KERNEL_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_MEMCPY_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_MEMSET_NODE_PARAMS	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_MEM_ALLOC_NODE_PARAMS	11.4				
CU_GRAPH_DEBUG_DOT_FLAGS_MEM_FREE_NODE_PARAMS	11.4				
CU_GRAPH_DEBUG_DOT_FLAGS_RUNTIME_TYPES	11.3				hipGraphDebugDo
CU_GRAPH_DEBUG_DOT_FLAGS_VERBOSE	11.3				hipGraphDebugDo
CU_GRAPH_DEPENDENCY_TYPE_DEFAULT	12.3				hipGraphDepender
CU_GRAPH_DEPENDENCY_TYPE_PROGRAMMATIC	12.3				hipGraphDepender
CU_GRAPH_EXEC_UPDATE_ERROR	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_ATTRIBUTES_CHANGED	11.6				
CU_GRAPH_EXEC_UPDATE_ERROR_FUNCTION_CHANGED	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_NODE_TYPE_CHANGED	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_NOT_SUPPORTED	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_PARAMETERS_CHANGED	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_TOPOLOGY_CHANGED	10.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_ERROR_UNSUPPORTED_FUNCTION_CHANGE	11.2				hipGraphExecUpda
CU_GRAPH_EXEC_UPDATE_SUCCESS	10.2				hipGraphExecUpda
CU_GRAPH_KERNEL_NODE_PORT_DEFAULT	12.3				hipGraphKernelNe
CU_GRAPH_KERNEL_NODE_PORT_LAUNCH_ORDER	12.3				hipGraphKernelNe
CU_GRAPH_KERNEL_NODE_PORT_PROGRAMMATIC	12.3				hipGraphKernelNe
CU_GRAPH_MEM_ATTR_RESERVED_MEM_CURRENT	11.4				hipGraphMemAttr
CU_GRAPH_MEM_ATTR_RESERVED_MEM_HIGH	11.4				hipGraphMemAttr
CU_GRAPH_MEM_ATTR_USED_MEM_CURRENT	11.4				hipGraphMemAttr
CU_GRAPH_MEM_ATTR_USED_MEM_HIGH	11.4				hipGraphMemAttr
CU_GRAPH_NODE_TYPE_BATCH_MEM_OP	11.7				
CU_GRAPH_NODE_TYPE_CONDITIONAL	12.3				
CU_GRAPH_NODE_TYPE_COUNT	10.0			11.0	hipGraphNodeTyp
CU_GRAPH_NODE_TYPE_EMPTY	10.0				hipGraphNodeTyp

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_GRAPH_NODE_TYPE_EVENT_RECORD	11.1				hipGraphNodeType
CU_GRAPH_NODE_TYPE_EXT_SEMAS_SIGNAL	11.2				hipGraphNodeType
CU_GRAPH_NODE_TYPE_EXT_SEMAS_WAIT	11.2				hipGraphNodeType
CU_GRAPH_NODE_TYPE_GRAPH	10.0				hipGraphNodeType
CU_GRAPH_NODE_TYPE_HOST	10.0				hipGraphNodeType
CU_GRAPH_NODE_TYPE_KERNEL	10.0				hipGraphNodeType
CU_GRAPH_NODE_TYPE_MEMCPY	10.0				hipGraphNodeType
CU_GRAPH_NODE_TYPE_MEMSET	10.0				hipGraphNodeType
CU_GRAPH_NODE_TYPE_MEM_ALLOC	11.4				hipGraphNodeType
CU_GRAPH_NODE_TYPE_MEM_FREE	11.4				hipGraphNodeType
CU_GRAPH_NODE_TYPE_WAIT_EVENT	11.1				hipGraphNodeType
CU_GRAPH_USER_OBJECT_MOVE	11.3				hipGraphUserObj
CU_GREEN_CTX_DEFAULT_STREAM	12.4				
CU_IPC_HANDLE_SIZE					HIP_IPC_HANDLE_S
CU_IPC_MEM_LAZY_ENABLE_PEER_ACCESS					hipIpcMemLazyEna
CU_JIT_CACHE_MODE					HIPRTC_JIT_CACH
CU_JIT_CACHE_OPTION_CA					
CU_JIT_CACHE_OPTION_CG					
CU_JIT_CACHE_OPTION_NONE					
CU_JIT_ERROR_LOG_BUFFER					HIPRTC_JIT_ERROR
CU_JIT_ERROR_LOG_BUFFER_SIZE_BYTES					HIPRTC_JIT_ERROR
CU_JIT_FALLBACK_STRATEGY					HIPRTC_JIT_FALL
CU_JIT_FAST_COMPILE					HIPRTC_JIT_FAST
CU_JIT_FMA	11.4	12.0			
CU_JIT_FTZ	11.4	12.0			
CU_JIT_GENERATE_DEBUG_INFO					HIPRTC_JIT_GENE
CU_JIT_GENERATE_LINE_INFO					HIPRTC_JIT_GENE
CU_JIT_GLOBAL_SYMBOL_ADDRESSES					
CU_JIT_GLOBAL_SYMBOL_COUNT					
CU_JIT_GLOBAL_SYMBOL_NAMES					
CU_JIT_INFO_LOG_BUFFER					HIPRTC_JIT_INFO
CU_JIT_INFO_LOG_BUFFER_SIZE_BYTES					HIPRTC_JIT_INFO
CU_JIT_INPUT_CUBIN					HIPRTC_JIT_INPU
CU_JIT_INPUT_FATBINARY					HIPRTC_JIT_INPU
CU_JIT_INPUT_LIBRARY					HIPRTC_JIT_INPU
CU_JIT_INPUT_NVVM	11.4	12.0			HIPRTC_JIT_INPU
CU_JIT_INPUT_OBJECT					HIPRTC_JIT_INPU
CU_JIT_INPUT_PTX					HIPRTC_JIT_INPU
CU_JIT_LOG_VERBOSE					HIPRTC_JIT_LOG_V
CU_JIT_LTO	11.4	12.0			
CU_JIT_MAX_REGISTERS					HIPRTC_JIT_MAX_I
CU_JIT_MAX_THREADS_PER_BLOCK	12.4				
CU_JIT_MIN_CTA_PER_SM	12.3				
CU_JIT_NEW_SM3X_OPT					HIPRTC_JIT_NEW_S
CU_JIT_NUM_INPUT_TYPES					HIPRTC_JIT_NUM_I
CU_JIT_NUM_OPTIONS					HIPRTC_JIT_NUM_C
CU_JIT_OPTIMIZATION_LEVEL					HIPRTC_JIT_OPTI
CU_JIT_OPTIMIZE_UNUSED_DEVICE_VARIABLES	11.7	12.0			
CU_JIT_OVERRIDE_DIRECTIVE_VALUES	12.4				
CU_JIT_POSITION_INDEPENDENT_CODE	12.0				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_JIT_PREC_DIV	11.4	12.0			
CU_JIT_PREC_SQRT	11.4	12.0			
CU_JIT_REFERENCED_KERNEL_COUNT	11.7	12.0			
CU_JIT_REFERENCED_KERNEL_NAMES	11.7	12.0			
CU_JIT_REFERENCED_VARIABLE_COUNT	11.7	12.0			
CU_JIT_REFERENCED_VARIABLE_NAMES	11.7	12.0			
CU_JIT_TARGET					HIPRTC_JIT_TARGET
CU_JIT_TARGET_FROM_CUCONTEXT					HIPRTC_JIT_TARGET
CU_JIT_THREADS_PER_BLOCK					HIPRTC_JIT_THREADS_PER_BLOCK
CU_JIT_WALL_TIME					HIPRTC_JIT_WALL_TIME
CU_KERNEL_NODE_ATTRIBUTE_ACCESS_POLICY_WINDOW	11.0				hipKernelNodeAttributeAccessPolicyWindow
CU_KERNEL_NODE_ATTRIBUTE_CLUSTER_DIMENSION	11.8				
CU_KERNEL_NODE_ATTRIBUTE_CLUSTER_SCHEDULING_POLICY_PREFERENCE	11.8				
CU_KERNEL_NODE_ATTRIBUTE_COOPERATIVE	11.0				hipKernelNodeAttributeCooperative
CU_KERNEL_NODE_ATTRIBUTE_DEVICE_UPDATABLE_KERNEL_NODE	12.4				
CU_KERNEL_NODE_ATTRIBUTE_MEM_SYNC_DOMAIN	12.0				
CU_KERNEL_NODE_ATTRIBUTE_MEM_SYNC_DOMAIN_MAP	12.0				
CU_KERNEL_NODE_ATTRIBUTE_PREFERRED_SHARED_MEMORY_CARVEOUT	12.5				
CU_KERNEL_NODE_ATTRIBUTE_PRIORITY	11.7				hipKernelNodeAttributePriority
CU_LAUNCH_ATTRIBUTE_ACCESS_POLICY_WINDOW	11.8				hipLaunchAttributeAccessPolicyWindow
CU_LAUNCH_ATTRIBUTE_CLUSTER_DIMENSION	11.8				
CU_LAUNCH_ATTRIBUTE_CLUSTER_SCHEDULING_POLICY_PREFERENCE	11.8				
CU_LAUNCH_ATTRIBUTE_COOPERATIVE	11.8				hipLaunchAttributeCooperative
CU_LAUNCH_ATTRIBUTE_DEVICE_UPDATABLE_KERNEL_NODE	12.4				
CU_LAUNCH_ATTRIBUTE_IGNORE	11.8				
CU_LAUNCH_ATTRIBUTE_LAUNCH_COMPLETION_EVENT	12.3				
CU_LAUNCH_ATTRIBUTE_MAX	12.1				
CU_LAUNCH_ATTRIBUTE_MEM_SYNC_DOMAIN	12.0				
CU_LAUNCH_ATTRIBUTE_MEM_SYNC_DOMAIN_MAP	12.0				
CU_LAUNCH_ATTRIBUTE_PREFERRED_SHARED_MEMORY_CARVEOUT	12.5				
CU_LAUNCH_ATTRIBUTE_PRIORITY	11.8				hipLaunchAttributePriority
CU_LAUNCH_ATTRIBUTE_PROGRAMMATIC_EVENT	11.8				
CU_LAUNCH_ATTRIBUTE_PROGRAMMATIC_STREAM_SERIALIZATION	11.8				
CU_LAUNCH_ATTRIBUTE_SYNCHRONIZATION_POLICY	11.8				
CU_LAUNCH_MEM_SYNC_DOMAIN_DEFAULT	12.0				
CU_LAUNCH_MEM_SYNC_DOMAIN_REMOTE	12.0				
CU_LAUNCH_PARAM_BUFFER_POINTER					HIP_LAUNCH_PARAM_BUFFER_POINTER
CU_LAUNCH_PARAM_BUFFER_POINTER_AS_INT	11.7				
CU_LAUNCH_PARAM_BUFFER_SIZE					HIP_LAUNCH_PARAM_BUFFER_SIZE
CU_LAUNCH_PARAM_BUFFER_SIZE_AS_INT	11.7				
CU_LAUNCH_PARAM_END					HIP_LAUNCH_PARAM_END
CU_LAUNCH_PARAM_END_AS_INT	11.7				
CU_LIBRARY_BINARY_IS_PRESERVED	12.0				
CU_LIBRARY_HOST_UNIVERSAL_FUNCTION_AND_DATA_TABLE	12.0				
CU_LIBRARY_NUM_OPTIONS	12.0				
CU_LIMIT_CIG_ENABLED	12.5				
CU_LIMIT_CIG_SHMEM_FALLBACK_ENABLED	12.5				
CU_LIMIT_DEV_RUNTIME_PENDING_LAUNCH_COUNT					
CU_LIMIT_DEV_RUNTIME_SYNC_DEPTH					
CU_LIMIT_MALLOC_HEAP_SIZE					hipLimitMallocHeapSize

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_LIMIT_MAX					
CU_LIMIT_MAX_L2_FETCH_GRANULARITY	10.0				
CU_LIMIT_PERSISTING_L2_CACHE_SIZE	11.0				
CU_LIMIT_PRINTF_FIFO_SIZE					hipLimitPrintfFifoSize
CU_LIMIT_SHMEM_SIZE	12.5				
CU_LIMIT_STACK_SIZE					hipLimitStackSize
CU_MEMHOSTALLOC_DEVICEMAP					hipHostMallocDeviceMap
CU_MEMHOSTALLOC_PORTABLE					hipHostMallocPortable
CU_MEMHOSTALLOC_WRITECOMBINED					hipHostMallocWriteCombined
CU_MEMHOSTREGISTER_DEVICEMAP					hipHostRegisterDeviceMap
CU_MEMHOSTREGISTER_IOMEMORY	7.5				hipHostRegisterIoMemory
CU_MEMHOSTREGISTER_PORTABLE					hipHostRegisterPortable
CU_MEMHOSTREGISTER_READ_ONLY	11.1				hipHostRegisterReadOnly
CU_MEMORYTYPE_ARRAY					hipMemoryTypeArray
CU_MEMORYTYPE_DEVICE					hipMemoryTypeDevice
CU_MEMORYTYPE_HOST					hipMemoryTypeHost
CU_MEMORYTYPE_UNIFIED					hipMemoryTypeUnified
CU_MEMPOOL_ATTR_RELEASE_THRESHOLD	11.2				hipMemPoolAttrReleaseThreshold
CU_MEMPOOL_ATTR_RESERVED_MEM_CURRENT	11.3				hipMemPoolAttrReservedMemCurrent
CU_MEMPOOL_ATTR_RESERVED_MEM_HIGH	11.3				hipMemPoolAttrReservedMemHigh
CU_MEMPOOL_ATTR_REUSE_ALLOW_INTERNAL_DEPENDENCIES	11.2				hipMemPoolAttrReuseAllowInternalDependencies
CU_MEMPOOL_ATTR_REUSE_ALLOW_OPPORTUNISTIC	11.2				hipMemPoolAttrReuseAllowOpportunistic
CU_MEMPOOL_ATTR_REUSE_FOLLOW_EVENT_DEPENDENCIES	11.2				hipMemPoolAttrReuseFollowEventDependencies
CU_MEMPOOL_ATTR_USED_MEM_CURRENT	11.3				hipMemPoolAttrUsedMemCurrent
CU_MEMPOOL_ATTR_USED_MEM_HIGH	11.3				hipMemPoolAttrUsedMemHigh
CU_MEM_ACCESS_FLAGS_PROT_MAX	10.2				
CU_MEM_ACCESS_FLAGS_PROT_NONE	10.2				hipMemAccessFlagsProtNone
CU_MEM_ACCESS_FLAGS_PROT_READ	10.2				hipMemAccessFlagsProtRead
CU_MEM_ACCESS_FLAGS_PROT_READWRITE	10.2				hipMemAccessFlagsProtReadWrite
CU_MEM_ADVISE_SET_ACCESSED_BY	8.0				hipMemAdviseSetAccessedBy
CU_MEM_ADVISE_SET_PREFERRED_LOCATION	8.0				hipMemAdviseSetPreferredLocation
CU_MEM_ADVISE_SET_READ_MOSTLY	8.0				hipMemAdviseSetReadMostly
CU_MEM_ADVISE_UNSET_ACCESSED_BY	8.0				hipMemAdviseUnsetAccessedBy
CU_MEM_ADVISE_UNSET_PREFERRED_LOCATION	8.0				hipMemAdviseUnsetPreferredLocation
CU_MEM_ADVISE_UNSET_READ_MOSTLY	8.0				hipMemAdviseUnsetReadMostly
CU_MEM_ALLOCATION_TYPE_INVALID	10.2				hipMemAllocationTypeInvalid
CU_MEM_ALLOCATION_TYPE_MAX	10.2				hipMemAllocationTypeMax
CU_MEM_ALLOCATION_TYPE_PINNED	10.2				hipMemAllocationTypePinned
CU_MEM_ALLOC_GRANULARITY_MINIMUM	10.2				hipMemAllocationGranularityMinimum
CU_MEM_ALLOC_GRANULARITY_RECOMMENDED	10.2				hipMemAllocationGranularityRecommended
CU_MEM_ATTACH_GLOBAL					hipMemAttachGlobal
CU_MEM_ATTACH_HOST					hipMemAttachHost
CU_MEM_ATTACH_SINGLE					hipMemAttachSingle
CU_MEM_CREATE_USAGE_TILE_POOL	11.1				
CU_MEM_HANDLE_TYPE_FABRIC	12.3				
CU_MEM_HANDLE_TYPE_GENERIC	11.1				hipMemHandleTypeGeneric
CU_MEM_HANDLE_TYPE_MAX	10.2				
CU_MEM_HANDLE_TYPE_NONE	11.2				hipMemHandleTypeNone
CU_MEM_HANDLE_TYPE_POSIX_FILE_DESCRIPTOR	10.2				hipMemHandleTypePosixFileDescriptor
CU_MEM_HANDLE_TYPE_WIN32	10.2				hipMemHandleTypeWin32

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_MEM_HANDLE_TYPE_WIN32_KMT	10.2				hipMemHandleType
CU_MEM_LOCATION_TYPE_DEVICE	10.2				hipMemLocationType
CU_MEM_LOCATION_TYPE_HOST	12.2				
CU_MEM_LOCATION_TYPE_HOST_NUMA	12.2				
CU_MEM_LOCATION_TYPE_HOST_NUMA_CURRENT	12.2				
CU_MEM_LOCATION_TYPE_INVALID	10.2				hipMemLocationType
CU_MEM_LOCATION_TYPE_MAX	10.2				
CU_MEM_OPERATION_TYPE_MAP	11.1				hipMemOperationType
CU_MEM_OPERATION_TYPE_UNMAP	11.1				hipMemOperationType
CU_MEM_RANGE_ATTRIBUTE_ACCESSED_BY	8.0				hipMemRangeAttribute
CU_MEM_RANGE_ATTRIBUTE_LAST_PREFETCH_LOCATION	8.0				hipMemRangeAttribute
CU_MEM_RANGE_ATTRIBUTE_LAST_PREFETCH_LOCATION_ID	12.2				
CU_MEM_RANGE_ATTRIBUTE_LAST_PREFETCH_LOCATION_TYPE	12.2				
CU_MEM_RANGE_ATTRIBUTE_PREFERRED_LOCATION	8.0				hipMemRangeAttribute
CU_MEM_RANGE_ATTRIBUTE_PREFERRED_LOCATION_ID	12.2				
CU_MEM_RANGE_ATTRIBUTE_PREFERRED_LOCATION_TYPE	12.2				
CU_MEM_RANGE_ATTRIBUTE_READ_MOSTLY	8.0				hipMemRangeAttribute
CU_MEM_RANGE_HANDLE_TYPE_DMA_BUF_FD	11.7				
CU_MEM_RANGE_HANDLE_TYPE_MAX	11.7				
CU_MODULE_EAGER_LOADING	11.7				
CU_MODULE_LAZY_LOADING	11.7				
CU_MULTICAST_GANULARITY_MINIMUM	12.1				
CU_MULTICAST_GANULARITY_RECOMMENDED	12.1				
CU_OCCUPANCY_DEFAULT					hipOccupancyDefault
CU_OCCUPANCY_DISABLE_CACHING_OVERRIDE					hipOccupancyDisableCachingOverride
CU_PARAM_TR_DEFAULT					
CU_POINTER_ATTRIBUTE_ACCESS_FLAGS	11.1				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_ACCESS_FLAG_NONE	11.1				
CU_POINTER_ATTRIBUTE_ACCESS_FLAG_READ	11.1				
CU_POINTER_ATTRIBUTE_ACCESS_FLAG_READWRITE	11.1				
CU_POINTER_ATTRIBUTE_ALLOWED_HANDLE_TYPES	10.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_BUFFER_ID					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_CONTEXT					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_DEVICE_ORDINAL	9.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_DEVICE_POINTER					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_HOST_POINTER					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_IS_GPU_DIRECT_RDMA_CAPABLE	11.0				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_IS_LEGACY_CUDA_IPC_CAPABLE	10.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_IS_MANAGED					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_MAPPED	10.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_MAPPING_BASE_ADDR	11.7				
CU_POINTER_ATTRIBUTE_MAPPING_SIZE	11.7				
CU_POINTER_ATTRIBUTE_MEMORY_BLOCK_ID	11.7				
CU_POINTER_ATTRIBUTE_MEMORY_TYPE					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_MEMPOOL_HANDLE	11.3				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_P2P_TOKENS					HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_RANGE_SIZE	10.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_RANGE_START_ADDR	10.2				HIP_POINTER_ATTRIBUTE
CU_POINTER_ATTRIBUTE_SYNC_MEMOPS					HIP_POINTER_ATTRIBUTE
CU_PREFER_BINARY					

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_PREFER_PTX					
CU_RESOURCE_TYPE_ARRAY					HIP_RESOURCE_TY
CU_RESOURCE_TYPE_LINEAR					HIP_RESOURCE_TY
CU_RESOURCE_TYPE_MIPMAPPED_ARRAY					HIP_RESOURCE_TY
CU_RESOURCE_TYPE_PITCH2D					HIP_RESOURCE_TY
CU_RES_VIEW_FORMAT_FLOAT_1X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_FLOAT_1X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_FLOAT_2X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_FLOAT_2X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_FLOAT_4X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_FLOAT_4X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_NONE					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SIGNED_BC4					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SIGNED_BC5					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SIGNED_BC6H					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_1X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_1X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_1X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_2X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_2X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_2X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_4X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_4X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_SINT_4X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_1X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_1X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_1X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_2X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_2X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_2X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_4X16					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_4X32					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UINT_4X8					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC1					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC2					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC3					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC4					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC5					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC6H					HIP_RES_VIEW_FO
CU_RES_VIEW_FORMAT_UNSIGNED_BC7					HIP_RES_VIEW_FO
CU_SHARED_MEM_CARVEOUT_DEFAULT		9.0			
CU_SHARED_MEM_CARVEOUT_MAX_L1		9.0			
CU_SHARED_MEM_CARVEOUT_MAX_SHARED		9.0			
CU_SHARED_MEM_CONFIG_DEFAULT_BANK_SIZE					hipSharedMemBanl
CU_SHARED_MEM_CONFIG_EIGHT_BYTE_BANK_SIZE					hipSharedMemBanl
CU_SHARED_MEM_CONFIG_FOUR_BYTE_BANK_SIZE					hipSharedMemBanl
CU_STREAM_ADD_CAPTURE_DEPENDENCIES		11.3			hipStreamAddCap
CU_STREAM_ATTRIBUTE_ACCESS_POLICY_WINDOW		11.0			
CU_STREAM_ATTRIBUTE_MEM_SYNC_DOMAIN		12.0			
CU_STREAM_ATTRIBUTE_MEM_SYNC_DOMAIN_MAP		12.0			

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_STREAM_ATTRIBUTE_PRIORITY	12.0				
CU_STREAM_ATTRIBUTE_SYNCHRONIZATION_POLICY	11.0				
CU_STREAM_CAPTURE_MODE_GLOBAL	10.1				hipStreamCapture
CU_STREAM_CAPTURE_MODE_RELAXED	10.1				hipStreamCapture
CU_STREAM_CAPTURE_MODE_THREAD_LOCAL	10.1				hipStreamCapture
CU_STREAM_CAPTURE_STATUS_ACTIVE	10.0				hipStreamCapture
CU_STREAM_CAPTURE_STATUS_INVALIDATED	10.0				hipStreamCapture
CU_STREAM_CAPTURE_STATUS_NONE	10.0				hipStreamCapture
CU_STREAM_DEFAULT					hipStreamDefault
CU_STREAM_LEGACY					hipStreamLegacy
CU_STREAM_MEMORY_BARRIER_TYPE_GPU	11.7				
CU_STREAM_MEMORY_BARRIER_TYPE_SYS	11.7				
CU_STREAM_MEM_OP_BARRIER	11.7				
CU_STREAM_MEM_OP_FLUSH_REMOTE_WRITES	8.0				
CU_STREAM_MEM_OP_WAIT_VALUE_32	8.0				
CU_STREAM_MEM_OP_WAIT_VALUE_64	9.0				
CU_STREAM_MEM_OP_WRITE_VALUE_32	8.0				
CU_STREAM_MEM_OP_WRITE_VALUE_64	9.0				
CU_STREAM_NON_BLOCKING					hipStreamNonBlo
CU_STREAM_PER_THREAD					hipStreamPerThre
CU_STREAM_SET_CAPTURE_DEPENDENCIES	11.3				hipStreamSetCap
CU_STREAM_WAIT_VALUE_AND	8.0				hipStreamWaitVa
CU_STREAM_WAIT_VALUE_EQ	8.0				hipStreamWaitVa
CU_STREAM_WAIT_VALUE_FLUSH	8.0				
CU_STREAM_WAIT_VALUE_GEQ	8.0				hipStreamWaitVa
CU_STREAM_WAIT_VALUE_NOR	9.0				hipStreamWaitVa
CU_STREAM_WRITE_VALUE_DEFAULT	8.0				
CU_STREAM_WRITE_VALUE_NO_MEMORY_BARRIER	8.0				
CU_SYNC_POLICY_AUTO	11.0				
CU_SYNC_POLICY_BLOCKING_SYNC	11.0				
CU_SYNC_POLICY_SPIN	11.0				
CU_SYNC_POLICY_YIELD	11.0				
CU_TARGET_COMPUTE_10				9.0	
CU_TARGET_COMPUTE_11				9.0	
CU_TARGET_COMPUTE_12				9.0	
CU_TARGET_COMPUTE_13				9.0	
CU_TARGET_COMPUTE_20				12.0	
CU_TARGET_COMPUTE_21				12.0	
CU_TARGET_COMPUTE_30					
CU_TARGET_COMPUTE_32					
CU_TARGET_COMPUTE_35					
CU_TARGET_COMPUTE_37					
CU_TARGET_COMPUTE_50					
CU_TARGET_COMPUTE_52					
CU_TARGET_COMPUTE_53	8.0				
CU_TARGET_COMPUTE_60	8.0				
CU_TARGET_COMPUTE_61	8.0				
CU_TARGET_COMPUTE_62	8.0				
CU_TARGET_COMPUTE_70	9.0				
CU_TARGET_COMPUTE_72	10.1				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CU_TARGET_COMPUTE_73	9.1				10.0
CU_TARGET_COMPUTE_75	9.1				
CU_TARGET_COMPUTE_80	11.0				
CU_TARGET_COMPUTE_86	11.1				
CU_TARGET_COMPUTE_87	11.7				
CU_TARGET_COMPUTE_89	11.8				
CU_TARGET_COMPUTE_90	11.8				
CU_TARGET_COMPUTE_90A	12.0				
CU_TENSOR_MAP_DATA_TYPE_BFLOAT16	12.0				
CU_TENSOR_MAP_DATA_TYPE_FLOAT16	12.0				
CU_TENSOR_MAP_DATA_TYPE_FLOAT32	12.0				
CU_TENSOR_MAP_DATA_TYPE_FLOAT32_FTZ	12.0				
CU_TENSOR_MAP_DATA_TYPE_FLOAT64	12.0				
CU_TENSOR_MAP_DATA_TYPE_INT32	12.0				
CU_TENSOR_MAP_DATA_TYPE_INT64	12.0				
CU_TENSOR_MAP_DATA_TYPE_TFLOAT32	12.0				
CU_TENSOR_MAP_DATA_TYPE_TFLOAT32_FTZ	12.0				
CU_TENSOR_MAP_DATA_TYPE_UINT16	12.0				
CU_TENSOR_MAP_DATA_TYPE_UINT32	12.0				
CU_TENSOR_MAP_DATA_TYPE_UINT64	12.0				
CU_TENSOR_MAP_DATA_TYPE_UINT8	12.0				
CU_TENSOR_MAP_FLOAT_OOB_FILL_NAN_REQUEST_ZERO_FMA	12.0				
CU_TENSOR_MAP_FLOAT_OOB_FILL_NONE	12.0				
CU_TENSOR_MAP_INTERLEAVE_16B	12.0				
CU_TENSOR_MAP_INTERLEAVE_32B	12.0				
CU_TENSOR_MAP_INTERLEAVE_NONE	12.0				
CU_TENSOR_MAP_L2_PROMOTION_L2_128B	12.0				
CU_TENSOR_MAP_L2_PROMOTION_L2_256B	12.0				
CU_TENSOR_MAP_L2_PROMOTION_L2_64B	12.0				
CU_TENSOR_MAP_L2_PROMOTION_NONE	12.0				
CU_TENSOR_MAP_NUM_QWORDS	12.0				
CU_TENSOR_MAP_SWIZZLE_128B	12.0				
CU_TENSOR_MAP_SWIZZLE_32B	12.0				
CU_TENSOR_MAP_SWIZZLE_64B	12.0				
CU_TENSOR_MAP_SWIZZLE_NONE	12.0				
CU_TRSA_OVERRIDE_FORMAT					HIP_TRSA_OVERRIDE_FORMAT
CU_TRSF_DISABLE_TRILINEAR_OPTIMIZATION	11.0				
CU_TRSF_NORMALIZED_COORDINATES					HIP_TRSF_NORMALIZED_COORDINATES
CU_TRSF_READ_AS_INTEGER					HIP_TRSF_READ_AS_INTEGER
CU_TRSF_SEAMLESS_CUBEMAP	11.6				
CU_TRSF_SRGB					HIP_TRSF_SRGB
CU_TR_ADDRESS_MODE_BORDER					HIP_TR_ADDRESS_MODE_BORDER
CU_TR_ADDRESS_MODE_CLAMP					HIP_TR_ADDRESS_MODE_CLAMP
CU_TR_ADDRESS_MODE_MIRROR					HIP_TR_ADDRESS_MODE_MIRROR
CU_TR_ADDRESS_MODE_WRAP					HIP_TR_ADDRESS_MODE_WRAP
CU_TR_FILTER_MODE_LINEAR					HIP_TR_FILTER_MODE_LINEAR
CU_TR_FILTER_MODE_POINT					HIP_TR_FILTER_MODE_POINT
CU_USER_OBJECT_NO_DESTRUCTOR_SYNC	11.3				hipUserObjectNoDestructorSync
CUaccessPolicyWindow	11.0				hipAccessPolicyWindow
CUaccessPolicyWindow_st	11.0				hipAccessPolicyWindow_st

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUaccessProperty	11.0				hipAccessProper
CUaccessProperty_enum	11.0				hipAccessProper
CUaddress_mode					HIPaddress_mode
CUaddress_mode_enum					HIPaddress_mode
CUarray					hipArray_t
CUarrayMapInfo	11.1				hipArrayMapInfo
CUarrayMapInfo_st	11.1				hipArrayMapInfo
CUarrayMapInfo_v1	11.3				hipArrayMapInfo
CUarraySparseSubresourceType	11.1				hipArraySparseSt
CUarraySparseSubresourceType_enum	11.1				hipArraySparseSt
CUarray_cubemap_face					
CUarray_cubemap_face_enum					
CUarray_format					hipArray_Format
CUarray_format_enum					hipArray_Format
CUarray_st					hipArray
CUasyncCallback	12.4				
CUasyncCallbackEntry_st	12.4				
CUasyncCallbackHandle	12.4				
CUasyncNotificationInfo	12.4				
CUasyncNotificationInfo_st	12.4				
CUasyncNotificationType	12.4				
CUasyncNotificationType_enum	12.4				
CUcigDataType	12.5				
CUcigDataType_enum	12.5				
CUclusterSchedulingPolicy	11.8				
CUclusterSchedulingPolicy_enum	11.8				
CUcomputemode					hipComputeMode
CUcomputemode_enum					hipComputeMode
CUcontext					hipCtx_t
CUcoredumpSettings	12.1				
CUcoredumpSettings_enum	12.1				
CUctxCigParam	12.5				
CUctxCigParam_st	12.5				
CUctxCreateParams	12.5				
CUctxCreateParams_st	12.5				
CUctx_flags					
CUctx_flags_enum					
CUctx_st					hipCtx_t
CUd3d10DeviceList					
CUd3d10DeviceList_enum					
CUd3d10map_flags					
CUd3d10map_flags_enum					
CUd3d10register_flags					
CUd3d10register_flags_enum					
CUd3d11DeviceList					
CUd3d11DeviceList_enum					
CUd3d9DeviceList					
CUd3d9DeviceList_enum					
CUd3d9map_flags					
CUd3d9map_flags_enum					

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUd3d9register_flags					
CUd3d9register_flags_enum					
CUdevResource	12.4				
CUdevResourceDesc	12.4				
CUdevResourceDesc_st	12.4				
CUdevResourceType	12.4				
CUdevResource_st	12.4				
CUdevSmResource	12.4				
CUdevSmResourceSplit_flags	12.5				
CUdevSmResource_st	12.4				
CUdevice					hipDevice_t
CUdeviceNumaConfig	12.2				
CUdeviceNumaConfig_enum	12.2				
CUdevice_P2PAttribute	8.0				hipDeviceP2PAttr
CUdevice_P2PAttribute_enum	8.0				hipDeviceP2PAttr
CUdevice_attribute					hipDeviceAttrib
CUdevice_attribute_enum					hipDeviceAttrib
CUdevice_v1	11.3				hipDevice_t
CUdeviceptr					hipDeviceptr_t
CUdeviceptr_v1					hipDeviceptr_t
CUdeviceptr_v2	11.3				hipDeviceptr_t
CUdevprop					
CUdevprop_st					
CUdevprop_v1	11.3				
CUdriverProcAddressQueryResult	12.0				hipDriverProcAd
CUdriverProcAddressQueryResult_enum	12.0				hipDriverProcAd
CUdriverProcAddress_flags	11.3				
CUdriverProcAddress_flags_enum	11.3				
CUeglColorFormat	9.0				
CUeglColorFormate_enum	9.0				
CUeglFrameType	9.0				
CUeglFrameType_enum	9.0				
CUeglResourceLocationFlags	9.0				
CUeglResourceLocationFlags_enum	9.0				
CUeglStreamConnection	9.0				
CUeglStreamConnection_st	9.0				
CUevent					hipEvent_t
CUevent_flags					
CUevent_flags_enum					
CUevent_record_flags	11.1				
CUevent_record_flags_enum	11.1				
CUevent_sched_flags	11.8				
CUevent_sched_flags_enum	11.8				
CUevent_st					hipEvent_t
CUevent_wait_flags	11.1				
CUevent_wait_flags_enum					
CUexecAffinityParam	11.4				
CUexecAffinityParam_st	11.4				
CUexecAffinityParam_v1	11.4				
CUexecAffinitySmCount	11.4				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUexecAffinitySmCount_st	11.4				
CUexecAffinitySmCount_v1	11.4				
CUexecAffinityType	11.4				
CUexecAffinityType_enum	11.4				
CUextMemory_st	10.0				
CUextSemaphore_st	10.0				
CUexternalMemory	10.0				hipExternalMemor
CUexternalMemoryHandleType	10.0				hipExternalMemor
CUexternalMemoryHandleType_enum	10.0				hipExternalMemor
CUexternalSemaphore	10.0				hipExternalSemap
CUexternalSemaphoreHandleType	10.0				hipExternalSemap
CUexternalSemaphoreHandleType_enum	10.0				hipExternalSemap
CUfilter_mode					HIPfilter_mode
CUfilter_mode_enum					HIPfilter_mode_
CUflushGPUDirectRDMAWritesOptions	11.3				hipFlushGPUDirec
CUflushGPUDirectRDMAWritesOptions_enum	11.3				hipFlushGPUDirec
CUflushGPUDirectRDMAWritesScope	11.3				
CUflushGPUDirectRDMAWritesScope_enum	11.3				
CUflushGPUDirectRDMAWritesTarget	11.3				
CUflushGPUDirectRDMAWritesTarget_enum	11.3				
CUfunc_cache					hipFuncCache_t
CUfunc_cache_enum					hipFuncCache_t
CUfunc_st					hipModuleSymbo
CUfunction					hipFunction_t
CUfunctionLoadingState	12.4				
CUfunctionLoadingState_enum	12.4				
CUfunction_attribute					hipFunction_att
CUfunction_attribute_enum					hipFunction_att
CUgraph	10.0				hipGraph_t
CUgraphConditionalHandle	12.3				
CUgraphConditionalNodeType	12.3				
CUgraphConditionalNodeType_enum	12.3				
CUgraphDebugDot_flags	11.3				hipGraphDebugDo
CUgraphDebugDot_flags_enum	11.3				hipGraphDebugDo
CUgraphDependencyType	12.3				hipGraphDepender
CUgraphDependencyType_enum	12.3				hipGraphDepender
CUgraphDeviceNode	12.4				
CUgraphDeviceUpdatableNode_st	12.4				
CUgraphEdgeData	12.3				hipGraphEdgeDat
CUgraphEdgeData_st	12.3				hipGraphEdgeDat
CUgraphExec	10.0				hipGraphExec_t
CUgraphExecUpdateResult	10.2				hipGraphExecUpda
CUgraphExecUpdateResultInfo	12.0				
CUgraphExecUpdateResultInfo_st	12.0				
CUgraphExecUpdateResultInfo_v1	12.0				
CUgraphExecUpdateResult_enum	10.2				hipGraphExecUpda
CUgraphExec_st	10.0				hipGraphExec
CUgraphInstantiateResult	12.0				hipGraphInstant
CUgraphInstantiateResult_enum	12.0				hipGraphInstant
CUgraphInstantiate_flags	11.4				hipGraphInstant

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUgraphInstantiate_flags_enum	11.4				hipGraphInstant
CUgraphMem_attribute	11.4				hipGraphMemAttr
CUgraphMem_attribute_enum	11.4				hipGraphMemAttr
CUgraphNode	10.0				hipGraphNode_t
CUgraphNodeParams	12.2				hipGraphNodePar
CUgraphNodeParams_st	12.2				hipGraphNodePar
CUgraphNodeType	10.0				hipGraphNodeType
CUgraphNodeType_enum	10.0				hipGraphNodeType
CUgraphNode_st	10.0				hipGraphNode
CUgraph_st	10.0				hipGraph
CUgraphicsMapResourceFlags					
CUgraphicsMapResourceFlags_enum					
CUgraphicsRegisterFlags					hipGraphicsRegi
CUgraphicsRegisterFlags_enum					hipGraphicsRegi
CUgraphicsResource					hipGraphicsReso
CUgraphicsResource_st					hipGraphicsReso
CUgreenCtx	12.4				
CUgreenCtxCreate_flags	12.4				
CUgreenCtx_st	12.4				
CUhostFn	10.0				hipHostFn_t
CUipcEventHandle					hipIpcEventHand
CUipcEventHandle_st					hipIpcEventHand
CUipcEventHandle_v1	11.3				hipIpcEventHand
CUipcMemHandle					hipIpcMemHandle
CUipcMemHandle_st					hipIpcMemHandle
CUipcMemHandle_v1	11.3				hipIpcMemHandle
CUipcMem_flags					
CUipcMem_flags_enum					
CUjitInputType					hiprtcJITInputTy
CUjitInputType_enum					hiprtcJITInputTy
CUjit_cacheMode					
CUjit_cacheMode_enum					
CUjit_fallback					
CUjit_fallback_enum					
CUjit_option					hipJitOption
CUjit_option_enum					hipJitOption
CUjit_target					
CUjit_target_enum					
CUkern_st	12.0				
CUkernel	12.0				
CUkernelNodeAttrID	11.0				hipKernelNodeAt
CUkernelNodeAttrID_enum	11.0			11.8	hipKernelNodeAt
CUkernelNodeAttrValue	11.0				hipKernelNodeAt
CUkernelNodeAttrValue_union	11.0			11.8	hipKernelNodeAt
CUkernelNodeAttrValue_v1	11.3				hipKernelNodeAt
CUlaunchAttribute	11.8				
CUlaunchAttributeID	11.8				hipLaunchAttrib
CUlaunchAttributeID_enum	11.8				hipLaunchAttrib
CUlaunchAttributeValue	11.8				hipLaunchAttrib
CUlaunchAttributeValue_union	11.8				hipLaunchAttrib

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUlaunchAttribute_st	11.8				
CUlaunchConfig	11.8				
CUlaunchConfig_st	11.8				
CUlaunchMemSyncDomain	12.0				
CUlaunchMemSyncDomainMap	12.0				
CUlaunchMemSyncDomainMap_st	12.0				
CUlaunchMemSyncDomain_enum	12.0				
CUlib_st	12.0				
CUlibrary	12.0				
CUlibraryHostUniversalFunctionAndDataTable	12.0				
CUlibraryHostUniversalFunctionAndDataTable_st	12.0				
CUlibraryOption	12.0				
CUlibraryOption_enum	12.0				
CUlimit					hipLimit_t
CUlimit_enum					hipLimit_t
CUlinkState					hiprtcLinkState
CUlinkState_st					hiprtcLinkState
CUmemAccessDesc	10.2				hipMemAccessDesc
CUmemAccessDesc_st	10.2				hipMemAccessDesc
CUmemAccessDesc_v1	11.3				hipMemAccessDesc
CUmemAccess_flags	10.2				hipMemAccessFlags
CUmemAccess_flags_enum	10.2				hipMemAccessFlags
CUmemAllocationGranularity_flags	10.2				hipMemAllocation
CUmemAllocationGranularity_flags_enum	10.2				hipMemAllocation
CUmemAllocationHandleType	10.2				hipMemAllocation
CUmemAllocationHandleType_enum	10.2				hipMemAllocation
CUmemAllocationProp	10.2				hipMemAllocation
CUmemAllocationProp_st	10.2				hipMemAllocation
CUmemAllocationProp_v1	11.3				hipMemAllocation
CUmemAllocationType	10.2				hipMemAllocation
CUmemAllocationType_enum	10.2				hipMemAllocation
CUmemAttach_flags					
CUmemAttach_flags_enum					
CUmemFabricHandle	12.3				
CUmemFabricHandle_st	12.3				
CUmemFabricHandle_v1	12.3				
CUmemGenericAllocationHandle	10.2				hipMemGenericAl
CUmemGenericAllocationHandle_v1	11.3				hipMemGenericAl
CUmemHandleType	11.1				hipMemHandleType
CUmemHandleType_enum	11.1				hipMemHandleType
CUmemLocation	10.2				hipMemLocation
CUmemLocationType	10.2				hipMemLocationTy
CUmemLocationType_enum	10.2				hipMemLocationTy
CUmemLocation_st	10.2				hipMemLocation
CUmemLocation_v1	11.3				hipMemLocation
CUmemOperationType	11.1				hipMemOperation
CUmemOperationType_enum	11.1				hipMemOperation
CUmemPoolHandle_st	11.2				hipMemPoolHand
CUmemPoolProps	11.2				hipMemPoolProps
CUmemPoolProps_st	11.2				hipMemPoolProps

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUMemPoolProps_v1	11.3				hipMemPoolProps
CUMemPoolPtrExportData	11.2				hipMemPoolPtrExp
CUMemPoolPtrExportData_st	11.2				hipMemPoolPtrExp
CUMemPoolPtrExportData_v1	11.3				hipMemPoolPtrExp
CUMemPool_attribute	11.2				hipMemPoolAttr
CUMemPool_attribute_enum	11.2				hipMemPoolAttr
CUMemRangeHandleType	11.7				
CUMemRangeHandleType_enum	11.7				
CUMem_advise	8.0				hipMemoryAdvise
CUMem_advise_enum	8.0				hipMemoryAdvise
CUMem_range_attribute	8.0				hipMemRangeAttr
CUMem_range_attribute_enum	8.0				hipMemRangeAttr
CUMemoryPool	11.2				hipMemPool_t
CUMemorytype					hipMemoryType
CUMemorytype_enum					hipMemoryType
CUmipmappedArray					hipMipmappedArr
CUmipmappedArray_st					hipMipmappedArr
CUmod_st					hipModule_t
CUmodule					hipModule_t
CUmoduleLoadingMode	11.7				
CUmoduleLoadingMode_enum	11.7				
CUmulticastGranularity_flags	12.1				
CUmulticastGranularity_flags_enum	12.1				
CUmulticastObjectProp	12.1				
CUmulticastObjectProp_st	12.1				
CUmulticastObjectProp_v1	12.1				
CUoccupancyB2DSize					void*
CUoccupancy_flags					
CUoccupancy_flags_enum					
CUpointer_attribute					hipPointer_attr
CUpointer_attribute_enum					hipPointer_attr
CUresourceViewFormat					HIPresourceView
CUresourceViewFormat_enum					HIPresourceView
CUresourcetype					HIPresourcetype
CUresourcetype_enum					HIPresourcetype
CUresult					hipError_t
CUshared_carveout	9.0				
CUshared_carveout_enum	9.0				
CUsharedconfig					hipSharedMemCon
CUsharedconfig_enum					hipSharedMemCon
CUstream					hipStream_t
CUstreamAttrID	11.0				
CUstreamAttrID_enum	11.0			11.8	
CUstreamAttrValue	11.0				
CUstreamAttrValue_union	11.0				
CUstreamAttrValue_v1	11.3				
CUstreamBatchMemOpParams	8.0				
CUstreamBatchMemOpParams_union	8.0				
CUstreamBatchMemOpParams_v1	11.3				
CUstreamBatchMemOpType	8.0				

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
CUstreamBatchMemOpType_enum	8.0				
CUstreamCallback					hipStreamCallba
CUstreamCaptureMode	10.1				hipStreamCaptur
CUstreamCaptureMode_enum	10.1				hipStreamCaptur
CUstreamCaptureStatus	10.0				hipStreamCaptur
CUstreamCaptureStatus_enum	10.0				hipStreamCaptur
CUstreamMemOpMemoryBarrierParams_st	11.7				
CUstreamMemoryBarrier_flags	11.7				
CUstreamMemoryBarrier_flags_enum	11.7				
CUstreamUpdateCaptureDependencies_flags	11.3				hipStreamUpdate
CUstreamUpdateCaptureDependencies_flags_enum	11.3				hipStreamUpdate
CUstreamWaitValue_flags	8.0				
CUstreamWaitValue_flags_enum	8.0				
CUstreamWriteValue_flags	8.0				
CUstreamWriteValue_flags_enum	8.0				
CUstream_flags					
CUstream_flags_enum					
CUstream_st					hipStream_t
CUsurfObject					hipSurfaceObjec
CUsurfObject_v1	11.3				hipSurfaceObjec
CUsurfref					
CUsurfref_st					
CUsynchronizationPolicy	11.0				
CUsynchronizationPolicy_enum	11.0				
CUtensorMap	12.0				
CUtensorMapDataType	12.0				
CUtensorMapDataType_enum	12.0				
CUtensorMapFloat00Bfill	12.0				
CUtensorMapFloat00Bfill_enum	12.0				
CUtensorMapInterleave	12.0				
CUtensorMapInterleave_enum	12.0				
CUtensorMapL2promotion	12.0				
CUtensorMapL2promotion_enum	12.0				
CUtensorMapSwizzle	12.0				
CUtensorMapSwizzle_enum	12.0				
CUtensorMap_st	12.0				
CUtexObject					hipTextureObjec
CUtexObject_v1	11.3				hipTextureObjec
CUtexref					hipTexRef
CUtexref_st					textureReferenc
CUuserObject	11.3				hipUserObject_t
CUuserObjectRetain_flags	11.3				hipUserObjectRe
CUuserObjectRetain_flags_enum	11.3				hipUserObjectRe
CUuserObject_flags	11.3				hipUserObjectFl
CUuserObject_flags_enum	11.3				hipUserObjectFl
CUuserObject_st	11.3				hipUserObject
CUuuid					hipUUID
CUuuid_st					hipUUID_t
GLenum					GLenum
GLuint					GLuint

Table 3.5 – continued from previous page

CUDA	A	D	C	R	HIP
NVCL_CTX_SCHED_AUTO	11.8				
NVCL_CTX_SCHED_BLOCKING_SYNC	11.8				
NVCL_CTX_SCHED_SPIN	11.8				
NVCL_CTX_SCHED_YIELD	11.8				
NVCL_EVENT_SCHED_AUTO	11.8				
NVCL_EVENT_SCHED_BLOCKING_SYNC	11.8				
NVCL_EVENT_SCHED_SPIN	11.8				
NVCL_EVENT_SCHED_YIELD	11.8				
__CUDACC__					__HIPCC__
cl_context_flags	11.8				
cl_context_flags_enum	11.8				
cl_event_flags	11.8				
cl_event_flags_enum	11.8				
cudaError_enum					hipError_t
memoryBarrier	11.7				

3.2.2 2. Error Handling

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuGetErrorName					hipDrvGetErrorName	5.4.0				
cuGetErrorString					hipDrvGetErrorString	5.4.0				

3.2.3 3. Initialization

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuInit					hipInit	1.6.0				

3.2.4 4. Version Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuDriverGetVersion					hipDriverGetVersion	1.6.0				

3.2.5 5. Device Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuDeviceGet					hipDeviceGet	1.6.0				
cuDeviceGetAttribute					hipDeviceGetAttribute	1.6.0				
cuDeviceGetCount					hipGetDeviceCount	1.6.0				
cuDeviceGetDefaultMemPool	11.2				hipDeviceGetDefaultMem	5.2.0				
cuDeviceGetExecAffinitySupport	11.4									
cuDeviceGetLuid	10.0									
cuDeviceGetMemPool	11.2				hipDeviceGetMemPool	5.2.0				
cuDeviceGetName					hipDeviceGetName	1.6.0				
cuDeviceGetNvSciSyncAttribute	10.2									
cuDeviceGetTexture1DLinearMax	11.1									
cuDeviceGetUuid	9.2				hipDeviceGetUuid	5.2.0				
cuDeviceGetUuid_v2	11.4				hipDeviceGetUuid	5.2.0				
cuDeviceSetMemPool	11.2				hipDeviceSetMemPool	5.2.0				
cuDeviceTotalMem					hipDeviceTotalMem	1.6.0				
cuDeviceTotalMem_v2					hipDeviceTotalMem	1.6.0				
cuFlushGPUDirectRDMAWrites	11.3									

3.2.6 6. Device Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuDeviceComputeCapability	9.2				hipDeviceComputeCapability	1.6.0				
cuDeviceGetProperties	9.2									

3.2.7 7. Primary Context Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuDevicePrimaryCtxGetState					hipDevicePrimaryCtxGetState	1.9.0	6.1.0			
cuDevicePrimaryCtxRelease					hipDevicePrimaryCtxRelease	1.9.0	6.1.0			
cuDevicePrimaryCtxRelease_v11.0	11.0				hipDevicePrimaryCtxRelease	1.9.0	6.1.0			
cuDevicePrimaryCtxReset					hipDevicePrimaryCtxReset	1.9.0	6.1.0			
cuDevicePrimaryCtxReset_v11.0	11.0				hipDevicePrimaryCtxReset	1.9.0	6.1.0			
cuDevicePrimaryCtxRetain					hipDevicePrimaryCtxRetain	1.9.0	6.1.0			
cuDevicePrimaryCtxSetFlags					hipDevicePrimaryCtxSetFlags	1.9.0	6.1.0			
cuDevicePrimaryCtxSetFlags_v11.0	11.0				hipDevicePrimaryCtxSetFlags	1.9.0	6.1.0			

3.2.9 9. Context Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuCtxAttach										
cuCtxDetach										

3.2.10 10. Module Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuLinkAddData					hiprtcLinkAddData	5.3.0				
cuLinkAddData_v2					hiprtcLinkAddData	5.3.0				
cuLinkAddFile					hiprtcLinkAddFile	5.3.0				
cuLinkAddFile_v2					hiprtcLinkAddFile	5.3.0				
cuLinkComplete					hiprtcLinkComplete	5.3.0				
cuLinkCreate					hiprtcLinkCreate	5.3.0				
cuLinkCreate_v2					hiprtcLinkCreate	5.3.0				
cuLinkDestroy					hiprtcLinkDestroy	5.3.0				
cuModuleEnumerateFunctions	12.4									
cuModuleGetFunction					hipModuleGetFunction	1.6.0				
cuModuleGetFunctionCount	12.4									
cuModuleGetGlobal					hipModuleGetGlobal	1.6.0				
cuModuleGetGlobal_v2					hipModuleGetGlobal	1.6.0				
cuModuleGetLoadingMode	11.7									
cuModuleLoad					hipModuleLoad	1.6.0				
cuModuleLoadData					hipModuleLoadData	1.6.0				
cuModuleLoadDataEx					hipModuleLoadDataEx	1.6.0				
cuModuleLoadFatBinary										
cuModuleUnload					hipModuleUnload	1.6.0				

3.2.11 11. Module Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuModuleGetSurfRef		12.0								
cuModuleGetTexRef		12.0			hipModuleGetTexRef	1.7.0				

3.2.12 12. Library Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuKernelGetAttribute		12.0								
cuKernelGetFunction		12.0								
cuKernelGetLibrary		12.5								
cuKernelGetName		12.3								
cuKernelGetParamInfo		12.4								
cuKernelSetAttribute		12.0								
cuKernelSetCacheConfig		12.0								
cuLibraryEnumerateKernels		12.4								
cuLibraryGetGlobal		12.0								
cuLibraryGetKernel		12.0								
cuLibraryGetKernelCount		12.4								
cuLibraryGetManaged		12.0								
cuLibraryGetModule		12.0								
cuLibraryGetUnifiedFunction		12.0								
cuLibraryLoadData		12.0								
cuLibraryLoadFromFile		12.0								
cuLibraryUnload		12.0								

3.2.13 13. Memory Management

CUDA	A	D	C	R	HIP	A	D	C	R
cuArray3DCreate					hipArray3DCreate	1.7.1			
cuArray3DCreate_v2					hipArray3DCreate	1.7.1			
cuArray3DGetDescriptor					hipArray3DGetDescriptor	5.6.0			
cuArray3DGetDescriptor_v2					hipArray3DGetDescriptor	5.6.0			
cuArrayCreate					hipArrayCreate	1.9.0			
cuArrayCreate_v2					hipArrayCreate	1.9.0			
cuArrayDestroy					hipArrayDestroy	4.2.0			
cuArrayGetDescriptor					hipArrayGetDescriptor	5.6.0			
cuArrayGetDescriptor_v2					hipArrayGetDescriptor	5.6.0			
cuArrayGetMemoryRequirements	11.6								
cuArrayGetPlane	11.2								
cuArrayGetSparseProperties	11.1								
cuDeviceGetByPCIBusId					hipDeviceGetByPCIBusId	1.6.0			
cuDeviceGetPCIBusId					hipDeviceGetPCIBusId	1.6.0			
cuDeviceRegisterAsyncNotification	12.4								
cuDeviceUnregisterAsyncNotification	12.4								
cuIpcCloseMemHandle					hipIpcCloseMemHandle	1.6.0			
cuIpcGetEventHandle					hipIpcGetEventHandle	1.6.0			
cuIpcGetMemHandle					hipIpcGetMemHandle	1.6.0			
cuIpcOpenEventHandle					hipIpcOpenEventHandle	1.6.0			
cuIpcOpenMemHandle					hipIpcOpenMemHandle	1.6.0			
cuMemAlloc					hipMalloc	1.5.0			
cuMemAllocHost					hipMemAllocHost	3.0.0	3.0.0		
cuMemAllocHost_v2					hipMemAllocHost	3.0.0	3.0.0		
cuMemAllocManaged					hipMallocManaged	2.5.0			
cuMemAllocPitch					hipMemAllocPitch	3.0.0			
cuMemAllocPitch_v2					hipMemAllocPitch	3.0.0			
cuMemAlloc_v2					hipMalloc	1.5.0			
cuMemFree					hipFree	1.5.0			
cuMemFreeHost					hipHostFree	1.6.0			
cuMemFree_v2					hipFree	1.5.0			
cuMemGetAddressRange					hipMemGetAddressRange	1.9.0			
cuMemGetAddressRange_v2					hipMemGetAddressRange	1.9.0			
cuMemGetHandleForAddressRange	11.7								
cuMemGetInfo					hipMemGetInfo	1.6.0			
cuMemGetInfo_v2					hipMemGetInfo	1.6.0			
cuMemHostAlloc					hipHostAlloc	1.6.0			
cuMemHostGetDevicePointer					hipHostGetDevicePointer	1.6.0			
cuMemHostGetDevicePointer_v2					hipHostGetDevicePointer	1.6.0			
cuMemHostGetFlags					hipHostGetFlags	1.6.0			
cuMemHostRegister					hipHostRegister	1.6.0			
cuMemHostRegister_v2					hipHostRegister	1.6.0			
cuMemHostUnregister					hipHostUnregister	1.6.0			
cuMemcpy									
cuMemcpy2D					hipMemcpyParam2D	1.7.0			
cuMemcpy2DAsync					hipMemcpyParam2DAsync	2.8.0			
cuMemcpy2DAsync_v2					hipMemcpyParam2DAsync	2.8.0			
cuMemcpy2DUnaligned					hipDrvMemcpy2DUnaligned	4.2.0			
cuMemcpy2DUnaligned_v2					hipDrvMemcpy2DUnaligned	4.2.0			

continues on next page

Table 3.6 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cuMemcpy2D_v2					hipMemcpyParam2D	1.7.0			
cuMemcpy3D					hipDrvMemcpy3D	3.5.0			
cuMemcpy3DAsync					hipDrvMemcpy3DAsync	3.5.0			
cuMemcpy3DAsync_v2					hipDrvMemcpy3DAsync	3.5.0			
cuMemcpy3DPeer									
cuMemcpy3DPeerAsync									
cuMemcpy3D_v2					hipDrvMemcpy3D	3.5.0			
cuMemcpyAsync									
cuMemcpyAtoA									
cuMemcpyAtoA_v2									
cuMemcpyAtoD									
cuMemcpyAtoD_v2									
cuMemcpyAtoH					hipMemcpyAtoH	1.9.0			
cuMemcpyAtoHAsync									
cuMemcpyAtoHAsync_v2									
cuMemcpyAtoH_v2					hipMemcpyAtoH	1.9.0			
cuMemcpyDtoA									
cuMemcpyDtoA_v2									
cuMemcpyDtoD					hipMemcpyDtoD	1.6.0			
cuMemcpyDtoDAsync					hipMemcpyDtoDAsync	1.6.0			
cuMemcpyDtoDAsync_v2					hipMemcpyDtoDAsync	1.6.0			
cuMemcpyDtoD_v2					hipMemcpyDtoD	1.6.0			
cuMemcpyDtoH					hipMemcpyDtoH	1.6.0			
cuMemcpyDtoHAsync					hipMemcpyDtoHAsync	1.6.0			
cuMemcpyDtoHAsync_v2					hipMemcpyDtoHAsync	1.6.0			
cuMemcpyDtoH_v2					hipMemcpyDtoH	1.6.0			
cuMemcpyHtoA					hipMemcpyHtoA	1.9.0			
cuMemcpyHtoAAsync									
cuMemcpyHtoAAsync_v2									
cuMemcpyHtoA_v2					hipMemcpyHtoA	1.9.0			
cuMemcpyHtoD					hipMemcpyHtoD	1.6.0			
cuMemcpyHtoDAsync					hipMemcpyHtoDAsync	1.6.0			
cuMemcpyHtoDAsync_v2					hipMemcpyHtoDAsync	1.6.0			
cuMemcpyHtoD_v2					hipMemcpyHtoD	1.6.0			
cuMemcpyPeer									
cuMemcpyPeerAsync									
cuMemsetD16					hipMemsetD16	3.0.0			
cuMemsetD16Async					hipMemsetD16Async	3.0.0			
cuMemsetD16_v2					hipMemsetD16	3.0.0			
cuMemsetD2D16									
cuMemsetD2D16Async									
cuMemsetD2D16_v2									
cuMemsetD2D32									
cuMemsetD2D32Async									
cuMemsetD2D32_v2									
cuMemsetD2D8									
cuMemsetD2D8Async									
cuMemsetD2D8_v2									
cuMemsetD32					hipMemsetD32	2.3.0			
cuMemsetD32Async					hipMemsetD32Async	2.3.0			

continues on next page

Table 3.6 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cuMemsetD32_v2					hipMemsetD32	2.3.0			
cuMemsetD8					hipMemsetD8	1.6.0			
cuMemsetD8Async					hipMemsetD8Async	3.0.0			
cuMemsetD8_v2					hipMemsetD8	1.6.0			
cuMipmappedArrayCreate					hipMipmappedArrayCreate	3.5.0	5.7.0		
cuMipmappedArrayDestroy					hipMipmappedArrayDestroy	3.5.0	5.7.0		
cuMipmappedArrayGetLevel					hipMipmappedArrayGetLevel	3.5.0	5.7.0		
cuMipmappedArrayGetMemoryRequirements	11.6								

3.2.14 14. Virtual Memory Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuMemAddressFree	10.2				hipMemAddressFree	5.2.0				
cuMemAddressReserve	10.2				hipMemAddressReserve	5.2.0				
cuMemCreate	10.2				hipMemCreate	5.2.0				
cuMemExportToShareableHandle	10.2				hipMemExportToShareableHandle	5.2.0				
cuMemGetAccess	10.2				hipMemGetAccess	5.2.0				
cuMemGetAllocationGranularity	10.2				hipMemGetAllocationGranularity	5.2.0				
cuMemGetAllocationProperties	10.2				hipMemGetAllocationProperties	5.2.0				
cuMemImportFromShareableHandle	10.2				hipMemImportFromShareableHandle	5.2.0				
cuMemMap	10.2				hipMemMap	5.2.0				
cuMemMapArrayAsync	11.1				hipMemMapArrayAsync	5.2.0				
cuMemRelease	10.2				hipMemRelease	5.2.0				
cuMemRetainAllocationHandle	11.0				hipMemRetainAllocationHandle	5.2.0				
cuMemSetAccess	10.2				hipMemSetAccess	5.2.0				
cuMemUnmap	10.2				hipMemUnmap	5.2.0				

3.2.15 15. Stream Ordered Memory Allocator

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuMemAllocAsync	11.2				hipMallocAsync	5.2.0				
cuMemAllocFromPoolAsync	11.2				hipMallocFromPoolAsync	5.2.0				
cuMemFreeAsync	11.2				hipFreeAsync	5.2.0				
cuMemPoolCreate	11.2				hipMemPoolCreate	5.2.0				
cuMemPoolDestroy	11.2				hipMemPoolDestroy	5.2.0				
cuMemPoolExportPointer	11.2				hipMemPoolExportPointer	5.2.0				
cuMemPoolExportToShareable	11.2				hipMemPoolExportToShareabl	5.2.0				
cuMemPoolGetAccess	11.2				hipMemPoolGetAccess	5.2.0				
cuMemPoolGetAttribute	11.2				hipMemPoolGetAttribute	5.2.0				
cuMemPoolImportFromShareable	11.2				hipMemPoolImportFromSharea	5.2.0				
cuMemPoolImportPointer	11.2				hipMemPoolImportPointer	5.2.0				
cuMemPoolSetAccess	11.2				hipMemPoolSetAccess	5.2.0				
cuMemPoolSetAttribute	11.2				hipMemPoolSetAttribute	5.2.0				
cuMemPoolTrimTo	11.2				hipMemPoolTrimTo	5.2.0				

3.2.16 16. Multicast Object Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuMulticastAddDevice	12.1									
cuMulticastBindAddr	12.1									
cuMulticastBindMem	12.1									
cuMulticastCreate	12.1									
cuMulticastGetGranularity	12.1									
cuMulticastUnbind	12.1									

3.2.17 17. Unified Addressing

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuMemAdvise	8.0				hipMemAdvise	3.7.0				
cuMemAdvise_v2	12.2									
cuMemPrefetchAsync	8.0				hipMemPrefetchAsync	3.7.0				
cuMemPrefetchAsync_v2	12.2									
cuMemRangeGetAttribute	8.0				hipMemRangeGetAttribute	3.7.0				
cuMemRangeGetAttributes	8.0				hipMemRangeGetAttributes	3.7.0				
cuPointerGetAttribute					hipPointerGetAttribute	5.0.0				
cuPointerGetAttributes					hipDrvPointerGetAttributes	5.0.0				
cuPointerSetAttribute					hipPointerSetAttribute	5.5.0				

3.2.18 18. Stream Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuStreamAddCallback					hipStreamAddCallback	1.6.0				
cuStreamAttachMemAsync					hipStreamAttachMemAsync	3.7.0				
cuStreamBeginCapture	10.0				hipStreamBeginCapture	4.3.0				
cuStreamBeginCaptureToGraph	12.3				hipStreamBeginCaptureToGraph	6.2.0				6.2.0
cuStreamBeginCapture_ptsz	10.1									
cuStreamBeginCapture_v2	10.1				hipStreamBeginCapture	4.3.0				
cuStreamCopyAttributes	11.0									
cuStreamCreate					hipStreamCreateWithFlags	1.6.0				
cuStreamCreateWithPriority					hipStreamCreateWithPriority	2.0.0				
cuStreamDestroy					hipStreamDestroy	1.6.0				
cuStreamDestroy_v2					hipStreamDestroy	1.6.0				
cuStreamEndCapture	10.0				hipStreamEndCapture	4.3.0				
cuStreamGetAttribute	11.0									
cuStreamGetCaptureInfo	10.1				hipStreamGetCaptureInfo	5.0.0				
cuStreamGetCaptureInfo_v2	11.3				hipStreamGetCaptureInfo_v2	5.0.0				
cuStreamGetCaptureInfo_v3	12.3									
cuStreamGetCtx	9.2									
cuStreamGetCtx_v2	12.5									
cuStreamGetFlags					hipStreamGetFlags	1.6.0				
cuStreamGetId	12.0									
cuStreamGetPriority					hipStreamGetPriority	2.0.0				
cuStreamIsCapturing	10.0				hipStreamIsCapturing	5.0.0				
cuStreamQuery					hipStreamQuery	1.6.0				
cuStreamSetAttribute	11.0									
cuStreamSynchronize					hipStreamSynchronize	1.6.0				
cuStreamUpdateCaptureDependencies	11.3				hipStreamUpdateCaptureDependencies	5.0.0				
cuStreamUpdateCaptureDependencies	12.3									
cuStreamWaitEvent					hipStreamWaitEvent	1.6.0				

3.2.19 19. Event Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuEventCreate					hipEventCreateWithFlags	1.6.0				
cuEventDestroy					hipEventDestroy	1.6.0				
cuEventDestroy_v2					hipEventDestroy	1.6.0				
cuEventElapsedTime					hipEventElapsedTime	1.6.0				
cuEventQuery					hipEventQuery	1.6.0				
cuEventRecord					hipEventRecord	1.6.0				
cuEventRecordWithFlags	11.1									
cuEventSynchronize					hipEventSynchronize	1.6.0				

3.2.20 20. External Resource Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuDestroyExternalMemory	10.0				hipDestroyExternalMemory	4.3.0				
cuDestroyExternalSemaphore	10.0				hipDestroyExternalSemaphore	4.4.0				
cuExternalMemoryGetMappedBuf	10.0				hipExternalMemoryGetMappedBuf	4.3.0				
cuExternalMemoryGetMappedMip	10.0									
cuImportExternalMemory	10.0				hipImportExternalMemory	4.3.0				
cuImportExternalSemaphore	10.0				hipImportExternalSemaphore	4.4.0				
cuSignalExternalSemaphoresAs	10.0				hipSignalExternalSemaphore	4.4.0				
cuWaitExternalSemaphoresAsyn	10.0				hipWaitExternalSemaphore	4.4.0				

3.2.21 21. Stream Memory Operations

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuStreamBatchMemOp	8.0									
cuStreamBatchMemOp_v2	11.7									
cuStreamWaitValue32	8.0				hipStreamWaitValue32	4.2.0				
cuStreamWaitValue32_v2	11.7				hipStreamWaitValue32	4.2.0				
cuStreamWaitValue64	9.0				hipStreamWaitValue64	4.2.0				
cuStreamWaitValue64_v2	11.7				hipStreamWaitValue64	4.2.0				
cuStreamWriteValue32	8.0				hipStreamWriteValue32	4.2.0				
cuStreamWriteValue32_v2	11.7				hipStreamWriteValue32	4.2.0				
cuStreamWriteValue64	9.0				hipStreamWriteValue64	4.2.0				
cuStreamWriteValue64_v2	11.7				hipStreamWriteValue64	4.2.0				

3.2.22 22. Execution Control

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuFuncGetAttribute					hipFuncGetAttribute	2.8.0				
cuFuncGetModule	11.0									
cuFuncGetName	12.3									
cuFuncGetParamInfo	12.4									
cuFuncIsLoaded	12.4									
cuFuncLoad	12.4									
cuFuncSetAttribute	9.0									
cuFuncSetCacheConfig										
cuFuncSetSharedMemConf				12.4						
cuLaunchCooperativeKer	9.0				hipModuleLaunchCooperative	5.5.0				
cuLaunchCooperativeKer	9.0	11.3			hipModuleLaunchCooperative	5.5.0				
cuLaunchHostFunc	10.0				hipLaunchHostFunc	5.2.0				
cuLaunchKernel					hipModuleLaunchKernel	1.6.0				
cuLaunchKernelEx	11.8									

3.2.23 23. Execution Control [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuFuncSetBlockShape		9.2								
cuFuncSetSharedSize		9.2								
cuLaunch		9.2								
cuLaunchGrid		9.2								
cuLaunchGridAsync		9.2								
cuParamSetSize		9.2								
cuParamSetTexRef		9.2								
cuParamSetf		9.2								
cuParamSeti		9.2								
cuParamSetv		9.2								

3.2.24 24. Graph Management

CUDA	A	D	C	R	HIP
cuDeviceGetGraphMemAttribute	11.4				hipDeviceGetGraphMemAttribute
cuDeviceGraphMemTrim	11.4				hipDeviceGraphMemTrim
cuDeviceSetGraphMemAttribute	11.4				hipDeviceSetGraphMemAttribute
cuGraphAddBatchMemOpNode	11.7				hipGraphAddBatchMemOpNode
cuGraphAddChildGraphNode	10.0				hipGraphAddChildGraphNode
cuGraphAddDependencies	10.0				hipGraphAddDependencies
cuGraphAddDependencies_v2	12.3				
cuGraphAddEmptyNode	10.0				hipGraphAddEmptyNode
cuGraphAddEventRecordNode	11.1				hipGraphAddEventRecordNode
cuGraphAddEventWaitNode	11.1				hipGraphAddEventWaitNode
cuGraphAddExternalSemaphoresSignalNode	11.2				hipGraphAddExternalSemaphoresSignalNode
cuGraphAddExternalSemaphoresWaitNode	11.2				hipGraphAddExternalSemaphoresWaitNode
cuGraphAddHostNode	10.0				hipGraphAddHostNode
cuGraphAddKernelNode	10.0				hipGraphAddKernelNode
cuGraphAddMemAllocNode	11.4				hipGraphAddMemAllocNode
cuGraphAddMemFreeNode	11.4				hipDrvGraphAddMemFreeNode
cuGraphAddMemcpyNode	10.0				hipDrvGraphAddMemcpyNode
cuGraphAddMemsetNode	10.0				hipDrvGraphAddMemsetNode
cuGraphAddNode	12.2				hipGraphAddNode
cuGraphAddNode_v2	12.3				
cuGraphBatchMemOpNodeGetParams	11.7				hipGraphBatchMemOpNodeGetParams
cuGraphBatchMemOpNodeSetParams	11.7				hipGraphBatchMemOpNodeSetParams

Table 3.7 – continued from previous page

CUDA	A	D	C	R	HIP
cuGraphChildGraphNodeGetGraph	10.0				hipGraphChildGraphNodeGetGraph
cuGraphClone	10.0				hipGraphClone
cuGraphConditionalHandleCreate	12.3				
cuGraphCreate	10.0				hipGraphCreate
cuGraphDebugDotPrint	11.3				hipGraphDebugDotPrint
cuGraphDestroy	10.0				hipGraphDestroy
cuGraphDestroyNode	10.0				hipGraphDestroyNode
cuGraphEventRecordNodeGetEvent	11.1				hipGraphEventRecordNodeGetEvent
cuGraphEventRecordNodeSetEvent	11.1				hipGraphEventRecordNodeSetEvent
cuGraphEventWaitNodeGetEvent	11.1				hipGraphEventWaitNodeGetEvent
cuGraphEventWaitNodeSetEvent	11.1				hipGraphEventWaitNodeSetEvent
cuGraphExecBatchMemOpNodeSetParams	11.7				hipGraphExecBatchMemOpNodeSetParams
cuGraphExecChildGraphNodeSetParams	11.1				hipGraphExecChildGraphNodeSetParams
cuGraphExecDestroy	10.0				hipGraphExecDestroy
cuGraphExecEventRecordNodeSetEvent	11.1				hipGraphExecEventRecordNodeSetEvent
cuGraphExecEventWaitNodeSetEvent	11.1				hipGraphExecEventWaitNodeSetEvent
cuGraphExecExternalSemaphoresSignalNodeSetParams	11.2				hipGraphExecExternalSemaphoresSignalNodeSetParams
cuGraphExecExternalSemaphoresWaitNodeSetParams	11.2				hipGraphExecExternalSemaphoresWaitNodeSetParams
cuGraphExecGetFlags	12.0				hipGraphExecGetFlags
cuGraphExecHostNodeSetParams	10.2				hipGraphExecHostNodeSetParams
cuGraphExecKernelNodeSetParams	10.1				hipGraphExecKernelNodeSetParams
cuGraphExecMemcpyNodeSetParams	10.2				hipDrvGraphMemcpyNodeSetParams
cuGraphExecNodeSetParams	12.2				hipGraphExecNodeSetParams
cuGraphExecUpdate	10.2				hipGraphExecUpdate
cuGraphExternalSemaphoresSignalNodeGetParams	11.2				hipGraphExternalSemaphoresSignalNodeGetParams
cuGraphExternalSemaphoresSignalNodeSetParams	11.2				hipGraphExternalSemaphoresSignalNodeSetParams
cuGraphExternalSemaphoresWaitNodeGetParams	11.2				hipGraphExternalSemaphoresWaitNodeGetParams
cuGraphExternalSemaphoresWaitNodeSetParams	11.2				hipGraphExternalSemaphoresWaitNodeSetParams
cuGraphGetEdges	10.0				hipGraphGetEdges
cuGraphGetEdges_v2	12.3				
cuGraphGetNodes	10.0				hipGraphGetNodes
cuGraphGetRootNodes	10.0				hipGraphGetRootNodes
cuGraphHostNodeGetParams	10.0				hipGraphHostNodeGetParams
cuGraphHostNodeSetParams	10.0				hipGraphHostNodeSetParams
cuGraphInstantiate	10.0				hipGraphInstantiate
cuGraphInstantiateWithFlags	11.4				hipGraphInstantiateWithFlags
cuGraphInstantiateWithParams	12.0				hipGraphInstantiateWithParams
cuGraphInstantiate_v2	11.0				hipGraphInstantiate
cuGraphKernelNodeCopyAttributes	11.0				hipGraphKernelNodeCopyAttributes
cuGraphKernelNodeGetAttribute	11.0				hipGraphKernelNodeGetAttribute
cuGraphKernelNodeGetParams	10.0				hipGraphKernelNodeGetParams
cuGraphKernelNodeSetAttribute	11.0				hipGraphKernelNodeSetAttribute
cuGraphKernelNodeSetParams	10.0				hipGraphKernelNodeSetParams
cuGraphLaunch	10.0				hipGraphLaunch
cuGraphMemAllocNodeGetParams	11.4				hipGraphMemAllocNodeGetParams
cuGraphMemFreeNodeGetParams	11.4				hipGraphMemFreeNodeGetParams
cuGraphMemcpyNodeGetParams	10.0				hipDrvGraphMemcpyNodeGetParams
cuGraphMemcpyNodeSetParams	10.0				hipDrvGraphMemcpyNodeSetParams
cuGraphMemsetNodeGetParams	10.0				hipGraphMemsetNodeGetParams
cuGraphMemsetNodeSetParams	10.0				hipGraphMemsetNodeSetParams

Table 3.7 – continued from previous page

CUDA	A	D	C	R	HIP
cuGraphNodeFindInClone	10.0				hipGraphNodeFindInClone
cuGraphNodeGetDependencies	10.0				hipGraphNodeGetDependencies
cuGraphNodeGetDependencies_v2	12.3				
cuGraphNodeGetDependentNodes	10.0				hipGraphNodeGetDependentNodes
cuGraphNodeGetDependentNodes_v2	12.3				
cuGraphNodeGetEnabled	11.6				hipGraphNodeGetEnabled
cuGraphNodeGetType	10.0				hipGraphNodeGetType
cuGraphNodeSetEnabled	11.6				hipGraphNodeSetEnabled
cuGraphNodeSetParams	12.2				hipGraphNodeSetParams
cuGraphReleaseUserObject	11.3				hipGraphReleaseUserObject
cuGraphRemoveDependencies	10.0				hipGraphRemoveDependencies
cuGraphRemoveDependencies_v2	12.3				
cuGraphRetainUserObject	11.3				hipGraphRetainUserObject
cuGraphUpload	11.1				hipGraphUpload
cuUserObjectCreate	11.3				hipUserObjectCreate
cuUserObjectRelease	11.3				hipUserObjectRelease
cuUserObjectRetain	11.3				hipUserObjectRetain

3.2.25 25. Occupancy

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuOccupancyAvailableDyna	11.0									
cuOccupancyMaxActiveBloc					hipModuleOccupancyMaxActive	3.5.0				sor
cuOccupancyMaxActiveBloc					hipModuleOccupancyMaxActive	3.5.0				sorWithFlags
cuOccupancyMaxActiveClus	11.8									
cuOccupancyMaxPotentialB					hipModuleOccupancyMaxPotent	3.5.0				
cuOccupancyMaxPotentialB					hipModuleOccupancyMaxPotent	3.5.0				s
cuOccupancyMaxPotentialC	11.8									

3.2.26 26. Texture Reference Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuTexRefCreate		11.0								
cuTexRefDestroy		11.0								
cuTexRefGetAddress		11.0			hipTexRefGetAddress	3.0.0	4.3.0			
cuTexRefGetAddressMode		11.0			hipTexRefGetAddressMode	3.0.0	4.3.0			
cuTexRefGetAddress_v2		11.0			hipTexRefGetAddress	3.0.0	4.3.0			
cuTexRefGetArray		11.0			hipTexRefGetArray	3.0.0	6.1.0			

continues on next page

Table 3.8 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuTexRefGetBorderColor	8.0	11.0			hipTexRefGetBorderColor	6.1.0	6.1.0			
cuTexRefGetFilterMode		11.0			hipTexRefGetFilterMode	3.5.0	4.3.0			
cuTexRefGetFlags		11.0			hipTexRefGetFlags	3.5.0	4.3.0			
cuTexRefGetFormat		11.0			hipTexRefGetFormat	3.5.0	4.3.0			
cuTexRefGetMaxAnisotropy		11.0			hipTexRefGetMaxAnisotropy	3.5.0	4.3.0			
cuTexRefGetMipmapFilterMode		11.0			hipTexRefGetMipmapFilterMode	3.5.0	4.3.0			
cuTexRefGetMipmapLevelBias		11.0			hipTexRefGetMipmapLevelBias	3.5.0	4.3.0			
cuTexRefGetMipmapLevelClamp		11.0			hipTexRefGetMipmapLevelClamp	3.5.0	4.3.0			
cuTexRefGetMipmappedArray		11.0			hipTexRefGetMipMappedArray	3.5.0	4.3.0			
cuTexRefSetAddress		11.0			hipTexRefSetAddress	1.7.0	4.3.0			
cuTexRefSetAddress2D		11.0			hipTexRefSetAddress2D	1.7.0	4.3.0			
cuTexRefSetAddress2D_v2					hipTexRefSetAddress2D	1.7.0	4.3.0			
cuTexRefSetAddress2D_v3					hipTexRefSetAddress2D	1.7.0	4.3.0			
cuTexRefSetAddressMode		11.0			hipTexRefSetAddressMode	1.9.0	5.3.0			
cuTexRefSetAddress_v2		11.0			hipTexRefSetAddress	1.7.0	4.3.0			
cuTexRefSetArray		11.0			hipTexRefSetArray	1.9.0	5.3.0			
cuTexRefSetBorderColor	8.0	11.0			hipTexRefSetBorderColor	3.5.0	4.3.0			
cuTexRefSetFilterMode		11.0			hipTexRefSetFilterMode	1.9.0	5.3.0			
cuTexRefSetFlags		11.0			hipTexRefSetFlags	1.9.0	5.3.0			
cuTexRefSetFormat		11.0			hipTexRefSetFormat	1.9.0	5.3.0			
cuTexRefSetMaxAnisotropy		11.0			hipTexRefSetMaxAnisotropy	3.5.0	4.3.0			
cuTexRefSetMipmapFilterMode		11.0			hipTexRefSetMipmapFilterMode	3.5.0	5.3.0			
cuTexRefSetMipmapLevelBias		11.0			hipTexRefSetMipmapLevelBias	3.5.0	5.3.0			
cuTexRefSetMipmapLevelClamp		11.0			hipTexRefSetMipmapLevelClamp	3.5.0	5.3.0			
cuTexRefSetMipmappedArray		11.0			hipTexRefSetMipmappedArray	3.5.0	5.3.0			

3.2.27 27. Surface Reference Management [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuSurfRefGetArray		11.0								
cuSurfRefSetArray		11.0								

3.2.28 28. Texture Object Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuTexObjectCreate					hipTexObjectCreate	3.5.0				
cuTexObjectDestroy					hipTexObjectDestroy	3.5.0				
cuTexObjectGetResourceDesc					hipTexObjectGetResourceDesc	3.5.0				
cuTexObjectGetResourceView					hipTexObjectGetResourceView	3.5.0				
cuTexObjectGetTextureDesc					hipTexObjectGetTextureDesc	3.5.0				

3.2.29 29. Surface Object Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuSurfObjectCreate										
cuSurfObjectDestroy										
cuSurfObjectGetResourceDesc										

3.2.30 30. Tensor Core Management

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuTensorMapEncodeIm2col	12.0									
cuTensorMapEncodeTiled	12.0									
cuTensorMapReplaceAddress	12.0									

3.2.31 31. Peer Context Memory Access

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuCtxDisablePeerAccess					hipCtxDisablePeerAccess	1.6.0	1.9.0			
cuCtxEnablePeerAccess					hipCtxEnablePeerAccess	1.6.0	1.9.0			
cuDeviceCanAccessPeer					hipDeviceCanAccessPeer	1.9.0				
cuDeviceGetP2PAttribute	8.0				hipDeviceGetP2PAttribute	3.8.0				

3.2.32 32. Graphics Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuGraphicsMapResources					hipGraphicsMapResources	4.5.0				
cuGraphicsResourceGetMappedM										
cuGraphicsResourceGetMappedP					hipGraphicsResourceGetMap	4.5.0				
cuGraphicsResourceGetMappedP					hipGraphicsResourceGetMap	4.5.0				
cuGraphicsResourceSetMapFlag										
cuGraphicsResourceSetMapFlag										
cuGraphicsSubResourceGetMapp					hipGraphicsSubResourceGet	5.1.0				
cuGraphicsUnmapResources					hipGraphicsUnmapResources	4.5.0				
cuGraphicsUnregisterResource					hipGraphicsUnregisterResc	4.5.0				

3.2.33 33. Driver Entry Point Access

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuGetProcAddress	11.3		12.0		hipGetProcAddress	6.2.0				6.2.0

3.2.34 34. Coredump Attributes Control API

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuCoredumpGetAttribute					12.1					
cuCoredumpGetAttributeGlobal					12.1					
cuCoredumpSetAttribute					12.1					
cuCoredumpSetAttributeGlobal					12.1					

3.2.35 35. Green Contexts

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuCtxFromGreenCtx					12.4					
cuCtxGetDevResource					12.4					
cuDevResourceGenerateDesc					12.4					
cuDevSmResourceSplitByCount					12.4					
cuDeviceGetDevResource					12.4					
cuGreenCtxCreate					12.4					
cuGreenCtxDestroy					12.4					
cuGreenCtxGetDevResource					12.4					
cuGreenCtxRecordEvent					12.4					
cuGreenCtxStreamCreate					12.5					
cuGreenCtxWaitEvent					12.4					
cuStreamGetGreenCtx					12.4					

3.2.36 36. Profiler Control [DEPRECATED]

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuProfilerInitialize		11.0								

3.2.37 37. Profiler Control

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuProfilerStart					hipProfilerStart	1.6.0	3.0.0			
cuProfilerStop					hipProfilerStop	1.6.0	3.0.0			

3.2.38 38. OpenGL Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuGLCtxCreate		9.2								
cuGLGetDevices					hipGLGetDevices		4.5.0			
cuGLInit		9.2								
cuGLMapBufferObject		9.2								
cuGLMapBufferObjectAsync		9.2								
cuGLRegisterBufferObject		9.2								
cuGLSetBufferObjectMapFlag		9.2								
cuGLUnmapBufferObject		9.2								
cuGLUnmapBufferObjectAsync		9.2								
cuGLUnregisterBufferObject		9.2								
cuGraphicsGLRegisterBuffer					hipGraphicsGLRegisterBuffer		4.5.0			
cuGraphicsGLRegisterImage					hipGraphicsGLRegisterImage		5.1.0			
cuWGLGetDevice										

3.2.39 39. Direct3D 9 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuD3D9CtxCreate										
cuD3D9CtxCreateOnDevice										
cuD3D9GetDevice										
cuD3D9GetDevices										
cuD3D9GetDirect3DDevice										
cuD3D9MapResources		9.2								
cuD3D9RegisterResource		9.2								
cuD3D9ResourceGetMappedArray		9.2								
cuD3D9ResourceGetMappedPitch		9.2								
cuD3D9ResourceGetMappedPointer		9.2								
cuD3D9ResourceGetMappedSize		9.2								
cuD3D9ResourceGetSurfaceDimensions		9.2								
cuD3D9ResourceSetMapFlags		9.2								
cuD3D9UnmapResources		9.2								
cuD3D9UnregisterResource		9.2								
cuGraphicsD3D9RegisterResource										

3.2.40 40. Direct3D 10 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuD3D10CtxCreate		9.2								
cuD3D10CtxCreateOnDevice		9.2								
cuD3D10GetDevice										
cuD3D10GetDevices										
cuD3D10GetDirect3DDevice		9.2								
cuD3D10MapResources		9.2								
cuD3D10RegisterResource		9.2								
cuD3D10ResourceGetMappedArray		9.2								
cuD3D10ResourceGetMappedPitch		9.2								
cuD3D10ResourceGetMappedPointer		9.2								
cuD3D10ResourceGetMappedSize		9.2								
cuD3D10ResourceGetSurfaceDimensions		9.2								
cuD3D10ResourceSetMapFlags		9.2								
cuD3D10UnmapResources		9.2								
cuD3D10UnregisterResource		9.2								
cuGraphicsD3D10RegisterResource										

3.2.41 41. Direct3D 11 Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuD3D11CtxCreate		9.2								
cuD3D11CtxCreateOnDevice		9.2								
cuD3D11GetDevice										
cuD3D11GetDevices										
cuD3D11GetDirect3DDevice		9.2								
cuGraphicsD3D11RegisterResource										

3.2.42 42. VDPAU Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuGraphicsVDPAURegisterOutputSurface										
cuGraphicsVDPAURegisterVideoSurface										
cuVDPAUCtxCreate										
cuVDPAUGetDevice										

3.2.43 43. EGL Interoperability

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuEGLStreamConsumerAcquireFrame	9.1									
cuEGLStreamConsumerConnect	9.1									
cuEGLStreamConsumerConnectWithFlags	9.1									
cuEGLStreamConsumerDisconnect	9.1									
cuEGLStreamConsumerReleaseFrame	9.1									
cuEGLStreamProducerConnect	9.1									
cuEGLStreamProducerDisconnect	9.1									
cuEGLStreamProducerPresentFrame	9.1									
cuEGLStreamProducerReturnFrame	9.1									
cuEventCreateFromEGLSync	9.1									
cuGraphicsEGLRegisterImage	9.1									
cuGraphicsResourceGetMappedEglFrame	9.1									

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.3 CUCOMPLEX API supported by HIP

3.3.1 1. cuComplex Data types

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuComplex					hipComplex	1.6.0				
cuDoubleComplex					hipDoubleComplex	1.6.0				
cuFloatComplex					hipFloatComplex	1.6.0				

3.3.2 2. cuComplex API functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
cuCabs					hipCabs	1.6.0				
cuCabsf					hipCabsf	1.6.0				
cuCadd					hipCadd	1.6.0				
cuCaddf					hipCaddf	1.6.0				
cuCdiv					hipCdiv	1.6.0				
cuCdivf					hipCdivf	1.6.0				
cuCfma					hipCfma	1.6.0				
cuCfmaf					hipCfmaf	1.6.0				
cuCimag					hipCimag	1.6.0				
cuCimagf					hipCimagf	1.6.0				
cuCmul					hipCmul	1.6.0				
cuCmulf					hipCmulf	1.6.0				
cuComplexDoubleToFloat					hipComplexDoubleToFloat	1.6.0				
cuComplexFloatToDouble					hipComplexFloatToDouble	1.6.0				
cuConj					hipConj	1.6.0				
cuConjf					hipConjf	1.6.0				
cuCreal					hipCreal	1.6.0				
cuCrealf					hipCrealf	1.6.0				
cuCsub					hipCsub	1.6.0				
cuCsubf					hipCsubf	1.6.0				
make_cuComplex					make_hipComplex	1.6.0				
make_cuDoubleComplex					make_hipDoubleComplex	1.6.0				
make_cuFloatComplex					make_hipFloatComplex	1.6.0				

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.4 CUDA DEVICE API supported by HIP

3.4.1 1. Device Functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
<code>_Pow_int</code>										
<code>__all</code>					<code>__all</code>	1.6.0				
<code>__any</code>					<code>__any</code>	1.6.0				
<code>__assert_fail</code>					<code>__assert_fail</code>	1.9.0				
<code>__assertfail</code>					<code>__assertfail</code>	1.9.0				
<code>__ballot</code>					<code>__ballot</code>	1.6.0				
<code>__bfloat162float2</code>	11.0									
<code>__bfloat162bfloat162</code>	11.0									
<code>__bfloat162char_rz</code>	12.2									
<code>__bfloat162float</code>	11.0									
<code>__bfloat162int_rd</code>	11.0									
<code>__bfloat162int_rn</code>	11.0									
<code>__bfloat162int_ru</code>	11.0									
<code>__bfloat162int_rz</code>	11.0									
<code>__bfloat162ll_rd</code>	11.0									
<code>__bfloat162ll_rn</code>	11.0									
<code>__bfloat162ll_ru</code>	11.0									
<code>__bfloat162ll_rz</code>	11.0									
<code>__bfloat162short_rd</code>	11.0									
<code>__bfloat162short_rn</code>	11.0									
<code>__bfloat162short_ru</code>	11.0									
<code>__bfloat162short_rz</code>	11.0									
<code>__bfloat162uchar_rz</code>	12.2									
<code>__bfloat162uint_rd</code>	11.0									
<code>__bfloat162uint_rn</code>	11.0									
<code>__bfloat162uint_ru</code>	11.0									
<code>__bfloat162uint_rz</code>	11.0									
<code>__bfloat162ull_rd</code>	11.0									
<code>__bfloat162ull_rn</code>	11.0									
<code>__bfloat162ull_ru</code>	11.0									
<code>__bfloat162ull_rz</code>	11.0									
<code>__bfloat162ushort_rd</code>	11.0									
<code>__bfloat162ushort_rn</code>	11.0									
<code>__bfloat162ushort_ru</code>	11.0									
<code>__bfloat162ushort_rz</code>	11.0									
<code>__bfloat16_as_short</code>	11.0									
<code>__bfloat16_as_ushort</code>	11.0									
<code>__brev</code>					<code>__brev</code>	1.6.0				
<code>__brevll</code>					<code>__brevll</code>	1.6.0				
<code>__brkpt</code>										
<code>__byte_perm</code>					<code>__byte_perm</code>	1.6.0				
<code>__clz</code>					<code>__clz</code>	1.6.0				
<code>__clzll</code>					<code>__clzll</code>	1.6.0				
<code>__cosf</code>					<code>__cosf</code>	1.6.0				
<code>__dadd_rd</code>										
<code>__dadd_rn</code>					<code>__dadd_rn</code>	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__dadd_ru										
__dadd_rz										
__ddiv_rd										
__ddiv_rn					__ddiv_rn	1.6.0				
__ddiv_ru										
__ddiv_rz										
__dmul_rd										
__dmul_rn					__dmul_rn	1.6.0				
__dmul_ru										
__dmul_rz										
__double2bfloat16	11.0									
__double2float_rd					__double2float_rd	1.6.0				
__double2float_rn					__double2float_rn	1.6.0				
__double2float_ru					__double2float_ru	1.6.0				
__double2float_rz					__double2float_rz	1.6.0				
__double2half	11.0									
__double2hiint					__double2hiint	1.6.0				
__double2int_rd					__double2int_rd	1.6.0				
__double2int_rn					__double2int_rn	1.6.0				
__double2int_ru					__double2int_ru	1.6.0				
__double2int_rz					__double2int_rz	1.6.0				
__double2ll_rd					__double2ll_rd	1.6.0				
__double2ll_rn					__double2ll_rn	1.6.0				
__double2ll_ru					__double2ll_ru	1.6.0				
__double2ll_rz					__double2ll_rz	1.6.0				
__double2loint					__double2loint	1.6.0				
__double2uint_rd					__double2uint_rd	1.6.0				
__double2uint_rn					__double2uint_rn	1.6.0				
__double2uint_ru					__double2uint_ru	1.6.0				
__double2uint_rz					__double2uint_rz	1.6.0				
__double2ull_rd					__double2ull_rd	1.6.0				
__double2ull_rn					__double2ull_rn	1.6.0				
__double2ull_ru					__double2ull_ru	1.6.0				
__double2ull_rz					__double2ull_rz	1.6.0				
__double_as_longlong					__double_as_longlong	1.6.0				
__drcp_rd										
__drcp_rn					__drcp_rn	1.6.0				
__drcp_ru										
__drcp_rz										
__dsqrt_rd										
__dsqrt_rn					__dsqrt_rn	1.6.0				
__dsqrt_ru										
__dsqrt_rz										
__dsub_rd										
__dsub_rn					__dsub_rn	1.6.0				
__dsub_ru										
__dsub_rz										
__exp10f					__exp10f	1.6.0				
__expf					__expf	1.6.0				
__fadd_rd										

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__fadd_rn					__fadd_rn	1.6.0				
__fadd_ru										
__fadd_rz										
__fdiv_rd										
__fdiv_rn					__fdiv_rn	1.6.0				
__fdiv_ru										
__fdiv_rz										
__fdividef					__fdividef	1.6.0				
__ffs					__ffs	1.6.0				
__ffsll					__ffsll	1.6.0				
__finite										
__finitef										
__finitel										
__float22bfloat162_rn	11.0									
__float22half2_rn					__float22half2_rn	1.6.0				
__float2bfloat16	11.0									
__float2bfloat162_rn	11.0									
__float2bfloat16_rd	11.0									
__float2bfloat16_rn	11.0									
__float2bfloat16_ru	11.0									
__float2bfloat16_rz	11.0									
__float2half					__float2half	1.6.0				
__float2half2_rn					__float2half2_rn	1.6.0				
__float2half_rd					__float2half_rd	1.6.0				
__float2half_rn					__float2half_rn	1.6.0				
__float2half_ru					__float2half_ru	1.6.0				
__float2half_rz					__float2half_rz	1.6.0				
__float2int_rd					__float2int_rd	1.6.0				
__float2int_rn					__float2int_rn	1.6.0				
__float2int_ru					__float2int_ru	1.6.0				
__float2int_rz					__float2int_rz	1.6.0				
__float2ll_rd					__float2ll_rd	1.6.0				
__float2ll_rn					__float2ll_rn	1.6.0				
__float2ll_ru					__float2ll_ru	1.6.0				
__float2ll_rz					__float2ll_rz	1.6.0				
__float2uint_rd					__float2uint_rd	1.6.0				
__float2uint_rn					__float2uint_rn	1.6.0				
__float2uint_ru					__float2uint_ru	1.6.0				
__float2uint_rz					__float2uint_rz	1.6.0				
__float2ull_rd					__float2ull_rd	1.6.0				
__float2ull_rn					__float2ull_rn	1.6.0				
__float2ull_ru					__float2ull_ru	1.6.0				
__float2ull_rz					__float2ull_rz	1.6.0				
__float_as_int					__float_as_int	1.6.0				
__float_as_uint					__float_as_uint	1.6.0				
__floats2bfloat162_rn	11.0									
__floats2half2_rn					__floats2half2_rn	1.6.0				
__fma_rd										
__fma_rn					__fma_rn	1.6.0				
__fma_ru										

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__fma_rz										
__fmaf_rd										
__fmaf_rn					__fmaf_rn	1.6.0				
__fmaf_ru										
__fmaf_rz										
__fmul_rd										
__fmul_rn					__fmul_rn	1.6.0				
__fmul_ru										
__fmul_rz										
__frcp_rd										
__frcp_rn					__frcp_rn	1.6.0				
__frcp_ru										
__frcp_rz										
__frsqrtn_rn					__frsqrtn_rn	1.6.0				
__fsqrt_rd										
__fsqrtn_rn					__fsqrtn_rn	1.6.0				
__fsqrtn_ru										
__fsqrtn_rz										
__fsub_rd										
__fsub_rn					__fsub_rn	1.6.0				
__fsub_ru										
__fsub_rz										
__funnelshift_l					__funnelshift_l	4.4.0				
__funnelshift_lc					__funnelshift_lc	4.4.0				
__funnelshift_r					__funnelshift_r	4.4.0				
__funnelshift_rc					__funnelshift_rc	4.4.0				
__h2div					__h2div	1.9.0				
__habs					__habs	3.5.0				
__habs2					__habs2	3.5.0				
__hadd					__hadd	1.6.0				
__hadd2					__hadd2	1.6.0				
__hadd2_rn	11.6									
__hadd2_sat					__hadd2_sat	1.6.0				
__hadd_rn	11.6									
__hadd_sat					__hadd_sat	1.6.0				
__half22float2					__half22float2	1.6.0				
__half2char_rz	12.2									
__half2float					__half2float	1.6.0				
__half2half2					__half2half2	1.9.0				
__half2int_rd					__half2int_rd	1.6.0				
__half2int_rn					__half2int_rn	1.6.0				
__half2int_ru					__half2int_ru	1.6.0				
__half2int_rz					__half2int_rz	1.6.0				
__half211_rd					__half211_rd	1.6.0				
__half211_rn					__half211_rn	1.6.0				
__half211_ru					__half211_ru	1.6.0				
__half211_rz					__half211_rz	1.6.0				
__half2short_rd					__half2short_rd	1.6.0				
__half2short_rn					__half2short_rn	1.6.0				
__half2short_ru					__half2short_ru	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__half2short_rz					__half2short_rz	1.6.0				
__half2uchar_rz	12.2									
__half2uint_rd					__half2uint_rd	1.6.0				
__half2uint_rn					__half2uint_rn	1.6.0				
__half2uint_ru					__half2uint_ru	1.6.0				
__half2uint_rz					__half2uint_rz	1.6.0				
__half2ull_rd					__half2ull_rd	1.6.0				
__half2ull_rn					__half2ull_rn	1.6.0				
__half2ull_ru					__half2ull_ru	1.6.0				
__half2ull_rz					__half2ull_rz	1.6.0				
__half2ushort_rd					__half2ushort_rd	1.6.0				
__half2ushort_rn					__half2ushort_rn	1.6.0				
__half2ushort_ru					__half2ushort_ru	1.6.0				
__half2ushort_rz					__half2ushort_rz	1.6.0				
__half_as_short					__half_as_short	1.6.0				
__half_as_ushort					__half_as_ushort	1.6.0				
__halves2bfloat162	11.0									
__halves2half2					__halves2half2	1.6.0				
__hbeq2					__hbeq2	1.6.0				
__hbequ2					__hbequ2	1.9.0				
__hbge2					__hbge2	1.6.0				
__hbgeu2					__hbgeu2	1.9.0				
__hbg2					__hbg2	1.6.0				
__hbg2u2					__hbg2u2	1.9.0				
__hble2					__hble2	1.6.0				
__hbleu2					__hbleu2	1.9.0				
__hbl2					__hbl2	1.6.0				
__hbl2u2					__hbl2u2	1.9.0				
__hbne2					__hbne2	1.6.0				
__hbneu2					__hbneu2	1.9.0				
__hcmadd	11.1									
__hdiv					__hdiv	1.9.0				
__heq					__heq	1.6.0				
__heq2					__heq2	1.6.0				
__heq2_mask	12.0									
__hequ					__hequ	1.9.0				
__hequ2					__hequ2	1.9.0				
__hequ2_mask	12.0									
__hfma					__hfma	1.6.0				
__hfma2					__hfma2	1.6.0				
__hfma2_relu	11.0									
__hfma2_sat					__hfma2_sat	1.6.0				
__hfma_relu	11.0									
__hfma_sat					__hfma_sat	1.6.0				
__hge					__hge	1.6.0				
__hge2					__hge2	1.6.0				
__hge2_mask	12.0									
__hgeu					__hgeu	1.9.0				
__hgeu2					__hgeu2	1.9.0				
__hgeu2_mask	12.0									

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__hgt					__hgt	1.6.0				
__hgt2					__hgt2	1.6.0				
__hgt2_mask	12.0									
__hgtu					__hgtu	1.9.0				
__hgtu2					__hgtu2	1.9.0				
__hgtu2_mask	12.0									
__high2bfloat16	11.0									
__high2bfloat162	11.0									
__high2float					__high2float	1.6.0				
__high2half					__high2half	1.6.0				
__high2half2					__high2half2	1.6.0				
__highs2bfloat162	11.0									
__highs2half2					__highs2half2	1.6.0				
__hiloint2double					__hiloint2double	1.6.0				
__hisinf					__hisinf	1.6.0				
__hisnan					__hisnan	1.6.0				
__hisnan2					__hisnan2	1.6.0				
__hle					__hle	1.6.0				
__hle2					__hle2	1.6.0				
__hle2_mask	12.0									
__hleu					__hleu	1.9.0				
__hleu2					__hleu2	1.9.0				
__hleu2_mask	12.0									
__hlt					__hlt	1.6.0				
__hlt2					__hlt2	1.6.0				
__hlt2_mask	12.0									
__hltu					__hltu	1.9.0				
__hltu2					__hltu2	1.9.0				
__hltu2_mask	12.0									
__hmax	11.0				__hmax	5.5.0				
__hmax2	11.0									
__hmax2_nan	11.0									
__hmax_nan	11.0				__hmax_nan	5.5.0				
__hmin	11.0				__hmin	5.5.0				
__hmin2	11.0									
__hmin2_nan	11.0									
__hmin_nan	11.0				__hmin_nan	5.5.0				
__hmul					__hmul	1.6.0				
__hmul2					__hmul2	1.6.0				
__hmul2_rn	11.6									
__hmul2_sat					__hmul2_sat	1.6.0				
__hmul_rn	11.6									
__hmul_sat					__hmul_sat	1.6.0				
__hne					__hne	1.6.0				
__hne2					__hne2	1.6.0				
__hne2_mask	12.0									
__hneg					__hneg	1.6.0				
__hneg2					__hneg2	1.6.0				
__hneu					__hneu	1.9.0				
__hneu2					__hneu2	1.9.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__log2f					__log2f	1.6.0				
__logf					__logf	1.6.0				
__longlong_as_double					__longlong_as_double	1.6.0				
__low2bfloat16	11.0									
__low2bfloat162	11.0									
__low2float					__low2float	1.6.0				
__low2half					__low2half	1.6.0				
__low2half2					__low2half2	1.6.0				
__lowhigh2highlow					__lowhigh2highlow	1.6.0				
__lows2bfloat162	11.0									
__lows2half2					__lows2half2	1.6.0				
__mul24					__mul24	1.6.0				
__mul64hi					__mul64hi	1.6.0				
__mulhi					__mulhi	1.6.0				
__nv_cvt_bfloat16raw2_to_fp8x2	11.8									
__nv_cvt_bfloat16raw_to_fp8	11.8									
__nv_cvt_double2_to_fp8x2	11.8									
__nv_cvt_double_to_fp8	11.8									
__nv_cvt_float2_to_fp8x2	11.8									
__nv_cvt_float_to_fp8	11.8									
__nv_cvt_fp8_to_halfraw	11.8									
__nv_cvt_fp8x2_to_halfraw2	11.8									
__nv_cvt_halfraw2_to_fp8x2	11.8									
__nv_cvt_halfraw_to_fp8	11.8									
__pm0										
__pm1										
__pm2										
__pm3										
__popc					__popc	1.6.0				
__popc11					__popc11	1.6.0				
__powf					__powf	1.6.0				
__prof_trigger										
__rhadd					__rhadd	1.6.0				
__sad					__sad	1.6.0				
__saturatef					__saturatef	1.6.0				
__shfl	7.5	9.0			__shfl	1.6.0				
__shfl_down	7.5	9.0			__shfl_down	1.6.0				
__shfl_down_sync										
__shfl_sync										
__shfl_up	7.5	9.0			__shfl_up	1.6.0				
__shfl_up_sync										
__shfl_xor	7.5	9.0			__shfl_xor	1.6.0				
__shfl_xor_sync										
__short2bfloat16_rd	11.0									
__short2bfloat16_rn	11.0									
__short2bfloat16_ru	11.0									
__short2bfloat16_rz	11.0									
__short2half_rd					__short2half_rd	1.6.0				
__short2half_rn					__short2half_rn	1.6.0				
__short2half_ru					__short2half_ru	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__short2half_rz					__short2half_rz	1.6.0				
__short_as_bfloat16	11.0									
__short_as_half					__short_as_half	1.9.0				
__signbit										
__signbitf										
__signbitl										
__sincosf					__sincosf	1.6.0				
__sinf					__sinf	1.6.0				
__stcg	11.0									
__stcs	11.0									
__stwb	11.0									
__stwt	11.0									
__syncthreads					__syncthreads	1.6.0				
__syncthreads_and					__syncthreads_and	3.7.0				
__syncthreads_count					__syncthreads_count	3.7.0				
__syncthreads_or					__syncthreads_or	3.7.0				
__tanf					__tanf	1.6.0				
__threadfence					__threadfence	1.6.0				
__threadfence_block					__threadfence_block	1.6.0				
__threadfence_system					__threadfence_system	1.6.0				
__trap										
__uhadd					__uhadd	1.6.0				
__uint2bfloat16_rd	11.0									
__uint2bfloat16_rn	11.0									
__uint2bfloat16_ru	11.0									
__uint2bfloat16_rz	11.0									
__uint2double_rn					__uint2double_rn	1.6.0				
__uint2float_rd					__uint2float_rd	1.6.0				
__uint2float_rn					__uint2float_rn	1.6.0				
__uint2float_ru					__uint2float_ru	1.6.0				
__uint2float_rz					__uint2float_rz	1.6.0				
__uint2half_rd					__uint2half_rd	1.6.0				
__uint2half_rn					__uint2half_rn	1.6.0				
__uint2half_ru					__uint2half_ru	1.6.0				
__uint2half_rz					__uint2half_rz	1.6.0				
__uint_as_float					__uint_as_float	1.6.0				
__ull2bfloat16_rd	11.0									
__ull2bfloat16_rn	11.0									
__ull2bfloat16_ru	11.0									
__ull2bfloat16_rz	11.0									
__ull2double_rd					__ull2double_rd	1.6.0				
__ull2double_rn					__ull2double_rn	1.6.0				
__ull2double_ru					__ull2double_ru	1.6.0				
__ull2double_rz					__ull2double_rz	1.6.0				
__ull2float_rd					__ull2float_rd	1.6.0				
__ull2float_rn					__ull2float_rn	1.6.0				
__ull2float_ru					__ull2float_ru	1.6.0				
__ull2float_rz					__ull2float_rz	1.6.0				
__ull2half_rd					__ull2half_rd	1.6.0				
__ull2half_rn					__ull2half_rn	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__ull2half_ru					__ull2half_ru	1.6.0				
__ull2half_rz					__ull2half_rz	1.6.0				
__umul24					__umul24	1.6.0				
__umul64hi					__umul64hi	1.6.0				
__umulhi					__umulhi	1.6.0				
__urhadd					__urhadd	1.6.0				
__usad					__usad	1.6.0				
__ushort2bfloat16_rd	11.0									
__ushort2bfloat16_rn	11.0									
__ushort2bfloat16_ru	11.0									
__ushort2bfloat16_rz	11.0									
__ushort2half_rd					__ushort2half_rd	1.6.0				
__ushort2half_rn					__ushort2half_rn	1.6.0				
__ushort2half_ru					__ushort2half_ru	1.6.0				
__ushort2half_rz					__ushort2half_rz	1.6.0				
__ushort_as_bfloat16	11.0									
__ushort_as_half					__ushort_as_half	1.6.0				
__vabs2										
__vabs4										
__vabsdiffs2										
__vabsdiffs4										
__vabsdiffu2										
__vabsdiffu4										
__vabsss2										
__vabsss4										
__vadd2										
__vadd4										
__vaddss2										
__vaddss4										
__vaddus2										
__vaddus4										
__vavgs2										
__vavgs4										
__vavgu2										
__vavgu4										
__vcmpaq2										
__vcmpaq4										
__vcmpges2										
__vcmpges4										
__vcmpgeu2										
__vcmpgeu4										
__vcmpgts2										
__vcmpgts4										
__vcmpgtu2										
__vcmpgtu4										
__vcmples2										
__vcmples4										
__vcmpleu4										
__vcmplts2										
__vcmplts4										

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
__vcmpltu2										
__vcmpltu4										
__vcmpne2										
__vcmpne4										
__vhaddu2										
__vhaddu4										
__vmaxs2										
__vmaxs4										
__vmaxu2										
__vmaxu4										
__vmins2										
__vmins4										
__vminu2										
__vminu4										
__vneg2										
__vneg4										
__vnegss2										
__vnegss4										
__vsads2										
__vsads4										
__vsadu2										
__vsadu4										
__vseteq2										
__vseteq4										
__vsetges2										
__vsetges4										
__vsetgeu2										
__vsetgeu4										
__vsetgts2										
__vsetgts4										
__vsetgtu4										
__vsetles2										
__vsetles4										
__vsetleu2										
__vsetleu4										
__vsetlts2										
__vsetlts4										
__vsetltu2										
__vsetltu4										
__vsetne2										
__vsetne4										
__vsub2										
__vsub4										
__vsubss2										
__vsubss4										
__vsubus2										
__vsubus4										
_fdsign										
_ldsign										
abs					abs				1.6.0	

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
acos					acos	1.6.0				
acosf					acosf	1.6.0				
acosh					acosh	1.6.0				
acoshf					acoshf	1.6.0				
asin					asin	1.6.0				
asinf					asinf	1.6.0				
asinh					asinh	1.6.0				
asinhf					asinhf	1.6.0				
atan					atan	1.6.0				
atan2					atan2	1.6.0				
atan2f					atan2f	1.6.0				
atanf					atanf	1.6.0				
atanh					atanh	1.6.0				
atanhf					atanhf	1.6.0				
atomicAdd					atomicAdd	1.6.0				
atomicAdd_system					atomicAdd_system	4.3.0				
atomicAnd					atomicAnd	1.6.0				
atomicAnd_system					atomicAnd_system	4.3.0				
atomicCAS					atomicCAS	1.6.0				
atomicCAS_system					atomicCAS_system	4.3.0				
atomicDec					atomicDec	1.6.0				
atomicExch					atomicExch	1.6.0				
atomicExch_system					atomicExch_system	4.3.0				
atomicInc					atomicInc	1.6.0				
atomicMax					atomicMax	1.6.0				
atomicMax_system					atomicMax_system	4.3.0				
atomicMin					atomicMin	1.6.0				
atomicMin_system					atomicMin_system	4.3.0				
atomicOr					atomicOr	1.6.0				
atomicOr_system					atomicOr_system	4.3.0				
atomicSub					atomicSub	1.6.0				
atomicSub_system					atomicSub_system	4.3.0				
atomicXor					atomicXor	1.6.0				
atomicXor_system					atomicXor_system	4.3.0				
cbrt					cbrt	1.6.0				
cbrtf					cbrtf	1.6.0				
ceil					ceil	1.6.0				
ceilf					ceilf	1.6.0				
clock					clock	1.6.0				
clock64					clock64	1.6.0				
copysign					copysign	1.6.0				
copysignf					copysignf	1.6.0				
cos					cos	1.6.0				
cosf					cosf	1.6.0				
cosh					cosh	1.6.0				
coshf					coshf	1.6.0				
cospi					cospi	1.6.0				
cospif					cospif	1.6.0				
cyl_bessel_i0					cyl_bessel_i0	1.9.0				
cyl_bessel_i0f					cyl_bessel_i0f	1.9.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cyl_bessel_i1					cyl_bessel_i1	1.9.0				
cyl_bessel_i1f					cyl_bessel_i1f	1.9.0				
erf					erf	1.6.0				
erfc					erfc	1.6.0				
erfcf					erfcf	1.6.0				
erfcinv					erfcinv	1.6.0				
erfcinvf					erfcinvf	1.6.0				
erfcx					erfcx	1.6.0				
erfcxf					erfcxf	1.6.0				
erff					erff	1.6.0				
erfinv					erfinv	1.6.0				
erfinvf					erfinvf	1.6.0				
exp					exp	1.6.0				
exp10					exp10	1.6.0				
exp10f					exp10f	1.6.0				
exp2					exp2	1.6.0				
exp2f					exp2f	1.6.0				
expf					expf	1.6.0				
expm1					expm1	1.6.0				
expm1f					expm1f	1.6.0				
fabs					fabs	1.6.0				
fabsf					fabsf	1.6.0				
fdim					fdim	1.6.0				
fdimf					fdimf	1.6.0				
fdivide										
fdivodef					fdivodef	1.6.0				
float2int										
float_as_int										
float_as_uint										
floor					floor	1.6.0				
floorf					floorf	1.6.0				
fma					fma	1.6.0				
fmaf					fmaf	1.6.0				
fmax					fmax	1.6.0				
fmaxf					fmaxf	1.6.0				
fmin					fmin	1.6.0				
fminf					fminf	1.6.0				
fmod					fmod	1.6.0				
fmodf					fmodf	1.6.0				
frexp					frexp	1.6.0				
frexpf					frexpf	1.6.0				
h2ceil					h2ceil	1.6.0				
h2cos					h2cos	1.6.0				
h2exp					h2exp	1.6.0				
h2exp10					h2exp10	1.6.0				
h2exp2					h2exp2	1.6.0				
h2floor					h2floor	1.6.0				
h2log					h2log	1.6.0				
h2log10					h2log10	1.6.0				
h2log2					h2log2	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
h2rcp					h2rcp	1.6.0				
h2rint					h2rint	1.9.0				
h2rsqrt					h2rsqrt	1.6.0				
h2sin					h2sin	1.6.0				
h2sqrt					h2sqrt	1.6.0				
h2trunc					h2trunc	1.6.0				
hceil					hceil	1.6.0				
hcos					hcos	1.6.0				
hexp					hexp	1.6.0				
hexp10					hexp10	1.6.0				
hexp2					hexp2	1.6.0				
hfloor					hfloor	1.6.0				
hlog					hlog	1.6.0				
hlog10					hlog10	1.6.0				
hlog2					hlog2	1.6.0				
hrcp					hrcp	1.9.0				
hrint					hrint	1.6.0				
hrsqrt					hrsqrt	1.6.0				
hsin					hsin	1.6.0				
hsqrt					hsqrt	1.6.0				
htrunc					htrunc	1.6.0				
hypot					hypot	1.6.0				
hypotf					hypotf	1.6.0				
ilogb					ilogb	1.6.0				
ilogbf					ilogbf	1.6.0				
int2float										
int_as_float										
isfinite					isfinite	1.6.0				
isinf					isinf	1.6.0				
isnan					isnan	1.6.0				
j0					j0	1.6.0				
j0f					j0f	1.6.0				
j1					j1	1.6.0				
j1f					j1f	1.6.0				
jn					jn	1.6.0				
jnf					jnf	1.6.0				
labs					labs	1.9.0				
ldexp					ldexp	1.6.0				
ldexpf					ldexpf	1.6.0				
lgamma					lgamma	1.6.0				
lgammaf					lgammaf	1.6.0				
llabs					llabs	1.9.0				
llmax										
llmin										
llrint					llrint	1.6.0				
llrintf					llrintf	1.6.0				
llround					llround	1.6.0				
llroundf					llroundf	1.6.0				
log					log	1.6.0				
log10					log10	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
log10f					log10f	1.6.0				
log1p					log1p	1.6.0				
log1pf					log1pf	1.6.0				
log2					log2	1.6.0				
log2f					log2f	1.6.0				
logb					logb	1.6.0				
logbf					logbf	1.6.0				
logf					logf	1.6.0				
lrint					lrint	1.6.0				
lrintf					lrintf	1.6.0				
lround					lround	1.6.0				
lroundf					lroundf	1.6.0				
make_bfloat162	12.2									
make_half2	12.2									
max					max	1.6.0				
min					min	1.6.0				
modf					modf	1.9.0				
modff					modff	1.9.0				
mul24										
mul64hi										
mulhi										
nan					nan	1.6.0				
nanf					nanf	1.6.0				
nearbyint					nearbyint	1.6.0				
nearbyintf					nearbyintf	1.6.0				
nextafter					nextafter	1.6.0				
nextafterf					nextafterf	1.9.0				
norm					norm	1.6.0				
norm3d					norm3d	1.6.0				
norm3df					norm3df	1.6.0				
norm4d					norm4d	1.6.0				
norm4df					norm4df	1.6.0				
normcdf					normcdf	1.6.0				
normcdf					normcdf	1.6.0				
normcdfinv					normcdfinv	1.6.0				
normcdfinvf					normcdfinvf	1.6.0				
normf					normf	1.6.0				
pow					pow	1.6.0				
powf					powf	1.6.0				
rcbrt					rcbrt	1.6.0				
rcbrtf					rcbrtf	1.6.0				
remainder					remainder	1.6.0				
remainderf					remainderf	1.6.0				
remquo					remquo	1.9.0				
remquof					remquof	1.6.0				
rhypot					rhypot	1.6.0				
rhypotf					rhypotf	1.6.0				
rint					rint	1.6.0				
rintf					rintf	1.6.0				
rnorm					rnorm	1.6.0				

continues on next page

Table 3.9 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
rnorm3d					rnorm3d	1.6.0				
rnorm3df					rnorm3df	1.6.0				
rnorm4d					rnorm4d	1.6.0				
rnorm4df					rnorm4df	1.6.0				
rnormf					rnormf	1.6.0				
round					round	1.6.0				
roundf					roundf	1.6.0				
rsqrt					rsqrt	1.6.0				
rsqrtf					rsqrtf	1.6.0				
saturate										
scalbln					scalbln	1.6.0				
scalblnf					scalblnf	1.6.0				
scalbn					scalbn	1.6.0				
scalbnf					scalbnf	1.6.0				
signbit					signbit	1.6.0				
sin					sin	1.6.0				
sincos					sincos	1.6.0				
sincosf					sincosf	1.6.0				
sincospi					sincospi	1.6.0				
sincospif					sincospif	1.6.0				
sinf					sinf	1.6.0				
sinh					sinh	1.6.0				
sinhf					sinhf	1.6.0				
sinpi					sinpi	1.6.0				
sinpif					sinpif	1.6.0				
sqrt					sqrt	1.6.0				
sqrtf					sqrtf	1.6.0				
tan					tan	1.6.0				
tanf					tanf	1.6.0				
tanh					tanh	1.6.0				
tanhf					tanhf	1.6.0				
tgamma					tgamma	1.6.0				
tgammaf					tgammaf	1.6.0				
trunc					trunc	1.6.0				
truncf					truncf	1.6.0				
uint2float										
uint_as_float										
ullmax										
ullmin										
umax										
umin										
umul24										
y0					y0	1.6.0				
y0f					y0f	1.6.0				
y1					y1	1.6.0				
y1f					y1f	1.6.0				
yn					yn	1.6.0				
ynf					ynf	1.6.0				

3.4.2 2. Device Types

CUDA	A	D	C	R	HIP	A	D	C	R	E
__NV_E4M3	11.8									
__NV_E5M2	11.8									
__NV_NOSAT	11.8									
__NV_SATFINITE	11.8									
__half					__half	1.6.0				
__half2					__half2	1.6.0				
__half2_raw					__half2_raw	1.9.0				
__half_raw					__half_raw	1.9.0				
__nv_bfloat16	11.0				hip_bfloat16	3.5.0				
__nv_bfloat162	11.0									
__nv_bfloat162_raw	11.0									
__nv_bfloat16_raw	11.0									
__nv_fp8_e4m3	11.8									
__nv_fp8_e5m2	11.8									
__nv_fp8_interpretation_t	11.8									
__nv_fp8_storage_t	11.8									
__nv_fp8x2_e4m3	11.8									
__nv_fp8x2_e5m2	11.8									
__nv_fp8x2_storage_t	11.8									
__nv_fp8x4_e4m3	11.8									
__nv_fp8x4_e5m2	11.8									
__nv_fp8x4_storage_t	11.8									
__nv_saturation_t	11.8									
nv_bfloat162	11.0									

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.5 CUDA RTC API supported by HIP

3.5.1 1. RTC Data types

CUDA	A	D	C	R	HIP	A	D	C	R	E
NVRTC_ERROR_BUILTIN_OPERATION					HIPRTC_ERROR_BUILTIN_OPERATION	2.6.0				
NVRTC_ERROR_COMPILATION					HIPRTC_ERROR_COMPILATION	2.6.0				
NVRTC_ERROR_INTERNAL_ERROR	8.0				HIPRTC_ERROR_INTERNAL_ERROR	2.6.0				
NVRTC_ERROR_INVALID_INPUT					HIPRTC_ERROR_INVALID_INPUT	2.6.0				
NVRTC_ERROR_INVALID_OPTION					HIPRTC_ERROR_INVALID_OPTION	2.6.0				
NVRTC_ERROR_INVALID_PROGRAM					HIPRTC_ERROR_INVALID_PROGRAM	2.6.0				
NVRTC_ERROR_NAME_EXPRESSION	8.0				HIPRTC_ERROR_NAME_EXPRESSION	2.6.0				
NVRTC_ERROR_NO_LOWERED_NAME	8.0				HIPRTC_ERROR_NO_LOWERED_NAME	2.6.0				ON
NVRTC_ERROR_NO_NAME_EXPRESSION	8.0				HIPRTC_ERROR_NO_NAME_EXPRESSION	2.6.0				ATION
NVRTC_ERROR_OUT_OF_MEMORY					HIPRTC_ERROR_OUT_OF_MEMORY	2.6.0				
NVRTC_ERROR_PROGRAM_CREATION					HIPRTC_ERROR_PROGRAM_CREATION	2.6.0				
NVRTC_ERROR_TIME_FILE_WRITE	12.1									
NVRTC_SUCCESS					HIPRTC_SUCCESS	2.6.0				
nVRTCProgram					hiprtcProgram	2.6.0				
nVRTCResult					hiprtcResult	2.6.0				

3.5.2 2. RTC API functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
nvrtcAddNameExpression	8.0				hiprtcAddNameExpression	2.6.0				
nvrtcCompileProgram			8.0		hiprtcCompileProgram	2.6.0				
nvrtcCreateProgram			8.0		hiprtcCreateProgram	2.6.0				
nvrtcDestroyProgram					hiprtcDestroyProgram	2.6.0				
nvrtcGetCUBIN	11.1				hiprtcGetBitcode	5.3.0				
nvrtcGetCUBINSize	11.1				hiprtcGetBitcodeSize	5.3.0				
nvrtcGetErrorString					hiprtcGetErrorString	2.6.0				
nvrtcGetLTOIR	12.0									
nvrtcGetLTOIRSize	12.0									
nvrtcGetLoweredName	8.0				hiprtcGetLoweredName	2.6.0				
nvrtcGetNVVM	11.4	12.0								
nvrtcGetNVVMSize	11.4	12.0								
nvrtcGetNumSupportedArchs	11.2									
nvrtcGetOptiXIR	12.0									
nvrtcGetOptiXIRSize	12.0									
nvrtcGetPTX					hiprtcGetCode	2.6.0				
nvrtcGetPTXSize					hiprtcGetCodeSize	2.6.0				
nvrtcGetProgramLog					hiprtcGetProgramLog	2.6.0				
nvrtcGetProgramLogSize					hiprtcGetProgramLogSize	2.6.0				
nvrtcGetSupportedArchs	11.2									
nvrtcVersion					hiprtcVersion	2.6.0				

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.6 CUBLAS API supported by HIP

3.6.1 1. CUBLAS Data types

CUDA	A	D	C	R	HIP
CUBLAS_ATOMICS_ALLOWED					HIPBLAS_ATOMICS_ALLOWED
CUBLAS_ATOMICS_NOT_ALLOWED					HIPBLAS_ATOMICS_NOT_ALLOWED
CUBLAS_COMPUTE_16F	11.0				HIPBLAS_COMPUTE_16F
CUBLAS_COMPUTE_16F_PEDANTIC	11.0				HIPBLAS_COMPUTE_16F_PEDANTIC
CUBLAS_COMPUTE_32F	11.0				HIPBLAS_COMPUTE_32F
CUBLAS_COMPUTE_32F_FAST_16BF	11.0				HIPBLAS_COMPUTE_32F_FAST_16BF
CUBLAS_COMPUTE_32F_FAST_16F	11.0				HIPBLAS_COMPUTE_32F_FAST_16F
CUBLAS_COMPUTE_32F_FAST_TF32	11.0				HIPBLAS_COMPUTE_32F_FAST_TF32
CUBLAS_COMPUTE_32F_PEDANTIC	11.0				HIPBLAS_COMPUTE_32F_PEDANTIC
CUBLAS_COMPUTE_32I	11.0				HIPBLAS_COMPUTE_32I
CUBLAS_COMPUTE_32I_PEDANTIC	11.0				HIPBLAS_COMPUTE_32I_PEDANTIC
CUBLAS_COMPUTE_64F	11.0				HIPBLAS_COMPUTE_64F
CUBLAS_COMPUTE_64F_PEDANTIC	11.0				HIPBLAS_COMPUTE_64F_PEDANTIC
CUBLAS_DEFAULT_MATH	9.0				HIPBLAS_DEFAULT_MATH
CUBLAS_DIAG_NON_UNIT					HIPBLAS_DIAG_NON_UNIT
CUBLAS_DIAG_UNIT					HIPBLAS_DIAG_UNIT
CUBLAS_FILL_MODE_FULL	10.1				HIPBLAS_FILL_MODE_FULL
CUBLAS_FILL_MODE_LOWER					HIPBLAS_FILL_MODE_LOWER
CUBLAS_FILL_MODE_UPPER					HIPBLAS_FILL_MODE_UPPER
CUBLAS_GEMM_ALGO0	8.0				
CUBLAS_GEMM_ALGO0_TENSOR_OP	9.0				
CUBLAS_GEMM_ALGO1	8.0				
CUBLAS_GEMM_ALGO10	9.0				
CUBLAS_GEMM_ALGO10_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO11	9.0				
CUBLAS_GEMM_ALGO11_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO12	9.0				
CUBLAS_GEMM_ALGO12_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO13	9.0				
CUBLAS_GEMM_ALGO13_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO14	9.0				
CUBLAS_GEMM_ALGO14_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO15	9.0				
CUBLAS_GEMM_ALGO15_TENSOR_OP	9.2				
CUBLAS_GEMM_ALGO16	9.0				
CUBLAS_GEMM_ALGO17	9.0				
CUBLAS_GEMM_ALGO18	9.2				
CUBLAS_GEMM_ALGO19	9.2				
CUBLAS_GEMM_ALGO1_TENSOR_OP	9.0				
CUBLAS_GEMM_ALGO2	8.0				
CUBLAS_GEMM_ALGO20	9.2				
CUBLAS_GEMM_ALGO21	9.2				
CUBLAS_GEMM_ALGO22	9.2				
CUBLAS_GEMM_ALGO23	9.2				
CUBLAS_GEMM_ALGO2_TENSOR_OP	9.0				
CUBLAS_GEMM_ALGO3	8.0				

Table 3.10 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLAS_GEMM_ALG03_TENSOR_OP	9.0				
CUBLAS_GEMM_ALG04	8.0				
CUBLAS_GEMM_ALG04_TENSOR_OP	9.0				
CUBLAS_GEMM_ALG05	8.0				
CUBLAS_GEMM_ALG05_TENSOR_OP	9.2				
CUBLAS_GEMM_ALG06	8.0				
CUBLAS_GEMM_ALG06_TENSOR_OP	9.2				
CUBLAS_GEMM_ALG07	8.0				
CUBLAS_GEMM_ALG07_TENSOR_OP	9.2				
CUBLAS_GEMM_ALG08	9.0				
CUBLAS_GEMM_ALG08_TENSOR_OP	9.2				
CUBLAS_GEMM_ALG09	9.0				
CUBLAS_GEMM_ALG09_TENSOR_OP	9.2				
CUBLAS_GEMM_DEFAULT	9.0				HIPBLAS_GEMM_DEFAULT
CUBLAS_GEMM_DEFAULT_TENSOR_OP	9.0				
CUBLAS_GEMM_DFALT	8.0				HIPBLAS_GEMM_DEFAULT
CUBLAS_GEMM_DFALT_TENSOR_OP	9.0				
CUBLAS_MATH_DISALLOW_REDUCED_PRECISION_REDUCTION	11.0				HIPBLAS_MATH_DISALLOW_REDUCED_PRECISION_REDUCTION
CUBLAS_OP_C					HIPBLAS_OP_C
CUBLAS_OP_CONJG	10.1				
CUBLAS_OP_HERMITAN	10.1				HIPBLAS_OP_C
CUBLAS_OP_N					HIPBLAS_OP_N
CUBLAS_OP_T					HIPBLAS_OP_T
CUBLAS_PEDANTIC_MATH	11.0				HIPBLAS_PEDANTIC_MATH
CUBLAS_POINTER_MODE_DEVICE					HIPBLAS_POINTER_MODE_DEVICE
CUBLAS_POINTER_MODE_HOST					HIPBLAS_POINTER_MODE_HOST
CUBLAS_SIDE_LEFT					HIPBLAS_SIDE_LEFT
CUBLAS_SIDE_RIGHT					HIPBLAS_SIDE_RIGHT
CUBLAS_STATUS_ALLOC_FAILED					HIPBLAS_STATUS_ALLOC_FAILED
CUBLAS_STATUS_ARCH_MISMATCH					HIPBLAS_STATUS_ARCH_MISMATCH
CUBLAS_STATUS_EXECUTION_FAILED					HIPBLAS_STATUS_EXECUTION_FAILED
CUBLAS_STATUS_INTERNAL_ERROR					HIPBLAS_STATUS_INTERNAL_ERROR
CUBLAS_STATUS_INVALID_VALUE					HIPBLAS_STATUS_INVALID_VALUE
CUBLAS_STATUS_LICENSE_ERROR					HIPBLAS_STATUS_UNKNOWN
CUBLAS_STATUS_MAPPING_ERROR					HIPBLAS_STATUS_MAPPING_ERROR
CUBLAS_STATUS_NOT_INITIALIZED					HIPBLAS_STATUS_NOT_INITIALIZED
CUBLAS_STATUS_NOT_SUPPORTED					HIPBLAS_STATUS_NOT_SUPPORTED
CUBLAS_STATUS_SUCCESS					HIPBLAS_STATUS_SUCCESS
CUBLAS_TENSOR_OP_MATH	9.0	11.0			HIPBLAS_TENSOR_OP_MATH
CUBLAS_TF32_TENSOR_OP_MATH	11.0				HIPBLAS_TF32_TENSOR_OP_MATH
cusolverAtomicMode_t					hipblasAtomicMode_t
cusolverComputeType_t	11.0				hipblasComputeType_t
cusolverContext					
cusolverDiagType_t					hipblasDiagType_t
cusolverFillMode_t					hipblasFillMode_t
cusolverGemmAlgo_t	8.0				hipblasGemmAlgo_t
cusolverHandle_t					hipblasHandle_t
cusolverMath_t	9.0				hipblasMath_t
cusolverOperation_t					hipblasOperation_t
cusolverPointerMode_t					hipblasPointerMode_t

Table 3.10 – continued from previous page

CUDA	A	D	C	R	HIP
cublasSideMode_t					hipblasSideMode_t
cublasStatus					hipblasStatus_t
cublasStatus_t					hipblasStatus_t

3.6.2 2. CUDA Library Data types

CUDA	A	D	C	R	HIP	A	D	C	R	E
CUDA_C_16BF					HIP_C_16BF	5.7.0				
CUDA_C_16F	8.0				HIP_C_16F	5.7.0				
CUDA_C_16I	11.0									
CUDA_C_16U	11.0									
CUDA_C_32F	8.0				HIP_C_32F	5.7.0				
CUDA_C_32I	8.0				HIP_C_32I	5.7.0				
CUDA_C_32U	8.0				HIP_C_32U	5.7.0				
CUDA_C_4I	11.0									
CUDA_C_4U	11.0									
CUDA_C_64F	8.0				HIP_C_64F	5.7.0				
CUDA_C_64I	11.0									
CUDA_C_64U	11.0									
CUDA_C_8I	8.0				HIP_C_8I	5.7.0				
CUDA_C_8U	8.0				HIP_C_8U	5.7.0				
CUDA_R_16BF					HIP_R_16BF	5.7.0				
CUDA_R_16F	8.0				HIP_R_16F	5.7.0				
CUDA_R_16I	11.0									
CUDA_R_16U	11.0									
CUDA_R_32F	8.0				HIP_R_32F	5.7.0				
CUDA_R_32I	8.0				HIP_R_32I	5.7.0				
CUDA_R_32U	8.0				HIP_R_32U	5.7.0				
CUDA_R_4I	11.0									
CUDA_R_4U	11.0									
CUDA_R_64F	8.0				HIP_R_64F	5.7.0				
CUDA_R_64I	11.0									
CUDA_R_64U	11.0									
CUDA_R_8F_E4M3	11.8									
CUDA_R_8F_E5M2	11.8									
CUDA_R_8I	8.0				HIP_R_8I	5.7.0				
CUDA_R_8U	8.0				HIP_R_8U	5.7.0				
cublasDataType_t	7.5				hipDataType	5.7.0				
cudaDataType	8.0				hipDataType	5.7.0				
cudaDataType_t	8.0				hipDataType	5.7.0				

3.6.3 3. CUBLASLt Data types

CUDA	A	D	C	R	HIP
CUBLASLT_ALGO_CAP_ATOMIC_SYNC	12.2				
CUBLASLT_ALGO_CAP_CTA_SWIZZLING_SUPPORT	10.1				
CUBLASLT_ALGO_CAP_CUSTOM_MEMORY_ORDER	10.1				
CUBLASLT_ALGO_CAP_CUSTOM_OPTION_MAX	10.1				
CUBLASLT_ALGO_CAP_EPILOGUE_MASK	10.1				
CUBLASLT_ALGO_CAP_LD_NEGATIVE	11.0				
CUBLASLT_ALGO_CAP_MIN_ALIGNMENT_A_BYTES	11.0				
CUBLASLT_ALGO_CAP_MIN_ALIGNMENT_B_BYTES	11.0				
CUBLASLT_ALGO_CAP_MIN_ALIGNMENT_C_BYTES	11.0				
CUBLASLT_ALGO_CAP_MIN_ALIGNMENT_D_BYTES	11.0				
CUBLASLT_ALGO_CAP_NUMERICAL_IMPL_FLAGS	11.0				
CUBLASLT_ALGO_CAP_OUT_OF_PLACE_RESULT_SUPPORT	10.1				
CUBLASLT_ALGO_CAP_POINTER_MODE_MASK	10.1				
CUBLASLT_ALGO_CAP_REDUCTION_SCHEME_MASK	10.1				
CUBLASLT_ALGO_CAP_SPLITK_SUPPORT	10.1				
CUBLASLT_ALGO_CAP_STAGES_IDS	11.0				
CUBLASLT_ALGO_CAP_STRIDED_BATCH_SUPPORT	10.1				
CUBLASLT_ALGO_CAP_TILE_IDS	10.1				
CUBLASLT_ALGO_CAP_UPLO_SUPPORT	10.1				
CUBLASLT_ALGO_CONFIG_CLUSTER_SHAPE_ID	11.8				
CUBLASLT_ALGO_CONFIG_CTA_SWIZZLING	10.1				
CUBLASLT_ALGO_CONFIG_CUSTOM_OPTION	10.1				
CUBLASLT_ALGO_CONFIG_ID	10.1				
CUBLASLT_ALGO_CONFIG_INNER_SHAPE_ID	11.8				
CUBLASLT_ALGO_CONFIG_REDUCTION_SCHEME	10.1				
CUBLASLT_ALGO_CONFIG_SPLITK_NUM	10.1				
CUBLASLT_ALGO_CONFIG_STAGES_ID	11.0				
CUBLASLT_ALGO_CONFIG_TILE_ID	10.1				
CUBLASLT_CLUSTER_SHAPE_10x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_11x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_12x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_13x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_14x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_15x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_16x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x10x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x11x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x12x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x13x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x14x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x15x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x16x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x3x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x4x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x5x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x6x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x7x1	11.8				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLASLT_CLUSTER_SHAPE_1x8x1	11.8				
CUBLASLT_CLUSTER_SHAPE_1x9x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x3x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x4x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x5x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x6x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x7x1	11.8				
CUBLASLT_CLUSTER_SHAPE_2x8x1	11.8				
CUBLASLT_CLUSTER_SHAPE_3x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_3x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_3x3x1	11.8				
CUBLASLT_CLUSTER_SHAPE_3x4x1	11.8				
CUBLASLT_CLUSTER_SHAPE_3x5x1	11.8				
CUBLASLT_CLUSTER_SHAPE_4x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_4x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_4x3x1	11.8				
CUBLASLT_CLUSTER_SHAPE_4x4x1	11.8				
CUBLASLT_CLUSTER_SHAPE_5x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_5x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_5x3x1	11.8				
CUBLASLT_CLUSTER_SHAPE_6x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_6x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_7x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_7x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_8x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_8x2x1	11.8				
CUBLASLT_CLUSTER_SHAPE_9x1x1	11.8				
CUBLASLT_CLUSTER_SHAPE_AUTO	11.8				
CUBLASLT_CLUSTER_SHAPE_END	11.8				
CUBLASLT_EPILOGUE_BGRADA	11.4				HIPBLASLT_EPILOGUE_BGRADA
CUBLASLT_EPILOGUE_BGRADB	11.4				HIPBLASLT_EPILOGUE_BGRADB
CUBLASLT_EPILOGUE_BIAS	10.1				HIPBLASLT_EPILOGUE_BIAS
CUBLASLT_EPILOGUE_DEFAULT	10.1				HIPBLASLT_EPILOGUE_DEFAULT
CUBLASLT_EPILOGUE_DGELU	11.6				HIPBLASLT_EPILOGUE_DGELU
CUBLASLT_EPILOGUE_DGELU_BGRAD	11.3				HIPBLASLT_EPILOGUE_DGELU_BGRAD
CUBLASLT_EPILOGUE_DRELU	11.6				
CUBLASLT_EPILOGUE_DRELU_BGRAD	11.3				
CUBLASLT_EPILOGUE_GELU	11.3				HIPBLASLT_EPILOGUE_GELU
CUBLASLT_EPILOGUE_GELU_AUX	11.3				HIPBLASLT_EPILOGUE_GELU_AUX
CUBLASLT_EPILOGUE_GELU_AUX_BIAS	11.3				HIPBLASLT_EPILOGUE_GELU_AUX_BIAS
CUBLASLT_EPILOGUE_GELU_BIAS	11.3				HIPBLASLT_EPILOGUE_GELU_BIAS
CUBLASLT_EPILOGUE_RELU	10.1				HIPBLASLT_EPILOGUE_RELU
CUBLASLT_EPILOGUE_RELU_AUX	11.3				
CUBLASLT_EPILOGUE_RELU_AUX_BIAS	11.3				
CUBLASLT_EPILOGUE_RELU_BIAS	10.1				HIPBLASLT_EPILOGUE_RELU_BIAS
CUBLASLT_MATMUL_DESC_ALPHA_VECTOR_BATCH_STRIDE	11.4				
CUBLASLT_MATMUL_DESC_AMAX_D_POINTER	11.8				HIPBLASLT_MATMUL_DESC_AMAX_D_POINTER
CUBLASLT_MATMUL_DESC_ATOMIC_SYNC_IN_COUNTERS_POINTER	12.2				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLASLT_MATMUL_DESC_ATOMIC_SYNC_NUM_CHUNKS_D_COLS	12.2				
CUBLASLT_MATMUL_DESC_ATOMIC_SYNC_NUM_CHUNKS_D_ROWS	12.2				
CUBLASLT_MATMUL_DESC_ATOMIC_SYNC_OUT_COUNTERS_POINTER	12.2				
CUBLASLT_MATMUL_DESC_A_SCALE_POINTER	11.8				HIPBLASLT_MATMUL_DESC_A_S
CUBLASLT_MATMUL_DESC_BIAS_BATCH_STRIDE	11.3				
CUBLASLT_MATMUL_DESC_BIAS_DATA_TYPE	11.8				HIPBLASLT_MATMUL_DESC_BIA
CUBLASLT_MATMUL_DESC_BIAS_POINTER	10.1				HIPBLASLT_MATMUL_DESC_BIA
CUBLASLT_MATMUL_DESC_B_SCALE_POINTER	11.8				HIPBLASLT_MATMUL_DESC_B_S
CUBLASLT_MATMUL_DESC_COMPUTE_TYPE	10.1				
CUBLASLT_MATMUL_DESC_C_SCALE_POINTER	11.8				HIPBLASLT_MATMUL_DESC_C_S
CUBLASLT_MATMUL_DESC_D_SCALE_POINTER	11.8				HIPBLASLT_MATMUL_DESC_D_S
CUBLASLT_MATMUL_DESC_EPILOGUE	10.1				HIPBLASLT_MATMUL_DESC_EPI
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_AMAX_POINTER	11.8				
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_BATCH_STRIDE	11.3				HIPBLASLT_MATMUL_DESC_EPI
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_DATA_TYPE	11.8				
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_LD	11.3				HIPBLASLT_MATMUL_DESC_EPI
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_POINTER	11.3				HIPBLASLT_MATMUL_DESC_EPI
CUBLASLT_MATMUL_DESC_EPILOGUE_AUX_SCALE_POINTER	11.8				HIPBLASLT_MATMUL_DESC_EPI
CUBLASLT_MATMUL_DESC_FAST_ACCUM	11.8				
CUBLASLT_MATMUL_DESC_FILL_MODE	10.1				
CUBLASLT_MATMUL_DESC_POINTER_MODE	10.1				HIPBLASLT_MATMUL_DESC_POI
CUBLASLT_MATMUL_DESC_SCALE_TYPE	10.1				
CUBLASLT_MATMUL_DESC_SM_COUNT_TARGET	11.5				
CUBLASLT_MATMUL_DESC_TRANSA	10.1				HIPBLASLT_MATMUL_DESC_TRA
CUBLASLT_MATMUL_DESC_TRANSB	10.1				HIPBLASLT_MATMUL_DESC_TRA
CUBLASLT_MATMUL_DESC_TRANSC	10.1				
CUBLASLT_MATMUL_INNER_SHAPE_END	11.8				
CUBLASLT_MATMUL_INNER_SHAPE_MMA16816	11.8				
CUBLASLT_MATMUL_INNER_SHAPE_MMA1684	11.8				
CUBLASLT_MATMUL_INNER_SHAPE_MMA1688	11.8				
CUBLASLT_MATMUL_INNER_SHAPE_MMA884	11.8				
CUBLASLT_MATMUL_INNER_SHAPE_UNDEFINED	11.8				
CUBLASLT_MATMUL_PREF_IMPL_MASK	11.0				
CUBLASLT_MATMUL_PREF_MAX WAVES_COUNT	10.1				
CUBLASLT_MATMUL_PREF_MAX_WORKSPACE_BYTES	10.1				HIPBLASLT_MATMUL_PREF_MAX
CUBLASLT_MATMUL_PREF_MIN_ALIGNMENT_A_BYTES	10.1				
CUBLASLT_MATMUL_PREF_MIN_ALIGNMENT_B_BYTES	10.1				
CUBLASLT_MATMUL_PREF_MIN_ALIGNMENT_C_BYTES	10.1				
CUBLASLT_MATMUL_PREF_MIN_ALIGNMENT_D_BYTES	10.1				
CUBLASLT_MATMUL_PREF_REDUCTION_SCHEME_MASK	10.1				
CUBLASLT_MATMUL_PREF_SEARCH_MODE	10.1				HIPBLASLT_MATMUL_PREF_SEA
CUBLASLT_MATMUL_STAGES_128x1	11.0				
CUBLASLT_MATMUL_STAGES_128x2	11.0				
CUBLASLT_MATMUL_STAGES_128x3	11.0				
CUBLASLT_MATMUL_STAGES_128x4	11.0				
CUBLASLT_MATMUL_STAGES_128x5	11.0				
CUBLASLT_MATMUL_STAGES_128x6	11.0				
CUBLASLT_MATMUL_STAGES_128xAUTO	11.8				
CUBLASLT_MATMUL_STAGES_16x1	11.0				
CUBLASLT_MATMUL_STAGES_16x10	11.0				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLASLT_MATMUL_STAGES_16x2	11.0				
CUBLASLT_MATMUL_STAGES_16x3	11.0				
CUBLASLT_MATMUL_STAGES_16x4	11.0				
CUBLASLT_MATMUL_STAGES_16x5	11.0				
CUBLASLT_MATMUL_STAGES_16x6	11.0				
CUBLASLT_MATMUL_STAGES_16xAUTO	11.8				
CUBLASLT_MATMUL_STAGES_32x1	11.0				
CUBLASLT_MATMUL_STAGES_32x10	11.0				
CUBLASLT_MATMUL_STAGES_32x2	11.0				
CUBLASLT_MATMUL_STAGES_32x3	11.0				
CUBLASLT_MATMUL_STAGES_32x4	11.0				
CUBLASLT_MATMUL_STAGES_32x5	11.0				
CUBLASLT_MATMUL_STAGES_32x6	11.0				
CUBLASLT_MATMUL_STAGES_32xAUTO	11.8				
CUBLASLT_MATMUL_STAGES_64x1	11.0				
CUBLASLT_MATMUL_STAGES_64x2	11.0				
CUBLASLT_MATMUL_STAGES_64x3	11.0				
CUBLASLT_MATMUL_STAGES_64x4	11.0				
CUBLASLT_MATMUL_STAGES_64x5	11.0				
CUBLASLT_MATMUL_STAGES_64x6	11.0				
CUBLASLT_MATMUL_STAGES_64xAUTO	11.8				
CUBLASLT_MATMUL_STAGES_8x3	11.8				
CUBLASLT_MATMUL_STAGES_8x4	11.0				
CUBLASLT_MATMUL_STAGES_8x5	11.2				
CUBLASLT_MATMUL_STAGES_8xAUTO	11.8				
CUBLASLT_MATMUL_STAGES_END	11.0				
CUBLASLT_MATMUL_STAGES_UNDEFINED	11.0				
CUBLASLT_MATMUL_TILE_128x128	10.1				
CUBLASLT_MATMUL_TILE_128x160	11.3				
CUBLASLT_MATMUL_TILE_128x192	11.8				
CUBLASLT_MATMUL_TILE_128x256	10.1				
CUBLASLT_MATMUL_TILE_128x32	10.1				
CUBLASLT_MATMUL_TILE_128x64	10.1				
CUBLASLT_MATMUL_TILE_128x96	11.8				
CUBLASLT_MATMUL_TILE_160x128	11.3				
CUBLASLT_MATMUL_TILE_16x16	10.1				
CUBLASLT_MATMUL_TILE_16x32	10.1				
CUBLASLT_MATMUL_TILE_16x8	10.1				
CUBLASLT_MATMUL_TILE_192x128	11.3				
CUBLASLT_MATMUL_TILE_256x128	10.1				
CUBLASLT_MATMUL_TILE_256x32	12.1				
CUBLASLT_MATMUL_TILE_256x64	10.1				
CUBLASLT_MATMUL_TILE_32x128	10.1				
CUBLASLT_MATMUL_TILE_32x16	10.1				
CUBLASLT_MATMUL_TILE_32x256	12.1				
CUBLASLT_MATMUL_TILE_32x32	10.1				
CUBLASLT_MATMUL_TILE_32x64	10.1				
CUBLASLT_MATMUL_TILE_32x8	10.1				
CUBLASLT_MATMUL_TILE_512x64	10.1				
CUBLASLT_MATMUL_TILE_64x128	10.1				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLASLT_MATMUL_TILE_64x256	10.1				
CUBLASLT_MATMUL_TILE_64x32	10.1				
CUBLASLT_MATMUL_TILE_64x512	10.1				
CUBLASLT_MATMUL_TILE_64x64	10.1				
CUBLASLT_MATMUL_TILE_64x8	10.1				
CUBLASLT_MATMUL_TILE_64x96	11.3				
CUBLASLT_MATMUL_TILE_8x16	10.1				
CUBLASLT_MATMUL_TILE_8x32	10.1				
CUBLASLT_MATMUL_TILE_8x64	10.1				
CUBLASLT_MATMUL_TILE_8x8	10.1				
CUBLASLT_MATMUL_TILE_96x128	11.3				
CUBLASLT_MATMUL_TILE_96x64	11.3				
CUBLASLT_MATMUL_TILE_END	10.1				
CUBLASLT_MATMUL_TILE_UNDEFINED	10.1				
CUBLASLT_MATRIX_LAYOUT_BATCH_COUNT	10.1				HIPBLASLT_MATRIX_LAYOUT_BATCH_COUNT
CUBLASLT_MATRIX_LAYOUT_COLS	10.1				HIPBLASLT_MATRIX_LAYOUT_COLS
CUBLASLT_MATRIX_LAYOUT_LD	10.1				HIPBLASLT_MATRIX_LAYOUT_LD
CUBLASLT_MATRIX_LAYOUT_ORDER	10.1				HIPBLASLT_MATRIX_LAYOUT_ORDER
CUBLASLT_MATRIX_LAYOUT_PLANE_OFFSET	10.1				
CUBLASLT_MATRIX_LAYOUT_ROWS	10.1				HIPBLASLT_MATRIX_LAYOUT_ROWS
CUBLASLT_MATRIX_LAYOUT_STRIDED_BATCH_OFFSET	10.1				HIPBLASLT_MATRIX_LAYOUT_STRIDED_BATCH_OFFSET
CUBLASLT_MATRIX_LAYOUT_TYPE	10.1				HIPBLASLT_MATRIX_LAYOUT_TYPE
CUBLASLT_MATRIX_TRANSFORM_DESC_POINTER_MODE	10.1				HIPBLASLT_MATRIX_TRANSFORM_DESC_POINTER_MODE
CUBLASLT_MATRIX_TRANSFORM_DESC_SCALE_TYPE	10.1				HIPBLASLT_MATRIX_TRANSFORM_DESC_SCALE_TYPE
CUBLASLT_MATRIX_TRANSFORM_DESC_TRANSA	10.1				HIPBLASLT_MATRIX_TRANSFORM_DESC_TRANSA
CUBLASLT_MATRIX_TRANSFORM_DESC_TRANSB	10.1				HIPBLASLT_MATRIX_TRANSFORM_DESC_TRANSB
CUBLASLT_NUMERICAL_IMPL_FLAGS_ACCUMULATOR_16F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_ACCUMULATOR_32F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_ACCUMULATOR_32I	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_ACCUMULATOR_64F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_ACCUMULATOR_TYPE_MASK	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_DMMA	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_FMA	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_GAUSSIAN	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_HMMA	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_IMMA	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_16BF	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_16F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_32F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_64F	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_8F_E4M3	11.8				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_8F_E5M2	11.8				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_8I	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_INPUT_TF32	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_OP_INPUT_TYPE_MASK	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_OP_TYPE_MASK	11.0				
CUBLASLT_NUMERICAL_IMPL_FLAGS_TENSOR_OP_MASK	11.0				
CUBLASLT_ORDER_COL	10.1				HIPBLASLT_ORDER_COL
CUBLASLT_ORDER_COL32	10.1				
CUBLASLT_ORDER_COL32_2R_4R4	11.0				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
CUBLASLT_ORDER_COL4_4R2_8C	10.1				
CUBLASLT_ORDER_ROW	10.1				HIPBLASLT_ORDER_ROW
CUBLASLT_POINTER_MODE_ALPHA_DEVICE_VECTOR_BETA_HOST	11.4				HIPBLASLT_POINTER_MODE_ALPHA_DEVICE_VECTOR_BETA_HOST
CUBLASLT_POINTER_MODE_ALPHA_DEVICE_VECTOR_BETA_ZERO	10.1				
CUBLASLT_POINTER_MODE_DEVICE					HIPBLASLT_POINTER_MODE_DEVICE
CUBLASLT_POINTER_MODE_DEVICE_VECTOR	10.1				
CUBLASLT_POINTER_MODE_HOST	10.1				HIPBLASLT_POINTER_MODE_HOST
CUBLASLT_POINTER_MODE_MASK_ALPHA_DEVICE_VECTOR_BETA_HOST	11.4				
CUBLASLT_POINTER_MODE_MASK_ALPHA_DEVICE_VECTOR_BETA_ZERO	10.1				
CUBLASLT_POINTER_MODE_MASK_DEVICE	10.1				
CUBLASLT_POINTER_MODE_MASK_DEVICE_VECTOR	10.1				
CUBLASLT_POINTER_MODE_MASK_HOST	10.1				
CUBLASLT_REDUCTION_SCHEME_COMPUTE_TYPE	10.1				
CUBLASLT_REDUCTION_SCHEME_INPLACE	10.1				
CUBLASLT_REDUCTION_SCHEME_MASK	10.1				
CUBLASLT_REDUCTION_SCHEME_NONE	10.1				
CUBLASLT_REDUCTION_SCHEME_OUTPUT_TYPE	10.1				
CUBLASLT_SEARCH_BEST_FIT	10.1				
CUBLASLT_SEARCH_LIMITED_BY_ALGO_ID	10.1				
CUBLASLT_SEARCH_RESERVED_02	11.0				
CUBLASLT_SEARCH_RESERVED_03	11.0				
CUBLASLT_SEARCH_RESERVED_04	11.0				
CUBLASLT_SEARCH_RESERVED_05	11.0				
cublasLtClusterShape_t	11.8				
cublasLtContext	10.1				
cublasLtEpilogue_t	10.1				hipblasLtEpilogue_t
cublasLtHandle_t	10.1				hipblasLtHandle_t
cublasLtLoggerCallback_t	11.0				
cublasLtMatmulAlgoCapAttributes_t	10.1				
cublasLtMatmulAlgoConfigAttributes_t	10.1				
cublasLtMatmulAlgo_t	10.1				hipblasLtMatmulAlgo_t
cublasLtMatmulDescAttributes_t	10.1				hipblasLtMatmulDescAttributes_t
cublasLtMatmulDescOpaque_t	11.0				hipblasLtMatmulDescOpaque_t
cublasLtMatmulDesc_t	10.1				hipblasLtMatmulDesc_t
cublasLtMatmulHeuristicResult_t	10.1				hipblasLtMatmulHeuristicResult_t
cublasLtMatmulInnerShape_t	11.8				
cublasLtMatmulPreferenceAttributes_t	10.1				hipblasLtMatmulPreferenceAttributes_t
cublasLtMatmulPreferenceOpaque_t	11.0				hipblasLtMatmulPreferenceOpaque_t
cublasLtMatmulPreference_t	10.1				hipblasLtMatmulPreference_t
cublasLtMatmulSearch_t	10.1				
cublasLtMatmulStages_t	11.0				
cublasLtMatmulTile_t	10.1				
cublasLtMatrixLayoutAttribute_t	10.1				hipblasLtMatrixLayoutAttribute_t
cublasLtMatrixLayoutOpaque_t	11.0				hipblasLtMatrixLayoutOpaque_t
cublasLtMatrixLayoutStruct	10.1			10.2	hipblasLtMatrixLayoutStruct
cublasLtMatrixLayout_t	10.1				hipblasLtMatrixLayout_t
cublasLtMatrixTransformDescAttributes_t	10.1				hipblasLtMatrixTransformDescAttributes_t
cublasLtMatrixTransformDescOpaque_t	11.0				hipblasLtMatrixTransformDescOpaque_t
cublasLtMatrixTransformDesc_t	10.1				hipblasLtMatrixTransformDesc_t
cublasLtNumericalImplFlags_t	11.0				

Table 3.12 – continued from previous page

CUDA	A	D	C	R	HIP
cublasLtOrder_t	10.1				hipblasLtOrder_t
cublasLtPointerModeMask_t	10.1				
cublasLtPointerMode_t	10.1				hipblasLtPointerMode_t
cublasLtReductionScheme_t	10.1				

3.6.4 4. CUBLAS Helper Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasAlloc										
cublasCreate					hipblasCreate	1.8.2				
cublasCreate_v2					hipblasCreate	1.8.2				
cublasDestroy					hipblasDestroy	1.8.2				
cublasDestroy_v2					hipblasDestroy	1.8.2				
cublasFree										
cublasGetAtomicsMode					hipblasGetAtomicsMode	3.10.0				
cublasGetCudartVersion	10.1									
cublasGetError										
cublasGetLoggerCallback	9.2									
cublasGetMathMode	9.0				hipblasGetMathMode	6.1.0				
cublasGetMatrix					hipblasGetMatrix	1.8.2				
cublasGetMatrixAsync					hipblasGetMatrixAsync	3.7.0				
cublasGetMatrixAsync_64	12.0									
cublasGetMatrix_64	12.0									
cublasGetPointerMode					hipblasGetPointerMode	1.8.2				
cublasGetPointerMode_v2					hipblasGetPointerMode	1.8.2				
cublasGetProperty										
cublasGetSmCountTarget	11.3									
cublasGetStatusName	11.4									
cublasGetStatusString	11.4									
cublasGetStream					hipblasGetStream	1.8.2				
cublasGetStream_v2					hipblasGetStream	1.8.2				
cublasGetVector					hipblasGetVector	1.8.2				
cublasGetVectorAsync					hipblasGetVectorAsync	3.7.0				
cublasGetVectorAsync_64	12.0									
cublasGetVector_64	12.0									
cublasGetVersion										
cublasGetVersion_v2										
cublasInit										
cublasLogCallback	9.2									
cublasLoggerConfigure	9.2									
cublasMigrateComputeType	11.0									
cublasSetAtomicsMode					hipblasSetAtomicsMode	3.10.0				
cublasSetKernelStream										
cublasSetLoggerCallback	9.2									
cublasSetMathMode	9.0				hipblasSetMathMode	6.1.0				
cublasSetMatrix					hipblasSetMatrix	1.8.2				
cublasSetMatrixAsync					hipblasSetMatrixAsync	3.7.0				
cublasSetMatrixAsync_64	12.0									

continues on next page

Table 3.13 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasSetMatrix_64	12.0									
cublasSetPointerMode					hipblasSetPointerMode	1.8.2				
cublasSetPointerMode_v2					hipblasSetPointerMode	1.8.2				
cublasSetSmCountTarget	11.3									
cublasSetStream					hipblasSetStream	1.8.2				
cublasSetStream_v2					hipblasSetStream	1.8.2				
cublasSetVector					hipblasSetVector	1.8.2				
cublasSetVectorAsync					hipblasSetVectorAsync	3.7.0				
cublasSetVectorAsync_64	12.0									
cublasSetVector_64	12.0									
cublasShutdown										
cublasXerbla										

3.6.5 5. CUBLAS Level-1 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasCaxpy					hipblasCaxpy_v2	6.0.0				
cublasCaxpy_64	12.0				hipblasCaxpy_v2_64	6.1.0				
cublasCaxpy_v2					hipblasCaxpy_v2	6.0.0				
cublasCaxpy_v2_64	12.0				hipblasCaxpy_v2_64	6.1.0				
cublasCcopy					hipblasCcopy_v2	6.0.0				
cublasCcopy_64	12.0				hipblasCcopy_v2_64	6.1.0				
cublasCcopy_v2					hipblasCcopy_v2	6.0.0				
cublasCcopy_v2_64	12.0				hipblasCcopy_v2_64	6.1.0				
cublasCdotc					hipblasCdotc_v2	6.0.0				
cublasCdotc_64	12.0				hipblasCdotc_v2_64	6.1.0				
cublasCdotc_v2					hipblasCdotc_v2	6.0.0				
cublasCdotc_v2_64	12.0				hipblasCdotc_v2_64	6.1.0				
cublasCdotu					hipblasCdotu_v2	6.0.0				
cublasCdotu_64	12.0				hipblasCdotu_v2_64	6.1.0				
cublasCdotu_v2					hipblasCdotu_v2	6.0.0				
cublasCdotu_v2_64	12.0				hipblasCdotu_v2_64	6.1.0				
cublasCrot					hipblasCrot_v2	6.0.0				
cublasCrot_64	12.0				hipblasCrot_v2_64	6.1.0				
cublasCrot_v2					hipblasCrot_v2	6.0.0				
cublasCrot_v2_64	12.0				hipblasCrot_v2_64	6.1.0				
cublasCrotg					hipblasCrotg_v2	6.0.0				
cublasCrotg_v2					hipblasCrotg_v2	6.0.0				
cublasCscal					hipblasCscal_v2	6.0.0				
cublasCscal_64	12.0				hipblasCscal_v2_64	6.1.0				
cublasCscal_v2					hipblasCscal_v2	6.0.0				
cublasCscal_v2_64	12.0				hipblasCscal_v2_64	6.1.0				
cublasCsrot					hipblasCsrot_v2	6.0.0				
cublasCsrot_64	12.0				hipblasCsrot_v2_64	6.1.0				
cublasCsrot_v2					hipblasCsrot_v2	6.0.0				
cublasCsrot_v2_64	12.0				hipblasCsrot_v2_64	6.1.0				
cublasCsscal					hipblasCsscal_v2	6.0.0				
cublasCsscal_64	12.0				hipblasCsscal_v2_64	6.1.0				

continues on next page

Table 3.14 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasCsscal_v2					hipblasCsscal_v2	6.0.0				
cublasCsscal_v2_64	12.0				hipblasCsscal_v2_64	6.1.0				
cublasCswap					hipblasCswap_v2	6.0.0				
cublasCswap_64	12.0				hipblasCswap_v2_64	6.1.0				
cublasCswap_v2					hipblasCswap_v2	6.0.0				
cublasCswap_v2_64	12.0				hipblasCswap_v2_64	6.1.0				
cublasDasum					hipblasDasum	1.8.2				
cublasDasum_64	12.0				hipblasDasum_64	6.1.0				
cublasDasum_v2					hipblasDasum	1.8.2				
cublasDasum_v2_64	12.0				hipblasDasum_64	6.1.0				
cublasDaxpy					hipblasDaxpy	1.8.2				
cublasDaxpy_64	12.0				hipblasDaxpy_64	6.1.0				
cublasDaxpy_v2					hipblasDaxpy	1.8.2				
cublasDaxpy_v2_64	12.0				hipblasDaxpy_64	6.1.0				
cublasDcopy					hipblasDcopy	1.8.2				
cublasDcopy_64	12.0				hipblasDcopy_64	6.1.0				
cublasDcopy_v2					hipblasDcopy	1.8.2				
cublasDcopy_v2_64	12.0				hipblasDcopy_64	6.1.0				
cublasDdot					hipblasDdot	3.0.0				
cublasDdot_64	12.0				hipblasDdot_64	6.1.0				
cublasDdot_v2					hipblasDdot	3.0.0				
cublasDdot_v2_64	12.0				hipblasDdot_64	6.1.0				
cublasDnrm2					hipblasDnrm2	1.8.2				
cublasDnrm2_64	12.0				hipblasDnrm2_64	6.1.0				
cublasDnrm2_v2					hipblasDnrm2	1.8.2				
cublasDnrm2_v2_64	12.0				hipblasDnrm2_64	6.1.0				
cublasDrot					hipblasDrot	3.0.0				
cublasDrot_64	12.0				hipblasDrot_64	6.1.0				
cublasDrot_v2					hipblasDrot	3.0.0				
cublasDrot_v2_64	12.0				hipblasDrot_64	6.1.0				
cublasDrotg					hipblasDrotg	3.0.0				
cublasDrotg_v2					hipblasDrotg	3.0.0				
cublasDrotm					hipblasDrotm	3.0.0				
cublasDrotm_64	12.0				hipblasDrotm_64	6.1.0				
cublasDrotm_v2					hipblasDrotm	3.0.0				
cublasDrotm_v2_64	12.0				hipblasDrotm_64	6.1.0				
cublasDrotmg					hipblasDrotmg	3.0.0				
cublasDrotmg_v2					hipblasDrotmg	3.0.0				
cublasDscal					hipblasDscal	1.8.2				
cublasDscal_64	12.0				hipblasDscal_64	6.1.0				
cublasDscal_v2					hipblasDscal	1.8.2				
cublasDscal_v2_64	12.0				hipblasDscal_64	6.1.0				
cublasDswap					hipblasDswap	3.0.0				
cublasDswap_64	12.0				hipblasDswap_64	6.1.0				
cublasDswap_v2					hipblasDswap	3.0.0				
cublasDswap_v2_64	12.0				hipblasDswap_64	6.1.0				
cublasDzasum					hipblasDzasum_v2	6.0.0				
cublasDzasum_64	12.0				hipblasDzasum_v2_64	6.1.0				
cublasDzasum_v2					hipblasDzasum_v2	6.0.0				
cublasDzasum_v2_64	12.0				hipblasDzasum_v2_64	6.1.0				

continues on next page

Table 3.14 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasDznrnm2					hipblasDznrnm2_v2	6.0.0				
cublasDznrnm2_64	12.0				hipblasDznrnm2_v2_64	6.1.0				
cublasDznrnm2_v2					hipblasDznrnm2_v2	6.0.0				
cublasDznrnm2_v2_64	12.0				hipblasDznrnm2_v2_64	6.1.0				
cublasIcamax					hipblasIcamax_v2	6.0.0				
cublasIcamax_64	12.0				hipblasIcamax_v2_64	6.1.0				
cublasIcamax_v2					hipblasIcamax_v2	6.0.0				
cublasIcamax_v2_64	12.0				hipblasIcamax_v2_64	6.1.0				
cublasIcamin					hipblasIcamin_v2	6.0.0				
cublasIcamin_64	12.0				hipblasIcamin_v2_64	6.1.0				
cublasIcamin_v2					hipblasIcamin_v2	6.0.0				
cublasIcamin_v2_64	12.0				hipblasIcamin_v2_64	6.1.0				
cublasIdamax					hipblasIdamax	1.8.2				
cublasIdamax_64	12.0				hipblasIdamax_64	6.1.0				
cublasIdamax_v2					hipblasIdamax	1.8.2				
cublasIdamax_v2_64	12.0				hipblasIdamax_64	6.1.0				
cublasIdamin					hipblasIdamin	3.0.0				
cublasIdamin_64	12.0				hipblasIdamin_64	6.1.0				
cublasIdamin_v2					hipblasIdamin	3.0.0				
cublasIdamin_v2_64	12.0				hipblasIdamin_64	6.1.0				
cublasIsamax					hipblasIsamax	1.8.2				
cublasIsamax_64	12.0				hipblasIsamax_64	6.1.0				
cublasIsamax_v2					hipblasIsamax	1.8.2				
cublasIsamax_v2_64	12.0				hipblasIsamax_64	6.1.0				
cublasIsamin					hipblasIsamin	3.0.0				
cublasIsamin_64	12.0				hipblasIsamin_64	6.1.0				
cublasIsamin_v2					hipblasIsamin	3.0.0				
cublasIsamin_v2_64	12.0				hipblasIsamin_64	6.1.0				
cublasIzamax					hipblasIzamax_v2	6.0.0				
cublasIzamax_64	12.0				hipblasIzamax_v2_64	6.1.0				
cublasIzamax_v2					hipblasIzamax_v2	6.0.0				
cublasIzamax_v2_64	12.0				hipblasIzamax_v2_64	6.1.0				
cublasIzamin					hipblasIzamin_v2	6.0.0				
cublasIzamin_64	12.0				hipblasIzamin_v2_64	6.1.0				
cublasIzamin_v2					hipblasIzamin_v2	6.0.0				
cublasIzamin_v2_64	12.0				hipblasIzamin_v2_64	6.1.0				
cublasNrm2Ex	8.0				hipblasNrm2Ex_v2	6.0.0				
cublasNrm2Ex_64	12.0				hipblasNrm2Ex_v2_64	6.2.0				6.2.0
cublasSasum					hipblasSasum	1.8.2				
cublasSasum_64	12.0				hipblasSasum_64	6.1.0				
cublasSasum_v2					hipblasSasum	1.8.2				
cublasSasum_v2_64	12.0				hipblasSasum_64	6.1.0				
cublasSaxpy					hipblasSaxpy	1.8.2				
cublasSaxpy_64	12.0				hipblasSaxpy_64	6.1.0				
cublasSaxpy_v2					hipblasSaxpy	1.8.2				
cublasSaxpy_v2_64	12.0				hipblasSaxpy_64	6.1.0				
cublasScasum					hipblasScasum_v2	6.0.0				
cublasScasum_64	12.0				hipblasScasum_v2_64	6.1.0				
cublasScasum_v2					hipblasScasum_v2	6.0.0				
cublasScasum_v2_64	12.0				hipblasScasum_v2_64	6.1.0				

continues on next page

Table 3.14 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasScnrm2					hipblasScnrm2_v2	6.0.0				
cublasScnrm2_64	12.0				hipblasScnrm2_v2_64	6.1.0				
cublasScnrm2_v2					hipblasScnrm2_v2	6.0.0				
cublasScnrm2_v2_64	12.0				hipblasScnrm2_v2_64	6.1.0				
cublasScopy					hipblasScopy	1.8.2				
cublasScopy_64	12.0				hipblasScopy_64	6.1.0				
cublasScopy_v2					hipblasScopy	1.8.2				
cublasScopy_v2_64	12.0				hipblasScopy_64	6.1.0				
cublasSdot					hipblasSdot	3.0.0				
cublasSdot_64	12.0				hipblasSdot_64	6.1.0				
cublasSdot_v2					hipblasSdot	3.0.0				
cublasSdot_v2_64	12.0				hipblasSdot_64	6.1.0				
cublasSnrm2					hipblasSnrm2	1.8.2				
cublasSnrm2_64	12.0				hipblasSnrm2_64	6.1.0				
cublasSnrm2_v2					hipblasSnrm2	1.8.2				
cublasSnrm2_v2_64	12.0				hipblasSnrm2_64	6.1.0				
cublasSrot					hipblasSrot	3.0.0				
cublasSrot_64	12.0				hipblasSrot_64	6.1.0				
cublasSrot_v2					hipblasSrot	3.0.0				
cublasSrot_v2_64	12.0				hipblasSrot_64	6.1.0				
cublasSrotg					hipblasSrotg	3.0.0				
cublasSrotg_v2					hipblasSrotg	3.0.0				
cublasSrotm					hipblasSrotm	3.0.0				
cublasSrotm_64	12.0				hipblasSrotm_64	6.1.0				
cublasSrotm_v2					hipblasSrotm	3.0.0				
cublasSrotm_v2_64	12.0				hipblasSrotm_64	6.1.0				
cublasSrotmg					hipblasSrotmg	3.0.0				
cublasSrotmg_v2					hipblasSrotmg	3.0.0				
cublasSscal					hipblasSscal	1.8.2				
cublasSscal_64	12.0				hipblasSscal_64	6.1.0				
cublasSscal_v2					hipblasSscal	1.8.2				
cublasSscal_v2_64	12.0				hipblasSscal_64	6.1.0				
cublasSswap					hipblasSswap	3.0.0				
cublasSswap_64	12.0				hipblasSswap_64	6.1.0				
cublasSswap_v2					hipblasSswap	3.0.0				
cublasSswap_v2_64	12.0				hipblasSswap_64	6.1.0				
cublasZaxpy					hipblasZaxpy_v2	6.0.0				
cublasZaxpy_64	12.0				hipblasZaxpy_v2_64	6.1.0				
cublasZaxpy_v2					hipblasZaxpy_v2	6.0.0				
cublasZaxpy_v2_64	12.0				hipblasZaxpy_v2_64	6.1.0				
cublasZcopy					hipblasZcopy_v2	6.0.0				
cublasZcopy_64	12.0				hipblasZcopy_v2_64	6.1.0				
cublasZcopy_v2					hipblasZcopy_v2	6.0.0				
cublasZcopy_v2_64	12.0				hipblasZcopy_v2_64	6.1.0				
cublasZdotc					hipblasZdotc_v2	6.0.0				
cublasZdotc_64	12.0				hipblasZdotc_v2_64	6.1.0				
cublasZdotc_v2					hipblasZdotc_v2	6.0.0				
cublasZdotc_v2_64	12.0				hipblasZdotc_v2_64	6.1.0				
cublasZdotu					hipblasZdotu_v2	6.0.0				
cublasZdotu_64	12.0				hipblasZdotu_v2_64	6.1.0				

continues on next page

Table 3.14 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasZdotu_v2					hipblasZdotu_v2	6.0.0				
cublasZdotu_v2_64	12.0				hipblasZdotu_v2_64	6.1.0				
cublasZdrot					hipblasZdrot_v2	6.0.0				
cublasZdrot_64	12.0				hipblasZdrot_v2_64	6.1.0				
cublasZdrot_v2					hipblasZdrot_v2	6.0.0				
cublasZdrot_v2_64	12.0				hipblasZdrot_v2_64	6.1.0				
cublasZdscal					hipblasZdscal_v2	6.0.0				
cublasZdscal_64	12.0				hipblasZdscal_v2_64	6.1.0				
cublasZdscal_v2					hipblasZdscal_v2	6.0.0				
cublasZdscal_v2_64	12.0				hipblasZdscal_v2_64	6.1.0				
cublasZrot					hipblasZrot_v2	6.0.0				
cublasZrot_64	12.0				hipblasZrot_v2_64	6.1.0				
cublasZrot_v2					hipblasZrot_v2	6.0.0				
cublasZrot_v2_64	12.0				hipblasZrot_v2_64	6.1.0				
cublasZrotg					hipblasZrotg_v2	6.0.0				
cublasZrotg_v2					hipblasZrotg_v2	6.0.0				
cublasZscal					hipblasZscal_v2	6.0.0				
cublasZscal_64	12.0				hipblasZscal_v2_64	6.1.0				
cublasZscal_v2					hipblasZscal_v2	6.0.0				
cublasZscal_v2_64	12.0				hipblasZscal_v2_64	6.1.0				
cublasZswap					hipblasZswap_v2	6.0.0				
cublasZswap_64	12.0				hipblasZswap_v2_64	6.1.0				
cublasZswap_v2					hipblasZswap_v2	6.0.0				
cublasZswap_v2_64	12.0				hipblasZswap_v2_64	6.1.0				

3.6.6 6. CUBLAS Level-2 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasCgbmv					hipblasCgbmv_v2	6.0.0				
cublasCgbmv_64	12.0				hipblasCgbmv_v2_64	6.2.0				6.2.0
cublasCgbmv_v2					hipblasCgbmv_v2	6.0.0				
cublasCgbmv_v2_64	12.0				hipblasCgbmv_v2_64	6.2.0				6.2.0
cublasCgemv					hipblasCgemv_v2	6.0.0				
cublasCgemv_64	12.0				hipblasCgemv_v2_64	6.2.0				6.2.0
cublasCgemv_v2					hipblasCgemv_v2	6.0.0				
cublasCgemv_v2_64	12.0				hipblasCgemv_v2_64	6.2.0				6.2.0
cublasCgerc					hipblasCgerc_v2	6.0.0				
cublasCgerc_64	12.0				hipblasCgerc_v2_64	6.2.0				6.2.0
cublasCgerc_v2					hipblasCgerc_v2	6.0.0				
cublasCgerc_v2_64	12.0				hipblasCgerc_v2_64	6.2.0				6.2.0
cublasCgeru					hipblasCgeru_v2	6.0.0				
cublasCgeru_64	12.0				hipblasCgeru_v2_64	6.2.0				6.2.0
cublasCgeru_v2					hipblasCgeru_v2	6.0.0				
cublasCgeru_v2_64	12.0				hipblasCgeru_v2_64	6.2.0				6.2.0
cublasChbmv					hipblasChbmv_v2	6.0.0				
cublasChbmv_64	12.0				hipblasChbmv_v2_64	6.2.0				6.2.0
cublasChbmv_v2					hipblasChbmv_v2	6.0.0				
cublasChbmv_v2_64	12.0				hipblasChbmv_v2_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasChemv					hipblasChemv_v2	6.0.0				
cublasChemv_64	12.0				hipblasChemv_v2_64	6.2.0				6.2.0
cublasChemv_v2					hipblasChemv_v2	6.0.0				
cublasChemv_v2_64	12.0				hipblasChemv_v2_64	6.2.0				6.2.0
cublasCher					hipblasCher_v2	6.0.0				
cublasCher2					hipblasCher2_v2	6.0.0				
cublasCher2_64	12.0				hipblasCher2_v2_64	6.2.0				6.2.0
cublasCher2_v2					hipblasCher2_v2	6.0.0				
cublasCher2_v2_64	12.0				hipblasCher2_v2_64	6.2.0				6.2.0
cublasCher_64	12.0				hipblasCher_v2_64	6.2.0				6.2.0
cublasCher_v2					hipblasCher_v2	6.0.0				
cublasCher_v2_64	12.0				hipblasCher_v2_64	6.2.0				6.2.0
cublasChpmv					hipblasChpmv_v2	6.0.0				
cublasChpmv_64	12.0				hipblasChpmv_v2_64	6.2.0				6.2.0
cublasChpmv_v2					hipblasChpmv_v2	6.0.0				
cublasChpmv_v2_64	12.0				hipblasChpmv_v2_64	6.2.0				6.2.0
cublasChpr					hipblasChpr_v2	6.0.0				
cublasChpr2					hipblasChpr2_v2	6.0.0				
cublasChpr2_64	12.0				hipblasChpr2_v2_64	6.2.0				6.2.0
cublasChpr2_v2					hipblasChpr2_v2	6.0.0				
cublasChpr2_v2_64	12.0				hipblasChpr2_v2_64	6.2.0				6.2.0
cublasChpr_64	12.0				hipblasChpr_v2_64	6.2.0				6.2.0
cublasChpr_v2					hipblasChpr_v2	6.0.0				
cublasChpr_v2_64	12.0				hipblasChpr_v2_64	6.2.0				6.2.0
cublasCsymv					hipblasCsymv_v2	6.0.0				
cublasCsymv_64	12.0				hipblasCsymv_v2_64	6.2.0				6.2.0
cublasCsymv_v2					hipblasCsymv_v2	6.0.0				
cublasCsymv_v2_64	12.0				hipblasCsymv_v2_64	6.2.0				6.2.0
cublasCsyr					hipblasCsyr_v2	6.0.0				
cublasCsyr2					hipblasCsyr2_v2	6.0.0				
cublasCsyr2_64	12.0				hipblasCsyr2_v2_64	6.2.0				6.2.0
cublasCsyr2_v2					hipblasCsyr2_v2	6.0.0				
cublasCsyr2_v2_64	12.0				hipblasCsyr2_v2_64	6.2.0				6.2.0
cublasCsyr_64	12.0				hipblasCsyr_v2_64	6.2.0				6.2.0
cublasCsyr_v2					hipblasCsyr_v2	6.0.0				
cublasCsyr_v2_64	12.0				hipblasCsyr_v2_64	6.2.0				6.2.0
cublasCtbmv					hipblasCtbmv_v2	6.0.0				
cublasCtbmv_64	12.0				hipblasCtbmv_v2_64	6.2.0				6.2.0
cublasCtbmv_v2					hipblasCtbmv_v2	6.0.0				
cublasCtbmv_v2_64	12.0				hipblasCtbmv_v2_64	6.2.0				6.2.0
cublasCtbsv					hipblasCtbsv_v2	6.0.0				
cublasCtbsv_64	12.0				hipblasCtbsv_v2_64	6.2.0				6.2.0
cublasCtbsv_v2					hipblasCtbsv_v2	6.0.0				
cublasCtbsv_v2_64	12.0				hipblasCtbsv_v2_64	6.2.0				6.2.0
cublasCtpmv					hipblasCtpmv_v2	6.0.0				
cublasCtpmv_64	12.0				hipblasCtpmv_v2_64	6.2.0				6.2.0
cublasCtpmv_v2					hipblasCtpmv_v2	6.0.0				
cublasCtpmv_v2_64	12.0				hipblasCtpmv_v2_64	6.2.0				6.2.0
cublasCtpsv					hipblasCtpsv_v2	6.0.0				
cublasCtpsv_64	12.0				hipblasCtpsv_v2_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasCtpsv_v2					hipblasCtpsv_v2	6.0.0				
cublasCtpsv_v2_64	12.0				hipblasCtpsv_v2_64	6.2.0				6.2.0
cublasCtrmv					hipblasCtrmv_v2	6.0.0				
cublasCtrmv_64	12.0				hipblasCtrmv_v2_64	6.2.0				6.2.0
cublasCtrmv_v2					hipblasCtrmv_v2	6.0.0				
cublasCtrmv_v2_64	12.0				hipblasCtrmv_v2_64	6.2.0				6.2.0
cublasCtrsv					hipblasCtrsv_v2	6.0.0				
cublasCtrsv_64	12.0				hipblasCtrsv_v2_64	6.2.0				6.2.0
cublasCtrsv_v2					hipblasCtrsv_v2	6.0.0				
cublasCtrsv_v2_64	12.0				hipblasCtrsv_v2_64	6.2.0				6.2.0
cublasDgbmv					hipblasDgbmv	3.5.0				
cublasDgbmv_64	12.0				hipblasDgbmv_64	6.2.0				6.2.0
cublasDgbmv_v2					hipblasDgbmv	3.5.0				
cublasDgbmv_v2_64	12.0				hipblasDgbmv_64	6.2.0				6.2.0
cublasDgemv					hipblasDgemv	1.8.2				
cublasDgemv_64	12.0				hipblasDgemv_64	6.2.0				6.2.0
cublasDgemv_v2					hipblasDgemv	1.8.2				
cublasDgemv_v2_64	12.0				hipblasDgemv_64	6.2.0				6.2.0
cublasDger					hipblasDger	1.8.2				
cublasDger_64	12.0				hipblasDger_64	6.2.0				6.2.0
cublasDger_v2					hipblasDger	1.8.2				
cublasDger_v2_64	12.0				hipblasDger_64	6.2.0				6.2.0
cublasDsbmv					hipblasDsbmv	3.5.0				
cublasDsbmv_64	12.0				hipblasDsbmv_64	6.2.0				6.2.0
cublasDsbmv_v2					hipblasDsbmv	3.5.0				
cublasDsbmv_v2_64	12.0				hipblasDsbmv_64	6.2.0				6.2.0
cublasDspmv					hipblasDspmv	3.5.0				
cublasDspmv_64	12.0				hipblasDspmv_64	6.2.0				6.2.0
cublasDspmv_v2					hipblasDspmv	3.5.0				
cublasDspmv_v2_64	12.0				hipblasDspmv_64	6.2.0				6.2.0
cublasDspr					hipblasDspr	3.5.0				
cublasDspr2					hipblasDspr2	3.5.0				
cublasDspr2_64	12.0				hipblasDspr2_64	6.2.0				6.2.0
cublasDspr2_v2					hipblasDspr2	3.5.0				
cublasDspr2_v2_64	12.0				hipblasDspr2_64	6.2.0				6.2.0
cublasDspr_64	12.0				hipblasDspr_64	6.2.0				6.2.0
cublasDspr_v2					hipblasDspr	3.5.0				
cublasDspr_v2_64	12.0				hipblasDspr_64	6.2.0				6.2.0
cublasDsymv					hipblasDsymv	3.5.0				
cublasDsymv_64	12.0				hipblasDsymv_64	6.2.0				6.2.0
cublasDsymv_v2					hipblasDsymv	3.5.0				
cublasDsymv_v2_64	12.0				hipblasDsymv_64	6.2.0				6.2.0
cublasDsyr					hipblasDsyr	3.0.0				
cublasDsyr2					hipblasDsyr2	3.5.0				
cublasDsyr2_64	12.0				hipblasDsyr2_64	6.2.0				6.2.0
cublasDsyr2_v2					hipblasDsyr2	3.5.0				
cublasDsyr2_v2_64	12.0				hipblasDsyr2_64	6.2.0				6.2.0
cublasDsyr_64	12.0				hipblasDsyr_64	6.2.0				6.2.0
cublasDsyr_v2					hipblasDsyr	3.0.0				
cublasDsyr_v2_64	12.0				hipblasDsyr_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasDtbmv					hipblasDtbmv	3.5.0				
cublasDtbmv_64	12.0				hipblasDtbmv_64	6.2.0				6.2.0
cublasDtbmv_v2					hipblasDtbmv	3.5.0				
cublasDtbmv_v2_64	12.0				hipblasDtbmv_64	6.2.0				6.2.0
cublasDtbsv					hipblasDtbsv	3.6.0				
cublasDtbsv_64	12.0				hipblasDtbsv_64	6.2.0				6.2.0
cublasDtbsv_v2					hipblasDtbsv	3.6.0				
cublasDtbsv_v2_64	12.0				hipblasDtbsv_64	6.2.0				6.2.0
cublasDtpmv					hipblasDtpmv	3.5.0				
cublasDtpmv_64	12.0				hipblasDtpmv_64	6.2.0				6.2.0
cublasDtpmv_v2					hipblasDtpmv	3.5.0				
cublasDtpmv_v2_64	12.0				hipblasDtpmv_64	6.2.0				6.2.0
cublasDtpsv					hipblasDtpsv	3.5.0				
cublasDtpsv_64	12.0				hipblasDtpsv_64	6.2.0				6.2.0
cublasDtpsv_v2					hipblasDtpsv	3.5.0				
cublasDtpsv_v2_64	12.0				hipblasDtpsv_64	6.2.0				6.2.0
cublasDtrmv					hipblasDtrmv	3.5.0				
cublasDtrmv_64	12.0				hipblasDtrmv_64	6.2.0				6.2.0
cublasDtrmv_v2					hipblasDtrmv	3.5.0				
cublasDtrmv_v2_64	12.0				hipblasDtrmv_64	6.2.0				6.2.0
cublasDtrsv					hipblasDtrsv	3.0.0				
cublasDtrsv_64	12.0				hipblasDtrsv_64	6.2.0				6.2.0
cublasDtrsv_v2					hipblasDtrsv	3.0.0				
cublasDtrsv_v2_64	12.0				hipblasDtrsv_64	6.2.0				6.2.0
cublasSgbmv					hipblasSgbmv	3.5.0				
cublasSgbmv_64	12.0				hipblasSgbmv_64	6.2.0				6.2.0
cublasSgbmv_v2					hipblasSgbmv	3.5.0				
cublasSgbmv_v2_64	12.0				hipblasSgbmv_64	6.2.0				6.2.0
cublasSgemv					hipblasSgemv	1.8.2				
cublasSgemv_64	12.0				hipblasSgemv_64	6.2.0				6.2.0
cublasSgemv_v2					hipblasSgemv	1.8.2				
cublasSgemv_v2_64	12.0				hipblasSgemv_64	6.2.0				6.2.0
cublasSger					hipblasSger	1.8.2				
cublasSger_64	12.0				hipblasSger_64	6.2.0				6.2.0
cublasSger_v2					hipblasSger	1.8.2				
cublasSger_v2_64	12.0				hipblasSger_64	6.2.0				6.2.0
cublasSsbmv					hipblasSsbmv	3.5.0				
cublasSsbmv_64	12.0				hipblasSsbmv_64	6.2.0				6.2.0
cublasSsbmv_v2					hipblasSsbmv	3.5.0				
cublasSsbmv_v2_64	12.0				hipblasSsbmv_64	6.2.0				6.2.0
cublasSspmv					hipblasSspmv	3.5.0				
cublasSspmv_64	12.0				hipblasSspmv_64	6.2.0				6.2.0
cublasSspmv_v2					hipblasSspmv	3.5.0				
cublasSspmv_v2_64	12.0				hipblasSspmv_64	6.2.0				6.2.0
cublasSspr					hipblasSspr	3.5.0				
cublasSspr2					hipblasSspr2	3.5.0				
cublasSspr2_64	12.0				hipblasSspr2_64	6.2.0				6.2.0
cublasSspr2_v2					hipblasSspr2	3.5.0				
cublasSspr2_v2_64	12.0				hipblasSspr2_64	6.2.0				6.2.0
cublasSspr_64	12.0				hipblasSspr_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasSspr_v2					hipblasSspr	3.5.0				
cublasSspr_v2_64	12.0				hipblasSspr_64	6.2.0				6.2.0
cublasSsymv					hipblasSsymv	3.5.0				
cublasSsymv_64	12.0				hipblasSsymv_64	6.2.0				6.2.0
cublasSsymv_v2					hipblasSsymv	3.5.0				
cublasSsymv_v2_64	12.0				hipblasSsymv_64	6.2.0				6.2.0
cublasSsyr					hipblasSsyr	3.0.0				
cublasSsyr2					hipblasSsyr2	3.5.0				
cublasSsyr2_64	12.0				hipblasSsyr2_64	6.2.0				6.2.0
cublasSsyr2_v2					hipblasSsyr2	3.5.0				
cublasSsyr2_v2_64	12.0				hipblasSsyr2_64	6.2.0				6.2.0
cublasSsyr_64	12.0				hipblasSsyr_64	6.2.0				6.2.0
cublasSsyr_v2					hipblasSsyr	3.0.0				
cublasSsyr_v2_64	12.0				hipblasSsyr_64	6.2.0				6.2.0
cublasStbmv					hipblasStbmv	3.5.0				
cublasStbmv_64	12.0				hipblasStbmv_64	6.2.0				6.2.0
cublasStbmv_v2					hipblasStbmv	3.5.0				
cublasStbmv_v2_64	12.0				hipblasStbmv_64	6.2.0				6.2.0
cublasStbsv					hipblasStbsv	3.6.0				
cublasStbsv_64	12.0				hipblasStbsv_64	6.2.0				6.2.0
cublasStbsv_v2					hipblasStbsv	3.6.0				
cublasStbsv_v2_64	12.0				hipblasStbsv_64	6.2.0				6.2.0
cublasStpmv					hipblasStpmv	3.5.0				
cublasStpmv_64	12.0				hipblasStpmv_64	6.2.0				6.2.0
cublasStpmv_v2					hipblasStpmv	3.5.0				
cublasStpmv_v2_64	12.0				hipblasStpmv_64	6.2.0				6.2.0
cublasStpsv					hipblasStpsv	3.5.0				
cublasStpsv_64	12.0				hipblasStpsv_64	6.2.0				6.2.0
cublasStpsv_v2					hipblasStpsv	3.5.0				
cublasStpsv_v2_64	12.0				hipblasStpsv_64	6.2.0				6.2.0
cublasStrmv					hipblasStrmv	3.5.0				
cublasStrmv_64	12.0				hipblasStrmv_64	6.2.0				6.2.0
cublasStrmv_v2					hipblasStrmv	3.5.0				
cublasStrmv_v2_64	12.0				hipblasStrmv_64	6.2.0				6.2.0
cublasStrsv					hipblasStrsv	3.0.0				
cublasStrsv_64	12.0				hipblasStrsv_64	6.2.0				6.2.0
cublasStrsv_v2					hipblasStrsv	3.0.0				
cublasStrsv_v2_64	12.0				hipblasStrsv_64	6.2.0				6.2.0
cublasZgbmv					hipblasZgbmv_v2	6.0.0				
cublasZgbmv_64	12.0				hipblasZgbmv_v2_64	6.2.0				6.2.0
cublasZgbmv_v2					hipblasZgbmv_v2	6.0.0				
cublasZgbmv_v2_64	12.0				hipblasZgbmv_v2_64	6.2.0				6.2.0
cublasZgemv					hipblasZgemv_v2	6.0.0				
cublasZgemv_64	12.0				hipblasZgemv_v2_64	6.2.0				6.2.0
cublasZgemv_v2					hipblasZgemv_v2	6.0.0				
cublasZgemv_v2_64	12.0				hipblasZgemv_v2_64	6.2.0				6.2.0
cublasZgerc					hipblasZgerc_v2	6.0.0				
cublasZgerc_64	12.0				hipblasZgerc_v2_64	6.2.0				6.2.0
cublasZgerc_v2					hipblasZgerc_v2	6.0.0				
cublasZgerc_v2_64	12.0				hipblasZgerc_v2_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasZgeru					hipblasZgeru_v2	6.0.0				
cublasZgeru_64	12.0				hipblasZgeru_v2_64	6.2.0				6.2.0
cublasZgeru_v2					hipblasZgeru_v2	6.0.0				
cublasZgeru_v2_64	12.0				hipblasZgeru_v2_64	6.2.0				6.2.0
cublasZhbmvm					hipblasZhbmvm_v2	6.0.0				
cublasZhbmvm_64	12.0				hipblasZhbmvm_v2_64	6.2.0				6.2.0
cublasZhbmvm_v2					hipblasZhbmvm_v2	6.0.0				
cublasZhbmvm_v2_64	12.0				hipblasZhbmvm_v2_64	6.2.0				6.2.0
cublasZhemv					hipblasZhemv_v2	6.0.0				
cublasZhemv_64	12.0				hipblasZhemv_v2_64	6.2.0				6.2.0
cublasZhemv_v2					hipblasZhemv_v2	6.0.0				
cublasZhemv_v2_64	12.0				hipblasZhemv_v2_64	6.2.0				6.2.0
cublasZher					hipblasZher_v2	6.0.0				
cublasZher2					hipblasZher2_v2	6.0.0				
cublasZher2_64	12.0				hipblasZher2_v2_64	6.2.0				6.2.0
cublasZher2_v2					hipblasZher2_v2	6.0.0				
cublasZher2_v2_64	12.0				hipblasZher2_v2_64	6.2.0				6.2.0
cublasZher_64	12.0				hipblasZher_v2_64	6.2.0				6.2.0
cublasZher_v2					hipblasZher_v2	6.0.0				
cublasZher_v2_64	12.0				hipblasZher_v2_64	6.2.0				6.2.0
cublasZhpmv					hipblasZhpmv_v2	6.0.0				
cublasZhpmv_64	12.0				hipblasZhpmv_v2_64	6.2.0				6.2.0
cublasZhpmv_v2					hipblasZhpmv_v2	6.0.0				
cublasZhpmv_v2_64	12.0				hipblasZhpmv_v2_64	6.2.0				6.2.0
cublasZhpr					hipblasZhpr_v2	6.0.0				
cublasZhpr2					hipblasZhpr2_v2	6.0.0				
cublasZhpr2_64	12.0				hipblasZhpr2_v2_64	6.2.0				6.2.0
cublasZhpr2_v2					hipblasZhpr2_v2	6.0.0				
cublasZhpr2_v2_64	12.0				hipblasZhpr2_v2_64	6.2.0				6.2.0
cublasZhpr_64	12.0				hipblasZhpr_v2_64	6.2.0				6.2.0
cublasZhpr_v2					hipblasZhpr_v2	6.0.0				
cublasZhpr_v2_64	12.0				hipblasZhpr_v2_64	6.2.0				6.2.0
cublasZsymv					hipblasZsymv_v2	6.0.0				
cublasZsymv_64	12.0				hipblasZsymv_v2_64	6.2.0				6.2.0
cublasZsymv_v2					hipblasZsymv_v2	6.0.0				
cublasZsymv_v2_64	12.0				hipblasZsymv_v2_64	6.2.0				6.2.0
cublasZsyr					hipblasZsyr_v2	6.0.0				
cublasZsyr2					hipblasZsyr2_v2	6.0.0				
cublasZsyr2_64	12.0				hipblasZsyr2_v2_64	6.2.0				6.2.0
cublasZsyr2_v2					hipblasZsyr2_v2	6.0.0				
cublasZsyr2_v2_64	12.0				hipblasZsyr2_v2_64	6.2.0				6.2.0
cublasZsyr_64	12.0				hipblasZsyr_v2_64	6.2.0				6.2.0
cublasZsyr_v2					hipblasZsyr_v2	6.0.0				
cublasZsyr_v2_64	12.0				hipblasZsyr_v2_64	6.2.0				6.2.0
cublasZtbmv					hipblasZtbmv_v2	6.0.0				
cublasZtbmv_64	12.0				hipblasZtbmv_v2_64	6.2.0				6.2.0
cublasZtbmv_v2					hipblasZtbmv_v2	6.0.0				
cublasZtbmv_v2_64	12.0				hipblasZtbmv_v2_64	6.2.0				6.2.0
cublasZtbsv					hipblasZtbsv_v2	6.0.0				
cublasZtbsv_64	12.0				hipblasZtbsv_v2_64	6.2.0				6.2.0

continues on next page

Table 3.15 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasZtbsv_v2					hipblasZtbsv_v2	6.0.0				
cublasZtbsv_v2_64	12.0				hipblasZtbsv_v2_64	6.2.0				6.2.0
cublasZtpmv					hipblasZtpmv_v2	6.0.0				
cublasZtpmv_64	12.0				hipblasZtpmv_v2_64	6.2.0				6.2.0
cublasZtpmv_v2					hipblasZtpmv_v2	6.0.0				
cublasZtpmv_v2_64	12.0				hipblasZtpmv_v2_64	6.2.0				6.2.0
cublasZtpsv					hipblasZtpsv_v2	6.0.0				
cublasZtpsv_64	12.0				hipblasZtpsv_v2_64	6.2.0				6.2.0
cublasZtpsv_v2					hipblasZtpsv_v2	6.0.0				
cublasZtpsv_v2_64	12.0				hipblasZtpsv_v2_64	6.2.0				6.2.0
cublasZtrmv					hipblasZtrmv_v2	6.0.0				
cublasZtrmv_64	12.0				hipblasZtrmv_v2_64	6.2.0				6.2.0
cublasZtrmv_v2					hipblasZtrmv_v2	6.0.0				
cublasZtrmv_v2_64	12.0				hipblasZtrmv_v2_64	6.2.0				6.2.0
cublasZtrsv					hipblasZtrsv_v2	6.0.0				
cublasZtrsv_64	12.0				hipblasZtrsv_v2_64	6.2.0				6.2.0
cublasZtrsv_v2					hipblasZtrsv_v2	6.0.0				
cublasZtrsv_v2_64	12.0				hipblasZtrsv_v2_64	6.2.0				6.2.0

3.6.7 7. CUBLAS Level-3 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R
cublasCgemm					hipblasCgemm_v2	6.0.0			
cublasCgemm3m	8.0								
cublasCgemm3mBatched	8.0								
cublasCgemm3mBatched_64	12.0								
cublasCgemm3mEx	8.0								
cublasCgemm3mEx_64	12.0								
cublasCgemm3mStridedBatched	8.0								
cublasCgemm3mStridedBatched_64	12.0								
cublasCgemm3m_64	12.0								
cublasCgemmBatched					hipblasCgemmBatched_v2	6.0.0			
cublasCgemmBatched_64	12.0								
cublasCgemmStridedBatched	8.0				hipblasCgemmStridedBatched_v2	6.0.0			
cublasCgemmStridedBatched_64	12.0								
cublasCgemm_64	12.0								
cublasCgemm_v2					hipblasCgemm_v2	6.0.0			
cublasCgemm_v2_64	12.0								
cublasCgemvBatched	11.6				hipblasCgemvBatched_v2	6.0.0			
cublasCgemvBatched_64	12.0				hipblasCgemvBatched_v2_64	6.2.0			
cublasCgemvStridedBatched	11.6				hipblasCgemvStridedBatched_v2	6.0.0			
cublasCgemvStridedBatched_64	12.0				hipblasCgemvStridedBatched_v2_64	6.2.0			
cublasChemmm					hipblasChemmm_v2	6.0.0			
cublasChemmm_64	12.0								
cublasChemmm_v2					hipblasChemmm_v2	6.0.0			
cublasChemmm_v2_64	12.0								
cublasCher2k					hipblasCher2k_v2	6.0.0			
cublasCher2k_64	12.0								

continues on next

Table 3.16 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cublasCher2k_v2					hipblasCher2k_v2	6.0.0			
cublasCher2k_v2_64	12.0								
cublasCherk					hipblasCherk_v2	6.0.0			
cublasCherk_64	12.0								
cublasCherk_v2					hipblasCherk_v2	6.0.0			
cublasCherk_v2_64	12.0								
cublasCherkx					hipblasCherkx_v2	6.0.0			
cublasCherkx_64	12.0								
cublasCsymm					hipblasCsymm_v2	6.0.0			
cublasCsymm_64	12.0								
cublasCsymm_v2					hipblasCsymm_v2	6.0.0			
cublasCsymm_v2_64	12.0								
cublasCsy2k					hipblasCsy2k_v2	6.0.0			
cublasCsy2k_64	12.0								
cublasCsy2k_v2					hipblasCsy2k_v2	6.0.0			
cublasCsy2k_v2_64	12.0								
cublasCsyrk					hipblasCsyrk_v2	6.0.0			
cublasCsyrk_64	12.0								
cublasCsyrk_v2					hipblasCsyrk_v2	6.0.0			
cublasCsyrk_v2_64	12.0								
cublasCsyrkx					hipblasCsyrkx_v2	6.0.0			
cublasCsyrkx_64	12.0								
cublasCtrmm					hipblasCtrmm_v2	6.0.0			
cublasCtrmm_64	12.0								
cublasCtrmm_v2					hipblasCtrmm_v2	6.0.0			
cublasCtrmm_v2_64	12.0								
cublasCtrsm					hipblasCtrsm_v2	6.0.0			
cublasCtrsm_64	12.0								
cublasCtrsm_v2					hipblasCtrsm_v2	6.0.0			
cublasCtrsm_v2_64	12.0								
cublasDgemm					hipblasDgemm	1.8.2			
cublasDgemmBatched					hipblasDgemmBatched	1.8.2			
cublasDgemmBatched_64	12.0								
cublasDgemmGroupedBatched	12.4								
cublasDgemmGroupedBatched_64	12.4								
cublasDgemmStridedBatched	8.0				hipblasDgemmStridedBatched	1.8.2			
cublasDgemmStridedBatched_64	12.0								
cublasDgemm_64	12.0								
cublasDgemm_v2					hipblasDgemm	1.8.2			
cublasDgemm_v2_64	12.0								
cublasDgemvBatched	11.6				hipblasDgemvBatched	3.0.0			
cublasDgemvBatched_64	12.0				hipblasDgemvBatched_64	6.2.0			
cublasDgemvStridedBatched	11.6				hipblasDgemvStridedBatched	3.0.0			
cublasDgemvStridedBatched_64	12.0				hipblasDgemvStridedBatched_64	6.2.0			
cublasDsymm					hipblasDsymm	3.6.0			
cublasDsymm_64	12.0								
cublasDsymm_v2					hipblasDsymm	3.6.0			
cublasDsymm_v2_64	12.0								
cublasDsyr2k					hipblasDsyr2k	3.5.0			
cublasDsyr2k_64	12.0								

continues on next

Table 3.16 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cublasDsyrr2k_v2					hipblasDsyrr2k	3.5.0			
cublasDsyrr2k_v2_64	12.0								
cublasDsyrrk					hipblasDsyrrk	3.5.0			
cublasDsyrrk_64	12.0								
cublasDsyrrk_v2					hipblasDsyrrk	3.5.0			
cublasDsyrrk_v2_64	12.0								
cublasDsyrrkx					hipblasDsyrrkx	3.5.0			
cublasDsyrrkx_64	12.0								
cublasDtrmm					hipblasDtrmm	3.2.0		6.0.0	
cublasDtrmm_64	12.0								
cublasDtrmm_v2					hipblasDtrmm	3.2.0		6.0.0	
cublasDtrmm_v2_64	12.0								
cublasDtrsm					hipblasDtrsm	1.8.2			
cublasDtrsm_64	12.0								
cublasDtrsm_v2					hipblasDtrsm	1.8.2			
cublasDtrsm_v2_64	12.0								
cublasGemmGroupedBatchedEx	12.5								
cublasGemmGroupedBatchedEx_64	12.5								
cublasHSHgemvBatched	11.6								
cublasHSHgemvBatched_64	12.0								
cublasHSHgemvStridedBatched	11.6								
cublasHSHgemvStridedBatched_64	12.0								
cublasHSSgemvBatched	11.6								
cublasHSSgemvBatched_64	12.0								
cublasHSSgemvStridedBatched	11.6								
cublasHSSgemvStridedBatched_64	12.0								
cublasHgemm	7.5				hipblasHgemm	1.8.2			
cublasHgemmBatched	9.0				hipblasHgemmBatched	3.0.0			
cublasHgemmBatched_64	12.0								
cublasHgemmStridedBatched	8.0				hipblasHgemmStridedBatched	3.0.0			
cublasHgemmStridedBatched_64	12.0								
cublasHgemm_64	12.0								
cublasSgemm					hipblasSgemm	1.8.2			
cublasSgemmBatched					hipblasSgemmBatched	1.8.2			
cublasSgemmBatched_64	12.0								
cublasSgemmGroupedBatched	12.4								
cublasSgemmGroupedBatched_64	12.4								
cublasSgemmStridedBatched	8.0				hipblasSgemmStridedBatched	1.8.2			
cublasSgemmStridedBatched_64	12.0								
cublasSgemm_64	12.0								
cublasSgemm_v2					hipblasSgemm	1.8.2			
cublasSgemm_v2_64	12.0								
cublasSgemvBatched	11.6				hipblasSgemvBatched	1.6.0			
cublasSgemvBatched_64	12.0				hipblasSgemvBatched_64	6.2.0			
cublasSgemvStridedBatched	11.6				hipblasSgemvStridedBatched	3.0.0			
cublasSgemvStridedBatched_64	12.0				hipblasSgemvStridedBatched_64	6.2.0			
cublasSsymm					hipblasSsymm	3.6.0			
cublasSsymm_64	12.0								
cublasSsymm_v2					hipblasSsymm	3.6.0			
cublasSsymm_v2_64	12.0								

continues on next

Table 3.16 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cublasSsy2k					hipblasSsy2k	3.5.0			
cublasSsy2k_64	12.0								
cublasSsy2k_v2					hipblasSsy2k	3.5.0			
cublasSsy2k_v2_64	12.0								
cublasSsyrk					hipblasSsyrk	3.5.0			
cublasSsyrk_64	12.0								
cublasSsyrk_v2					hipblasSsyrk	3.5.0			
cublasSsyrk_v2_64	12.0								
cublasSsyrkx					hipblasSsyrkx	3.5.0			
cublasSsyrkx_64	12.0								
cublasStrmm					hipblasStrmm	3.2.0		6.0.0	
cublasStrmm_64	12.0								
cublasStrmm_v2					hipblasStrmm	3.2.0		6.0.0	
cublasStrmm_v2_64	12.0								
cublasStrsm					hipblasStrsm	1.8.2			
cublasStrsm_64	12.0								
cublasStrsm_v2					hipblasStrsm	1.8.2			
cublasStrsm_v2_64	12.0								
cublasTSSgemvBatched	11.6								
cublasTSSgemvBatched_64	12.0								
cublasTSSgemvStridedBatched	11.6								
cublasTSSgemvStridedBatched_64	12.0								
cublasTSTgemvBatched	11.6								
cublasTSTgemvBatched_64	12.0								
cublasTSTgemvStridedBatched	11.6								
cublasTSTgemvStridedBatched_64	12.0								
cublasZgemm					hipblasZgemm_v2	6.0.0			
cublasZgemm3m	8.0								
cublasZgemm3m_64	12.0								
cublasZgemmBatched					hipblasZgemmBatched_v2	6.0.0			
cublasZgemmBatched_64	12.0								
cublasZgemmStridedBatched	8.0				hipblasZgemmStridedBatched_v2	6.0.0			
cublasZgemmStridedBatched_64	12.0								
cublasZgemm_64	12.0								
cublasZgemm_v2					hipblasZgemm_v2	6.0.0			
cublasZgemm_v2_64	12.0								
cublasZgemvBatched	11.6				hipblasZgemvBatched_v2	6.0.0			
cublasZgemvBatched_64	12.0				hipblasZgemvBatched_v2_64	6.2.0			
cublasZgemvStridedBatched	11.6				hipblasZgemvStridedBatched_v2	6.0.0			
cublasZgemvStridedBatched_64	12.0				hipblasZgemvStridedBatched_v2_64	6.2.0			
cublasZhemm					hipblasZhemm_v2	6.0.0			
cublasZhemm_64	12.0								
cublasZhemm_v2					hipblasZhemm_v2	6.0.0			
cublasZhemm_v2_64	12.0								
cublasZher2k					hipblasZher2k_v2	6.0.0			
cublasZher2k_64	12.0								
cublasZher2k_v2					hipblasZher2k_v2	6.0.0			
cublasZher2k_v2_64	12.0								
cublasZherk					hipblasZherk_v2	6.0.0			
cublasZherk_64	12.0								

continues on next

Table 3.16 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cublasZherk_v2					hipblasZherk_v2	6.0.0			
cublasZherk_v2_64	12.0								
cublasZherkx					hipblasZherkx_v2	6.0.0			
cublasZherkx_64	12.0								
cublasZsymm					hipblasZsymm_v2	6.0.0			
cublasZsymm_64	12.0								
cublasZsymm_v2					hipblasZsymm_v2	6.0.0			
cublasZsymm_v2_64	12.0								
cublasZsyr2k					hipblasZsyr2k_v2	6.0.0			
cublasZsyr2k_64	12.0								
cublasZsyr2k_v2					hipblasZsyr2k_v2	6.0.0			
cublasZsyr2k_v2_64	12.0								
cublasZsyrk					hipblasZsyrk_v2	6.0.0			
cublasZsyrk_64	12.0								
cublasZsyrk_v2					hipblasZsyrk_v2	6.0.0			
cublasZsyrk_v2_64	12.0								
cublasZsyrkx					hipblasZsyrkx_v2	6.0.0			
cublasZsyrkx_64	12.0								
cublasZtrmm					hipblasZtrmm_v2	6.0.0			
cublasZtrmm_64	12.0								
cublasZtrmm_v2					hipblasZtrmm_v2	6.0.0			
cublasZtrmm_v2_64	12.0								
cublasZtrsm					hipblasZtrsm_v2	6.0.0			
cublasZtrsm_64	12.0								
cublasZtrsm_v2					hipblasZtrsm_v2	6.0.0			
cublasZtrsm_v2_64	12.0								

3.6.8 8. BLAS-like Extension

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasAsumEx	10.1									
cublasAsumEx_64	12.0									
cublasAxyEx	8.0				hipblasAxyEx_v2	6.0.0				
cublasAxyEx_64	12.0				hipblasAxyEx_v2_64	6.2.0				6.2.0
cublasCdgmm					hipblasCdgmm_v2	6.0.0				
cublasCdgmm_64	12.0									
cublasCgeam					hipblasCgeam_v2	6.0.0				
cublasCgeam_64	12.0									
cublasCgelsBatched					hipblasCgelsBatched_v2	6.0.0				
cublasCgemmEx	8.0									
cublasCgemmEx_64	12.0									
cublasCgeqrfBatched					hipblasCgeqrfBatched_v2	6.0.0				
cublasCgetrfBatched					hipblasCgetrfBatched_v2	6.0.0				
cublasCgetriBatched					hipblasCgetriBatched_v2	6.0.0				
cublasCgetrsBatched					hipblasCgetrsBatched_v2	6.0.0				
cublasCherk3mEx	8.0									
cublasCherk3mEx_64	12.0									
cublasCherkEx	8.0									

continues on next page

Table 3.17 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasCherkEx_64	12.0									
cublasCmatinvBatched										
cublasCopyEx	10.1									
cublasCopyEx_64	12.0									
cublasCsyk3mEx	8.0									
cublasCsyk3mEx_64	12.0									
cublasCsykEx	8.0									
cublasCsykEx_64	12.0									
cublasCtptr										
cublasCtrsmBatched					hipblasCtrsmBatched_v2	6.0.0				
cublasCtrsmBatched_64	12.0									
cublasCtrttp										
cublasDdgmm					hipblasDdgmm	3.6.0				
cublasDdgmm_64	12.0									
cublasDgeam					hipblasDgeam	1.8.2				
cublasDgeam_64	12.0									
cublasDgelsBatched					hipblasDgelsBatched	5.4.0				
cublasDgeqrfBatched					hipblasDgeqrfBatched	3.5.0				
cublasDgetrfBatched					hipblasDgetrfBatched	3.5.0				
cublasDgetriBatched					hipblasDgetriBatched	3.7.0				
cublasDgetrsBatched					hipblasDgetrsBatched	3.5.0				
cublasDmatinvBatched										
cublasDotEx	8.0				hipblasDotEx_v2	6.0.0				
cublasDotEx_64	12.0				hipblasDotEx_v2_64	6.2.0				6.2.0
cublasDotcEx	8.0				hipblasDotcEx_v2	6.0.0				
cublasDotcEx_64	12.0				hipblasDotcEx_v2_64	6.2.0				6.2.0
cublasDtptr										
cublasDtrsmBatched					hipblasDtrsmBatched	3.2.0				
cublasDtrsmBatched_64	12.0									
cublasDtrttp										
cublasGemmBatchedEx	9.1				hipblasGemmBatchedEx_v2	6.0.0				
cublasGemmBatchedEx_64	12.0									
cublasGemmEx	8.0				hipblasGemmEx_v2	6.0.0				
cublasGemmEx_64	12.0									
cublasGemmStridedBatchedEx	9.1				hipblasGemmStridedBatchedEx_v2	6.0.0				
cublasGemmStridedBatchedEx_64	12.0									
cublasIamaxEx	10.1									
cublasIamaxEx_64	12.0									
cublasIaminEx	10.1									
cublasIaminEx_64	12.0									
cublasRotEx	10.1				hipblasRotEx_v2	6.0.0				
cublasRotEx_64	12.0				hipblasRotEx_v2_64	6.2.0				6.2.0
cublasRotgEx	10.1									
cublasRotmEx	10.1									
cublasRotmEx_64	12.0									
cublasRotmgEx	10.1									
cublasScalEx	8.0				hipblasScalEx_v2	6.0.0				
cublasScalEx_64	12.0				hipblasScalEx_v2_64	6.2.0				6.2.0
cublasSdgmm					hipblasSdgmm	3.6.0				
cublasSdgmm_64	12.0									

continues on next page

Table 3.17 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cublasSgeam					hipblasSgeam	1.8.2				
cublasSgeam_64	12.0									
cublasSgelsBatched					hipblasSgelsBatched	5.4.0				
cublasSgemmEx	7.5									
cublasSgemmEx_64	12.0									
cublasSgeqrfBatched					hipblasSgeqrfBatched	3.5.0				
cublasSgetrfBatched					hipblasSgetrfBatched	3.5.0				
cublasSgetriBatched					hipblasSgetriBatched	3.7.0				
cublasSgetrsBatched					hipblasSgetrsBatched	3.5.0				
cublasSmatinvBatched										
cublasStpttr										
cublasStrsmBatched					hipblasStrsmBatched	3.2.0				
cublasStrsmBatched_64	12.0									
cublasStrttp										
cublasSwapEx	10.1									
cublasSwapEx_64	12.0									
cublasUint8gemmBias	8.0									
cublasZdggmm					hipblasZdggmm_v2	6.0.0				
cublasZdggmm_64	12.0									
cublasZgeam					hipblasZgeam_v2	6.0.0				
cublasZgeam_64	12.0									
cublasZgelsBatched					hipblasZgelsBatched_v2	6.0.0				
cublasZgeqrfBatched					hipblasZgeqrfBatched_v2	6.0.0				
cublasZgetrfBatched					hipblasZgetrfBatched_v2	6.0.0				
cublasZgetriBatched					hipblasZgetriBatched_v2	6.0.0				
cublasZgetrsBatched					hipblasZgetrsBatched_v2	6.0.0				
cublasZmatinvBatched										
cublasZtpttr										
cublasZtrsmBatched					hipblasZtrsmBatched_v2	6.0.0				
cublasZtrsmBatched_64	12.0									
cublasZtrttp										

3.6.9 9. BLASLt Function Reference

CUDA	A	D	C	R	HIP
cublasLtCreate	10.1				hipblasLtCreate
cublasLtDestroy	10.1				hipblasLtDestroy
cublasLtDisableCpuInstructionsSetMask	12.1				
cublasLtGetCudartVersion	10.1				
cublasLtGetProperty	10.1				
cublasLtGetStatusName	11.4				
cublasLtGetStatusString	11.4				
cublasLtGetVersion	10.1				
cublasLtHeuristicsCacheGetCapacity	11.8				
cublasLtHeuristicsCacheSetCapacity	11.8				
cublasLtLoggerForceDisable	11.0				
cublasLtLoggerOpenFile	11.0				
cublasLtLoggerSetCallback	11.0				

Table 3.18 – continued from previous page

CUDA	A	D	C	R	HIP
cublasLtLoggerSetFile	11.0				
cublasLtLoggerSetLevel	11.0				
cublasLtLoggerSetMask	11.0				
cublasLtMatmul	10.1				hipblasLtMatmul
cublasLtMatmulAlgoCapGetAttribute	10.1				
cublasLtMatmulAlgoCheck	10.1				
cublasLtMatmulAlgoConfigGetAttribute	10.1				
cublasLtMatmulAlgoConfigSetAttribute	10.1				
cublasLtMatmulAlgoGetHeuristic	10.1				hipblasLtMatmulAlgoGetHeuristic
cublasLtMatmulAlgoGetIds	10.1				
cublasLtMatmulAlgoInit	10.1				
cublasLtMatmulDescCreate	10.1		11.0		hipblasLtMatmulDescCreate
cublasLtMatmulDescDestroy	10.1				hipblasLtMatmulDescDestroy
cublasLtMatmulDescGetAttribute	10.1				hipblasLtMatmulDescGetAttribute
cublasLtMatmulDescInit	11.0				
cublasLtMatmulDescSetAttribute	10.1				hipblasLtMatmulDescSetAttribute
cublasLtMatmulPreferenceCreate	10.1				hipblasLtMatmulPreferenceCreate
cublasLtMatmulPreferenceDestroy	10.1				hipblasLtMatmulPreferenceDestroy
cublasLtMatmulPreferenceGetAttribute	10.1				hipblasLtMatmulPreferenceGetAttribute
cublasLtMatmulPreferenceInit	11.0				
cublasLtMatmulPreferenceSetAttribute	10.1				hipblasLtMatmulPreferenceSetAttribute
cublasLtMatrixLayoutCreate	10.1				hipblasLtMatrixLayoutCreate
cublasLtMatrixLayoutDestroy	10.1				hipblasLtMatrixLayoutDestroy
cublasLtMatrixLayoutGetAttribute	10.1				hipblasLtMatrixLayoutGetAttribute
cublasLtMatrixLayoutInit	11.0				
cublasLtMatrixLayoutSetAttribute	10.1				hipblasLtMatrixLayoutSetAttribute
cublasLtMatrixTransform	10.1				hipblasLtMatrixTransform
cublasLtMatrixTransformDescCreate	10.1				hipblasLtMatrixTransformDescCreate
cublasLtMatrixTransformDescDestroy	10.1				hipblasLtMatrixTransformDescDestroy
cublasLtMatrixTransformDescGetAttribute	10.1				hipblasLtMatrixTransformDescGetAttribute
cublasLtMatrixTransformDescInit	11.0				
cublasLtMatrixTransformDescSetAttribute	10.1				hipblasLtMatrixTransformDescSetAttribute

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.7 CUSPARSE API supported by HIP

3.7.1 4. CUSPARSE Types References

CUDA	A	D	C	R	HIP
CUSPARSE_ACTION_NUMERIC					HIPSPARSE_ACTION_NUMERIC
CUSPARSE_ACTION_SYMBOLIC					HIPSPARSE_ACTION_SYMBOLIC
CUSPARSE_ALG0	8.0			11.0	
CUSPARSE_ALG1	8.0			11.0	
CUSPARSE_ALG_MERGE_PATH	9.2			12.0	
CUSPARSE_ALG_NAIVE	9.2			11.0	

Table 3.19 – continued from previous page

CUDA	A	D	C	R	HIP
CUSPARSE_COLOR_ALG0	8.0	12.2			
CUSPARSE_COLOR_ALG1	8.0	12.2			
CUSPARSE_COOMM_ALG1	10.1	11.0		12.0	HIPSPARSE_COOMM_ALG1
CUSPARSE_COOMM_ALG2	10.1	11.0		12.0	HIPSPARSE_COOMM_ALG2
CUSPARSE_COOMM_ALG3	10.1	11.0		12.0	HIPSPARSE_COOMM_ALG3
CUSPARSE_COOMV_ALG	10.2	11.2		12.0	HIPSPARSE_COOMV_ALG
CUSPARSE_CSR2CSC_ALG1	10.1				HIPSPARSE_CSR2CSC_ALG1
CUSPARSE_CSR2CSC_ALG2	10.1			12.0	HIPSPARSE_CSR2CSC_ALG2
CUSPARSE_CSR2CSC_ALG_DEFAULT	12.0				HIPSPARSE_CSR2CSC_ALG_DEFAULT
CUSPARSE_CSRMM_ALG1	10.2	11.0		12.0	HIPSPARSE_CSRMM_ALG1
CUSPARSE_CSRMV_ALG1	10.2	11.2		12.0	HIPSPARSE_CSRMV_ALG1
CUSPARSE_CSRMV_ALG2	10.2	11.2		12.0	HIPSPARSE_CSRMV_ALG2
CUSPARSE_DENSETOSPARSE_ALG_DEFAULT	11.1				HIPSPARSE_DENSETOSPARSE_ALG_DEFAULT
CUSPARSE_DIAG_TYPE_NON_UNIT					HIPSPARSE_DIAG_TYPE_NON_UNIT
CUSPARSE_DIAG_TYPE_UNIT					HIPSPARSE_DIAG_TYPE_UNIT
CUSPARSE_DIRECTION_COLUMN					HIPSPARSE_DIRECTION_COLUMN
CUSPARSE_DIRECTION_ROW					HIPSPARSE_DIRECTION_ROW
CUSPARSE_FILL_MODE_LOWER					HIPSPARSE_FILL_MODE_LOWER
CUSPARSE_FILL_MODE_UPPER					HIPSPARSE_FILL_MODE_UPPER
CUSPARSE_FORMAT_BLOCKED_ELL	11.2				HIPSPARSE_FORMAT_BLOCKED_ELL
CUSPARSE_FORMAT_BSR	12.1				
CUSPARSE_FORMAT_COO	10.1				HIPSPARSE_FORMAT_COO
CUSPARSE_FORMAT_COO_AOS	10.2			12.0	HIPSPARSE_FORMAT_COO_AOS
CUSPARSE_FORMAT_CSC	10.1				HIPSPARSE_FORMAT_CSC
CUSPARSE_FORMAT_CSR	10.1				HIPSPARSE_FORMAT_CSR
CUSPARSE_FORMAT_SLICED_ELLPACK	12.1				
CUSPARSE_HYB_PARTITION_AUTO		10.2		11.0	HIPSPARSE_HYB_PARTITION_AUTO
CUSPARSE_HYB_PARTITION_MAX		10.2		11.0	HIPSPARSE_HYB_PARTITION_MAX
CUSPARSE_HYB_PARTITION_USER		10.2		11.0	HIPSPARSE_HYB_PARTITION_USER
CUSPARSE_INDEX_16U	10.1				HIPSPARSE_INDEX_16U
CUSPARSE_INDEX_32I	10.1				HIPSPARSE_INDEX_32I
CUSPARSE_INDEX_64I	10.1				HIPSPARSE_INDEX_64I
CUSPARSE_INDEX_BASE_ONE					HIPSPARSE_INDEX_BASE_ONE
CUSPARSE_INDEX_BASE_ZERO					HIPSPARSE_INDEX_BASE_ZERO
CUSPARSE_MATRIX_TYPE_GENERAL					HIPSPARSE_MATRIX_TYPE_GENERAL
CUSPARSE_MATRIX_TYPE_HERMITIAN					HIPSPARSE_MATRIX_TYPE_HERMITIAN
CUSPARSE_MATRIX_TYPE_SYMMETRIC					HIPSPARSE_MATRIX_TYPE_SYMMETRIC
CUSPARSE_MATRIX_TYPE_TRIANGULAR					HIPSPARSE_MATRIX_TYPE_TRIANGULAR
CUSPARSE_MM_ALG_DEFAULT	10.2	11.0		12.0	HIPSPARSE_MM_ALG_DEFAULT
CUSPARSE_MV_ALG_DEFAULT	10.2	11.3		12.0	HIPSPARSE_MV_ALG_DEFAULT
CUSPARSE_OPERATION_CONJUGATE_TRANSPOSE					HIPSPARSE_OPERATION_CONJUGATE_TRANSPOSE
CUSPARSE_OPERATION_NON_TRANSPOSE					HIPSPARSE_OPERATION_NON_TRANSPOSE
CUSPARSE_OPERATION_TRANSPOSE					HIPSPARSE_OPERATION_TRANSPOSE
CUSPARSE_ORDER_COL	10.1				HIPSPARSE_ORDER_COL
CUSPARSE_ORDER_ROW	10.1				HIPSPARSE_ORDER_ROW
CUSPARSE_POINTER_MODE_DEVICE					HIPSPARSE_POINTER_MODE_DEVICE
CUSPARSE_POINTER_MODE_HOST					HIPSPARSE_POINTER_MODE_HOST
CUSPARSE_SDDMM_ALG_DEFAULT	11.2				HIPSPARSE_SDDMM_ALG_DEFAULT
CUSPARSE_SIDE_LEFT				11.5	
CUSPARSE_SIDE_RIGHT				11.5	

Table 3.19 – continued from previous page

CUDA	A	D	C	R	HIP
CUSPARSE_SOLVE_POLICY_NO_LEVEL		12.2			HIPSPARSE_SOLVE_POLICY_NO_LEVEL
CUSPARSE_SOLVE_POLICY_USE_LEVEL		12.2			HIPSPARSE_SOLVE_POLICY_USE_LEVEL
CUSPARSE_SPARSETODENSE_ALG_DEFAULT	11.1				HIPSPARSE_SPARSETODENSE_ALG_DEFAULT
CUSPARSE_SPGEMM_ALG1	12.0				HIPSPARSE_SPGEMM_ALG1
CUSPARSE_SPGEMM_ALG2	12.0				HIPSPARSE_SPGEMM_ALG2
CUSPARSE_SPGEMM_ALG3	12.0				HIPSPARSE_SPGEMM_ALG3
CUSPARSE_SPGEMM_CSR_ALG_DETERMINISTIC	11.3				HIPSPARSE_SPGEMM_CSR_ALG_DETERMINISTIC
CUSPARSE_SPGEMM_CSR_ALG_NONDETERMINISTIC	11.3				HIPSPARSE_SPGEMM_CSR_ALG_NONDETERMINISTIC
CUSPARSE_SPGEMM_DEFAULT	11.0				HIPSPARSE_SPGEMM_DEFAULT
CUSPARSE_SPMAT_DIAG_TYPE	11.3				HIPSPARSE_SPMAT_DIAG_TYPE
CUSPARSE_SPMAT_FILL_MODE	11.3				HIPSPARSE_SPMAT_FILL_MODE
CUSPARSE_SPMMA_ALG1	11.1			11.2	
CUSPARSE_SPMMA_ALG2	11.1			11.2	
CUSPARSE_SPMMA_ALG3	11.1			11.2	
CUSPARSE_SPMMA_ALG4	11.1			11.2	
CUSPARSE_SPMMA_PREPROCESS	11.1			11.2	
CUSPARSE_SPMMA_ALG_DEFAULT	11.0				HIPSPARSE_SPMMA_ALG_DEFAULT
CUSPARSE_SPMMA_BLOCKED_ELL_ALG1	11.2				HIPSPARSE_SPMMA_BLOCKED_ELL_ALG1
CUSPARSE_SPMMA_BSR_ALG1	12.5				
CUSPARSE_SPMMA_COO_ALG1	11.0				HIPSPARSE_SPMMA_COO_ALG1
CUSPARSE_SPMMA_COO_ALG2	11.0				HIPSPARSE_SPMMA_COO_ALG2
CUSPARSE_SPMMA_COO_ALG3	11.0				HIPSPARSE_SPMMA_COO_ALG3
CUSPARSE_SPMMA_COO_ALG4	11.0				HIPSPARSE_SPMMA_COO_ALG4
CUSPARSE_SPMMA_CSR_ALG1	11.0				HIPSPARSE_SPMMA_CSR_ALG1
CUSPARSE_SPMMA_CSR_ALG2	11.0				HIPSPARSE_SPMMA_CSR_ALG2
CUSPARSE_SPMMA_CSR_ALG3	11.2				HIPSPARSE_SPMMA_CSR_ALG3
CUSPARSE_SPMMA_OP_ALG_DEFAULT	11.5				
CUSPARSE_SPMMA_ALG_DEFAULT	11.2				HIPSPARSE_SPMMA_ALG_DEFAULT
CUSPARSE_SPMMA_COO_ALG1	11.2				HIPSPARSE_SPMMA_COO_ALG1
CUSPARSE_SPMMA_COO_ALG2	11.2				HIPSPARSE_SPMMA_COO_ALG2
CUSPARSE_SPMMA_CSR_ALG1	11.2				HIPSPARSE_SPMMA_CSR_ALG1
CUSPARSE_SPMMA_CSR_ALG2	11.2				HIPSPARSE_SPMMA_CSR_ALG2
CUSPARSE_SPMMA_SELL_ALG1	12.1				
CUSPARSE_SPMMA_ALG_DEFAULT	11.3				HIPSPARSE_SPMMA_ALG_DEFAULT
CUSPARSE_SPMMA_UPDATE_DIAGONAL	12.4				
CUSPARSE_SPMMA_UPDATE_GENERAL	12.4				
CUSPARSE_SPMMA_ALG_DEFAULT	11.3				HIPSPARSE_SPMMA_ALG_DEFAULT
CUSPARSE_SPMMA_UPDATE_DIAGONAL	12.1				
CUSPARSE_SPMMA_UPDATE_GENERAL	12.1				
CUSPARSE_STATUS_ALLOC_FAILED					HIPSPARSE_STATUS_ALLOC_FAILED
CUSPARSE_STATUS_ARCH_MISMATCH					HIPSPARSE_STATUS_ARCH_MISMATCH
CUSPARSE_STATUS_EXECUTION_FAILED					HIPSPARSE_STATUS_EXECUTION_FAILED
CUSPARSE_STATUS_INSUFFICIENT_RESOURCES	11.0				HIPSPARSE_STATUS_INSUFFICIENT_RESOURCES
CUSPARSE_STATUS_INTERNAL_ERROR					HIPSPARSE_STATUS_INTERNAL_ERROR
CUSPARSE_STATUS_INVALID_VALUE					HIPSPARSE_STATUS_INVALID_VALUE
CUSPARSE_STATUS_MAPPING_ERROR					HIPSPARSE_STATUS_MAPPING_ERROR
CUSPARSE_STATUS_MATRIX_TYPE_NOT_SUPPORTED					HIPSPARSE_STATUS_MATRIX_TYPE_NOT_SUPPORTED
CUSPARSE_STATUS_NOT_INITIALIZED					HIPSPARSE_STATUS_NOT_INITIALIZED
CUSPARSE_STATUS_NOT_SUPPORTED	10.2				HIPSPARSE_STATUS_NOT_SUPPORTED
CUSPARSE_STATUS_SUCCESS					HIPSPARSE_STATUS_SUCCESS

Table 3.19 – continued from previous page

CUDA	A	D	C	R	HIP
CUSPARSE_STATUS_ZERO_PIVOT					HIPSPARSE_STATUS_ZERO_PIVOT
bsric02Info					bsric02Info
bsric02Info_t					bsric02Info_t
bsrilu02Info		12.2			bsrilu02Info
bsrilu02Info_t		12.2			bsrilu02Info_t
bsrsm2Info		12.2			bsrsm2Info
bsrsm2Info_t		12.2			bsrsm2Info_t
bsrsv2Info		12.2			bsrsv2Info
bsrsv2Info_t		12.2			bsrsv2Info_t
csrgermm2Info				12.0	csrgermm2Info
csrgermm2Info_t				12.0	csrgermm2Info_t
csric02Info		12.2			csric02Info
csric02Info_t		12.2			csric02Info_t
csrilu02Info		12.2			csrilu02Info
csrilu02Info_t		12.2			csrilu02Info_t
csrsm2Info	9.2			12.0	
csrsm2Info_t	9.2			12.0	csrsm2Info_t
csrsv2Info				12.0	
csrsv2Info_t				12.0	csrsv2Info_t
csru2csrInfo		12.2			csru2csrInfo
csru2csrInfo_t		12.2			csru2csrInfo_t
cusparseAction_t					hipsparseAction_t
cusparseAlgMode_t	8.0			12.0	
cusparseColorAlg_t	8.0	12.2			
cusparseColorInfo		12.2			
cusparseColorInfo_t		12.2			hipsparseColorInfo_t
cusparseConstDnMatDescr_t	12.0				hipsparseConstDnMatDescr_t
cusparseConstDnVecDescr_t	12.0				hipsparseConstDnVecDescr_t
cusparseConstSpMatDescr_t	12.0				hipsparseConstSpMatDescr_t
cusparseConstSpVecDescr_t	12.0				hipsparseConstSpVecDescr_t
cusparseContext					
cusparseCsr2CscAlg_t	10.1				hipsparseCsr2CscAlg_t
cusparseDenseToSparseAlg_t	11.1				hipsparseDenseToSparseAlg_t
cusparseDiagType_t					hipsparseDiagType_t
cusparseDirection_t					hipsparseDirection_t
cusparseDnMatDescr	10.1				
cusparseDnMatDescr_t	10.1				hipsparseDnMatDescr_t
cusparseDnVecDescr	10.2				
cusparseDnVecDescr_t	10.2				hipsparseDnVecDescr_t
cusparseFillMode_t					hipsparseFillMode_t
cusparseFormat_t	10.1				hipsparseFormat_t
cusparseHandle_t					hipsparseHandle_t
cusparseHybMat		10.2		11.0	
cusparseHybMat_t		10.2		11.0	hipsparseHybMat_t
cusparseHybPartition_t		10.2		11.0	hipsparseHybPartition_t
cusparseIndexBase_t					hipsparseIndexBase_t
cusparseIndexType_t	10.1				hipsparseIndexType_t
cusparseLoggerCallback_t	11.5				
cusparseMatDescr					
cusparseMatDescr_t					hipsparseMatDescr_t

Table 3.19 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseMatrixType_t					hipsparseMatrixType_t
cusparseOperation_t					hipsparseOperation_t
cusparseOrder_t	10.1				hipsparseOrder_t
cusparsePointerMode_t					hipsparsePointerMode_t
cusparseSDDMMAlg_t	11.2				hipsparseSDDMMAlg_t
cusparseSideMode_t				11.5	
cusparseSolveAnalysisInfo		10.2		11.0	
cusparseSolveAnalysisInfo_t		10.2		11.0	
cusparseSolvePolicy_t		12.2			hipsparseSolvePolicy_t
cusparseSpGEMMAlg_t	11.0				hipsparseSpGEMMAlg_t
cusparseSpGEMMDescr	11.0				hipsparseSpGEMMDescr
cusparseSpGEMMDescr_t	11.0				hipsparseSpGEMMDescr_t
cusparseSpMMAAlg_t	10.1				hipsparseSpMMAAlg_t
cusparseSpMMOpAlg_t	11.5				
cusparseSpMMOpPlan	11.5				
cusparseSpMMOpPlan_t	11.5				
cusparseSpMValg_t	10.2				hipsparseSpMValg_t
cusparseSpMatAttribute_t	11.3				hipsparseSpMatAttribute_t
cusparseSpMatDescr	10.1				
cusparseSpMatDescr_t	10.1				hipsparseSpMatDescr_t
cusparseSpSMAAlg_t	11.3				hipsparseSpSMAAlg_t
cusparseSpSMDescr	11.3				hipsparseSpSMDescr
cusparseSpSMDescr_t	11.3				hipsparseSpSMDescr_t
cusparseSpSMUpdate_t	12.4				
cusparseSpSValg_t	11.3				hipsparseSpSValg_t
cusparseSpSVDescr	11.3				hipsparseSpSVDescr
cusparseSpSVDescr_t	11.3				hipsparseSpSVDescr_t
cusparseSpSVUpdate_t	12.1				
cusparseSpVecDescr	10.2				
cusparseSpVecDescr_t	10.2				hipsparseSpVecDescr_t
cusparseSparseToDenseAlg_t	11.1				hipsparseSparseToDenseAlg_t
cusparseStatus_t					hipsparseStatus_t
pruneInfo	9.0	12.2			pruneInfo
pruneInfo_t	9.0	12.2			pruneInfo_t

3.7.2 5. CUSPARSE Management Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cusparseCreate					hipsparseCreate	1.9.2				
cusparseDestroy					hipsparseDestroy	1.9.2				
cusparseGetErrorName	10.2				hipsparseGetErrorName	6.0.0				
cusparseGetErrorString	10.2				hipsparseGetErrorString	6.0.0				
cusparseGetPointerMode					hipsparseGetPointerMode	1.9.2				
cusparseGetStream	8.0				hipsparseGetStream	1.9.2				
cusparseGetVersion					hipsparseGetVersion	1.9.2				
cusparseSetPointerMode					hipsparseSetPointerMode	1.9.2				
cusparseSetStream					hipsparseSetStream	1.9.2				

3.7.3 6. CUSPARSE Logging

CUDA	A	D	C	R	HIP	A	D	C	R	E
cusparseLoggerForceDisable	11.5									
cusparseLoggerOpenFile	11.5									
cusparseLoggerSetCallback	11.5									
cusparseLoggerSetFile	11.5									
cusparseLoggerSetLevel	11.5									
cusparseLoggerSetMask	11.5									

3.7.4 7. CUSPARSE Helper Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseCopyMatDescr	8.0			12.0	hipsparseCopyMatDescr	1.9.2			
cusparseCreateBsric02Info		12.2			hipsparseCreateBsric02Info	3.8.0	6.2.0		
cusparseCreateBsriLu02Info		12.2			hipsparseCreateBsriLu02Info	3.9.0	6.2.0		
cusparseCreateBsrsM2Info		12.2			hipsparseCreateBsrsM2Info	4.5.0	6.2.0		
cusparseCreateBsrsV2Info		12.2			hipsparseCreateBsrsV2Info	3.6.0	6.2.0		

continues on next page

Table 3.20 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseCreateColorInfo		12.2			hipsparseCreateColorInfo	4.5.0	6.2.0		
cusparseCreateCsrghemm2Info		11.0		12.0	hipsparseCreateCsrghemm2Info	2.8.0	3.9.0		
cusparseCreateCsric02Info		12.2			hipsparseCreateCsric02Info	3.1.0	6.2.0		
cusparseCreateCsrilu02Info		12.2			hipsparseCreateCsrilu02Info	1.9.2	6.2.0		
cusparseCreateCsrrsm2Info	9.2	11.3		12.0	hipsparseCreateCsrrsm2Info	3.1.0	5.6.0		
cusparseCreateCsrsv2Info		11.3		12.0	hipsparseCreateCsrsv2Info	1.9.2	5.6.0		
cusparseCreateHybMat		10.2		11.0	hipsparseCreateHybMat	1.9.2	3.9.0		
cusparseCreateMatDescr					hipsparseCreateMatDescr	1.9.2			
cusparseCreatePruneInfo	9.0	12.2			hipsparseCreatePruneInfo	3.9.0	6.2.0		
cusparseCreateSolveAnalysisInfo		10.2		11.0					
cusparseDestroyBsric02Info		12.2			hipsparseDestroyBsric02Info	3.8.0	6.2.0		
cusparseDestroyBsrilu02Info		12.2			hipsparseDestroyBsrilu02Info	3.9.0	6.2.0		
cusparseDestroyBsrrsm2Info		12.2			hipsparseDestroyBsrrsm2Info	4.5.0	6.2.0		
cusparseDestroyBsrsv2Info		12.2			hipsparseDestroyBsrsv2Info	3.6.0	6.2.0		
cusparseDestroyColorInfo		12.2			hipsparseDestroyColorInfo	4.5.0	6.2.0		
cusparseDestroyCsrghemm2Info		11.0		12.0	hipsparseDestroyCsrghemm2Info	2.8.0	3.9.0		
cusparseDestroyCsric02Info		12.2			hipsparseDestroyCsric02Info	3.1.0	6.2.0		
cusparseDestroyCsrilu02Info		12.2			hipsparseDestroyCsrilu02Info	1.9.2	6.2.0		
cusparseDestroyCsrrsm2Info	9.2	11.3		12.0	hipsparseDestroyCsrrsm2Info	3.1.0	5.6.0		
cusparseDestroyCsrsv2Info		11.3		12.0	hipsparseDestroyCsrsv2Info	1.9.2	5.6.0		
cusparseDestroyHybMat		10.2		11.0	hipsparseDestroyHybMat	1.9.2	3.9.0		
cusparseDestroyMatDescr					hipsparseDestroyMatDescr	1.9.2			
cusparseDestroyPruneInfo	9.0	12.2			hipsparseDestroyPruneInfo	3.9.0	6.2.0		
cusparseDestroySolveAnalysisInfo		10.2		11.0					
cusparseGetLevelInfo				11.0					
cusparseGetMatDiagType					hipsparseGetMatDiagType	1.9.2			
cusparseGetMatFillMode					hipsparseGetMatFillMode	1.9.2			
cusparseGetMatIndexBase					hipsparseGetMatIndexBase	1.9.2			
cusparseGetMatType					hipsparseGetMatType	1.9.2			
cusparseSetMatDiagType					hipsparseSetMatDiagType	1.9.2			
cusparseSetMatFillMode					hipsparseSetMatFillMode	1.9.2			
cusparseSetMatIndexBase					hipsparseSetMatIndexBase	1.9.2			
cusparseSetMatType					hipsparseSetMatType	1.9.2			

3.7.5 8. CUSPARSE Level 1 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cusparseCaxpyi		11.0		12.0	hipsparseCaxpyi	3.1.0	3.9.0			
cusparseCdotci		10.2		11.0	hipsparseCdotci	3.1.0	3.9.0			
cusparseCdoti		10.2		11.0	hipsparseCdoti	3.1.0	3.9.0			
cusparseCgthr		11.0		12.0	hipsparseCgthr	3.1.0	3.9.0			
cusparseCgthrz		11.0		12.0	hipsparseCgthrz	3.1.0	3.9.0			
cusparseCsctr		11.0		12.0	hipsparseCsctr	3.1.0	3.9.0			
cusparseDaxpyi		11.0		12.0	hipsparseDaxpyi	1.9.2	3.9.0			
cusparseDdoti		10.2		11.0	hipsparseDdoti	1.9.2	3.9.0			
cusparseDgthr		11.0		12.0	hipsparseDgthr	1.9.2	3.9.0			
cusparseDgthrz		11.0		12.0	hipsparseDgthrz	1.9.2	3.9.0			
cusparseDroti		11.0		12.0	hipsparseDroti	1.9.2	3.9.0			
cusparseDsctr		11.0		12.0	hipsparseDsctr	1.9.2	3.9.0			
cusparseSaxpyi		11.0		12.0	hipsparseSaxpyi	1.9.2	3.9.0			
cusparseSdoti		10.2		11.0	hipsparseSdoti	1.9.2	3.9.0			
cusparseSgthr		11.0		12.0	hipsparseSgthr	1.9.2	3.9.0			
cusparseSgthrz		11.0		12.0	hipsparseSgthrz	1.9.2	3.9.0			
cusparseSroti		11.0		12.0	hipsparseSroti	1.9.2	3.9.0			
cusparseSsctr		11.0		12.0	hipsparseSsctr	1.9.2	3.9.0			
cusparseZaxpyi		11.0		12.0	hipsparseZaxpyi	3.1.0	3.9.0			
cusparseZdotci		10.2		11.0	hipsparseZdotci	3.1.0	3.9.0			
cusparseZdoti		10.2		11.0	hipsparseZdoti	3.1.0	3.9.0			
cusparseZgthr		11.0		12.0	hipsparseZgthr	3.1.0	3.9.0			
cusparseZgthrz		11.0		12.0	hipsparseZgthrz	3.1.0	3.9.0			
cusparseZsctr		11.0		12.0	hipsparseZsctr	3.1.0	3.9.0			

3.7.6 9. CUSPARSE Level 2 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseCbsrmv					hipsparsCbsrmv	3.5.0			
cusparseCbsrsv2_analysis		12.2			hipsparsCbsrsv2_analysis	3.6.0	6.2.0		
cusparseCbsrsv2_bufferSize		12.2			hipsparsCbsrsv2_bufferSize	3.6.0	6.2.0		
cusparseCbsrsv2_bufferSizeExt		12.2			hipsparsCbsrsv2_bufferSizeExt	3.6.0			
cusparseCbsrsv2_solve		12.2			hipsparsCbsrsv2_solve	3.6.0	6.2.0		
cusparseCbsrxmv		12.2			hipsparsCbsrxmv	4.5.0	6.2.0		
cusparseCcsrmmv		10.2		11.0	hipsparsCcsrmmv	3.1.0	3.9.0		
cusparseCcsrmmv_mp	8.0	10.2		11.0					
cusparseCcsrsv2_analysis		11.3		12.0	hipsparsCcsrsv2_analysis	3.1.0	5.6.0		
cusparseCcsrsv2_bufferSize		11.3		12.0	hipsparsCcsrsv2_bufferSize	3.1.0	5.6.0		
cusparseCcsrsv2_bufferSizeExt		11.3		12.0	hipsparsCcsrsv2_bufferSizeExt	3.1.0			
cusparseCcsrsv2_solve		11.3		12.0	hipsparsCcsrsv2_solve	3.1.0	5.6.0		
cusparseCcsrsv_analysis		10.2		11.0					
cusparseCcsrsv_solve		10.2		11.0					
cusparseCgemvi	7.5				hipsparsCgemvi	4.3.0			
cusparseCgemvi_bufferSize	7.5				hipsparsCgemvi_bufferSize	4.3.0			
cusparseChybmvm		10.2		11.0	hipsparsChybmvm	3.1.0	3.9.0		
cusparseChybsv_analysis		10.2		11.0					
cusparseChybsv_solve		10.2		11.0					
cusparseCsrmmvEx	8.0	11.2		12.0					
cusparseCsrmmvEx_bufferSize	8.0	11.2		12.0					
cusparseCsrsv_analysisEx	8.0	10.2		11.0					
cusparseCsrsv_solveEx	8.0	10.2		11.0					
cusparseDbsrmv					hipsparsDbsrmv	3.5.0			
cusparseDbsrsv2_analysis		12.2			hipsparsDbsrsv2_analysis	3.6.0	6.2.0		
cusparseDbsrsv2_bufferSize		12.2			hipsparsDbsrsv2_bufferSize	3.6.0	6.2.0		
cusparseDbsrsv2_bufferSizeExt		12.2			hipsparsDbsrsv2_bufferSizeExt	3.6.0			
cusparseDbsrsv2_solve		12.2			hipsparsDbsrsv2_solve	3.6.0	6.2.0		
cusparseDbsrxmv		12.2			hipsparsDbsrxmv	4.5.0	6.2.0		
cusparseDcsrmmv		10.2		11.0	hipsparsDcsrmmv	1.9.2	3.9.0		
cusparseDcsrmmv_mp	8.0	10.2		11.0					
cusparseDcsrsv2_analysis		11.3		12.0	hipsparsDcsrsv2_analysis	1.9.2	5.6.0		
cusparseDcsrsv2_bufferSize		11.3		12.0	hipsparsDcsrsv2_bufferSize	1.9.2	5.6.0		
cusparseDcsrsv2_bufferSizeExt		11.3		12.0	hipsparsDcsrsv2_bufferSizeExt	1.9.2			
cusparseDcsrsv2_solve		11.3		12.0	hipsparsDcsrsv2_solve	1.9.2	5.6.0		
cusparseDcsrsv_analysis		10.2		11.0					
cusparseDcsrsv_solve		10.2		11.0					
cusparseDgemvi	7.5				hipsparsDgemvi	4.3.0			
cusparseDgemvi_bufferSize	7.5				hipsparsDgemvi_bufferSize	4.3.0			
cusparseDhybmvm		10.2		11.0	hipsparsDhybmvm	1.9.2	3.9.0		
cusparseDhybsv_analysis		10.2		11.0					
cusparseDhybsv_solve		10.2		11.0					
cusparseSbsrmv					hipsparsSbsrmv	3.5.0			
cusparseSbsrsv2_analysis		12.2			hipsparsSbsrsv2_analysis	3.6.0	6.2.0		
cusparseSbsrsv2_bufferSize		12.2			hipsparsSbsrsv2_bufferSize	3.6.0	6.2.0		
cusparseSbsrsv2_bufferSizeExt		12.2			hipsparsSbsrsv2_bufferSizeExt	3.6.0			
cusparseSbsrsv2_solve		12.2			hipsparsSbsrsv2_solve	3.6.0	6.2.0		
cusparseSbsrxmv		12.2			hipsparsSbsrxmv	4.5.0	6.2.0		
cusparseScsrmmv		10.2		11.0	hipsparsScsrmmv	1.9.2	3.9.0		

continues on next page

Table 3.21 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseScsrmv_mp	8.0	10.2		11.0					
cusparseScsrsv2_analysis		11.3		12.0	hipsparseScsrsv2_analysis	1.9.2	5.6.0		
cusparseScsrsv2_bufferSize		11.3		12.0	hipsparseScsrsv2_bufferSize	1.9.2	5.6.0		
cusparseScsrsv2_bufferSizeExt		11.3		12.0	hipsparseScsrsv2_bufferSizeExt	1.9.2			
cusparseScsrsv2_solve		11.3		12.0	hipsparseScsrsv2_solve	1.9.2	5.6.0		
cusparseScsrsv_analysis		10.2		11.0					
cusparseScsrsv_solve		10.2		11.0					
cusparseSgemvi	7.5				hipsparseSgemvi	4.3.0			
cusparseSgemvi_bufferSize	7.5				hipsparseSgemvi_bufferSize	4.3.0			
cusparseShybm		10.2		11.0	hipsparseShybm	1.9.2	3.9.0		
cusparseShybsv_analysis		10.2		11.0					
cusparseShybsv_solve		10.2		11.0					
cusparseXbsrsv2_zeroPivot		12.2			hipsparseXbsrsv2_zeroPivot	3.6.0	6.2.0		
cusparseXcsrsv2_zeroPivot		11.3		12.0	hipsparseXcsrsv2_zeroPivot	1.9.2	5.6.0		
cusparseZbsrmv					hipsparseZbsrmv	3.5.0			
cusparseZbsrsv2_analysis		12.2			hipsparseZbsrsv2_analysis	3.6.0	6.2.0		
cusparseZbsrsv2_bufferSize		12.2			hipsparseZbsrsv2_bufferSize	3.6.0	6.2.0		
cusparseZbsrsv2_bufferSizeExt		12.2			hipsparseZbsrsv2_bufferSizeExt	3.6.0			
cusparseZbsrsv2_solve		12.2			hipsparseZbsrsv2_solve	3.6.0	6.2.0		
cusparseZbsrxmv		12.2			hipsparseZbsrxmv	4.5.0	6.2.0		
cusparseZcsrmv		10.2		11.0	hipsparseZcsrmv	3.1.0	3.9.0		
cusparseZcsrmv_mp	8.0	10.2		11.0					
cusparseZcsrsv2_analysis		11.3		12.0	hipsparseZcsrsv2_analysis	3.1.0	5.6.0		
cusparseZcsrsv2_bufferSize		11.3		12.0	hipsparseZcsrsv2_bufferSize	3.1.0	5.6.0		
cusparseZcsrsv2_bufferSizeExt		11.3		12.0	hipsparseZcsrsv2_bufferSizeExt	3.1.0			
cusparseZcsrsv2_solve		11.3		12.0	hipsparseZcsrsv2_solve	3.1.0	5.6.0		
cusparseZcsrsv_analysis		10.2		11.0					
cusparseZcsrsv_solve		10.2		11.0					
cusparseZgemvi	7.5				hipsparseZgemvi	4.3.0			
cusparseZgemvi_bufferSize	7.5				hipsparseZgemvi_bufferSize	4.3.0			
cusparseZhybm		10.2		11.0	hipsparseZhybm	3.1.0	3.9.0		
cusparseZhybsv_analysis		10.2		11.0					
cusparseZhybsv_solve		10.2		11.0					

3.7.7 10. CUSPARSE Level 3 Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseCbsrmm					hipsparseCbsrmm	3.7.0			
cusparseCbsrsm2_analysis		12.2			hipsparseCbsrsm2_analysis	4.5.0	6.2.0		
cusparseCbsrsm2_bufferSize		12.2			hipsparseCbsrsm2_bufferSize	4.5.0	6.2.0		
cusparseCbsrsm2_bufferSizeExt		12.2							
cusparseCbsrsm2_solve		12.2			hipsparseCbsrsm2_solve	4.5.0	6.2.0		
cusparseCcsrmm		10.2		11.0	hipsparseCcsrmm	3.1.0	3.9.0		
cusparseCcsrmm2		10.2		11.0	hipsparseCcsrmm2	3.1.0	3.9.0		
cusparseCcsrsm2_analysis	9.2	11.3		12.0	hipsparseCcsrsm2_analysis	3.1.0	5.6.0		
cusparseCcsrsm2_bufferSizeExt	9.2	11.3		12.0	hipsparseCcsrsm2_bufferSizeExt	3.1.0	5.6.0		
cusparseCcsrsm2_solve	9.2	11.3		12.0	hipsparseCcsrsm2_solve	3.1.0	5.6.0		
cusparseCcsrsm_analysis		10.2		11.0					

continues on next page

Table 3.22 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R
cusparseCcsrsm_solve		10.2		11.0					
cusparseCgemmi	8.0	11.0		12.0	hipsparsCgemmi	3.7.0	3.9.0		
cusparseDbsrmm					hipsparsDbsrmm	3.7.0			
cusparseDbsrsm2_analysis		12.2			hipsparsDbsrsm2_analysis	4.5.0	6.2.0		
cusparseDbsrsm2_bufferSize		12.2			hipsparsDbsrsm2_bufferSize	4.5.0	6.2.0		
cusparseDbsrsm2_bufferSizeExt		12.2							
cusparseDbsrsm2_solve		12.2			hipsparsDbsrsm2_solve	4.5.0	6.2.0		
cusparseDcsrmm		10.2		11.0	hipsparsDcsrmm	1.9.2	3.9.0		
cusparseDcsrmm2		10.2		11.0	hipsparsDcsrmm2	1.9.2	3.9.0		
cusparseDcsrsm2_analysis	9.2	11.3		12.0	hipsparsDcsrsm2_analysis	3.1.0	5.6.0		
cusparseDcsrsm2_bufferSizeExt	9.2	11.3		12.0	hipsparsDcsrsm2_bufferSizeExt	3.1.0	5.6.0		
cusparseDcsrsm2_solve	9.2	11.3		12.0	hipsparsDcsrsm2_solve	3.1.0	5.6.0		
cusparseDcsrsm_analysis		10.2		11.0					
cusparseDcsrsm_solve		10.2		11.0					
cusparseDgemmi	8.0	11.0		12.0	hipsparsDgemmi	3.7.0	3.9.0		
cusparseSbsrmm					hipsparsSbsrmm	3.7.0			
cusparseSbsrsm2_analysis		12.2			hipsparsSbsrsm2_analysis	4.5.0	6.2.0		
cusparseSbsrsm2_bufferSize		12.2			hipsparsSbsrsm2_bufferSize	4.5.0	6.2.0		
cusparseSbsrsm2_bufferSizeExt		12.2							
cusparseSbsrsm2_solve		12.2			hipsparsSbsrsm2_solve	4.5.0	6.2.0		
cusparseScsrmm		10.2		11.0	hipsparsScsrmm	1.9.2	3.9.0		
cusparseScsrmm2		10.2		11.0	hipsparsScsrmm2	1.9.2	3.9.0		
cusparseScsrsm2_analysis	9.2	11.3		12.0	hipsparsScsrsm2_analysis	3.1.0	5.6.0		
cusparseScsrsm2_bufferSizeExt	9.2	11.3		12.0	hipsparsScsrsm2_bufferSizeExt	3.1.0	5.6.0		
cusparseScsrsm2_solve	9.2	11.3		12.0	hipsparsScsrsm2_solve	3.1.0	5.6.0		
cusparseScsrsm_analysis		10.2		11.0					
cusparseScsrsm_solve		10.2		11.0					
cusparseSgemmi	8.0	11.0		12.0	hipsparsSgemmi	3.7.0	3.9.0		
cusparseXbsrsm2_zeroPivot		12.2			hipsparsXbsrsm2_zeroPivot	4.5.0	6.2.0		
cusparseXcsrsm2_zeroPivot	9.2	11.3		12.0	hipsparsXcsrsm2_zeroPivot	3.1.0	5.6.0		
cusparseZbsrmm					hipsparsZbsrmm	3.7.0			
cusparseZbsrsm2_analysis		12.2			hipsparsZbsrsm2_analysis	4.5.0	6.2.0		
cusparseZbsrsm2_bufferSize		12.2			hipsparsZbsrsm2_bufferSize	4.5.0	6.2.0		
cusparseZbsrsm2_bufferSizeExt		12.2							
cusparseZbsrsm2_solve		12.2			hipsparsZbsrsm2_solve	4.5.0	6.2.0		
cusparseZcsrmm		10.2		11.0	hipsparsZcsrmm	3.1.0	3.9.0		
cusparseZcsrmm2		10.2		11.0	hipsparsZcsrmm2	3.1.0	3.9.0		
cusparseZcsrsm2_analysis	9.2	11.3		12.0	hipsparsZcsrsm2_analysis	3.1.0	5.6.0		
cusparseZcsrsm2_bufferSizeExt	9.2	11.3		12.0	hipsparsZcsrsm2_bufferSizeExt	3.1.0	5.6.0		
cusparseZcsrsm2_solve	9.2	11.3		12.0	hipsparsZcsrsm2_solve	3.1.0	5.6.0		
cusparseZcsrsm_analysis		10.2		11.0					
cusparseZcsrsm_solve		10.2		11.0					
cusparseZgemmi	8.0	11.0		12.0	hipsparsZgemmi	3.7.0	3.9.0		

3.7.8 11. CUSPARSE Extra Function Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cusparseCcsrgeam		10.2		11.0	hipsparseCcsrgeam	3.5.0	3.9.0			
cusparseCcsrgeam2	10.0				hipsparseCcsrgeam2	3.5.0				
cusparseCcsrgeam2_buffe	10.0				hipsparseCcsrgeam2_buffe	3.5.0				
cusparseCcsrgemm		10.2		11.0	hipsparseCcsrgemm	3.1.0	3.9.0			
cusparseCcsrgemm2		11.0		12.0	hipsparseCcsrgemm2	3.1.0	3.9.0			
cusparseCcsrgemm2_buffe		11.0		12.0	hipsparseCcsrgemm2_buffe	3.1.0	3.9.0			
cusparseDcsrgeam		10.2		11.0	hipsparseDcsrgeam	3.5.0	3.9.0			
cusparseDcsrgeam2	10.0				hipsparseDcsrgeam2	3.5.0				
cusparseDcsrgeam2_buffe	10.0				hipsparseDcsrgeam2_buffe	3.5.0				
cusparseDcsrgemm		10.2		11.0	hipsparseDcsrgemm	2.8.0	3.9.0			
cusparseDcsrgemm2		11.0		12.0	hipsparseDcsrgemm2	2.8.0	3.9.0			
cusparseDcsrgemm2_buffe		11.0		12.0	hipsparseDcsrgemm2_buffe	2.8.0	3.9.0			
cusparseScsrgeam		10.2		11.0	hipsparseScsrgeam	3.5.0	3.9.0			
cusparseScsrgeam2	10.0				hipsparseScsrgeam2	3.5.0				
cusparseScsrgeam2_buffe	10.0				hipsparseScsrgeam2_buffe	3.5.0				
cusparseScsrgemm		10.2		11.0	hipsparseScsrgemm	2.8.0	3.9.0			
cusparseScsrgemm2		11.0		12.0	hipsparseScsrgemm2	2.8.0	3.9.0			
cusparseScsrgemm2_buffe		11.0		12.0	hipsparseScsrgemm2_buffe	2.8.0	3.9.0			
cusparseXcsrgeam2Nnz	10.0				hipsparseXcsrgeam2Nnz	3.5.0				
cusparseXcsrgeamNnz		10.2		11.0	hipsparseXcsrgeamNnz	3.5.0	3.9.0			
cusparseXcsrgemm2Nnz		11.0		12.0	hipsparseXcsrgemm2Nnz	2.8.0	3.9.0			
cusparseXcsrgemmNnz		10.2		11.0	hipsparseXcsrgemmNnz	2.8.0	3.9.0			
cusparseZcsrgeam		10.2		11.0	hipsparseZcsrgeam	3.5.0	3.9.0			
cusparseZcsrgeam2	10.0				hipsparseZcsrgeam2	3.5.0				
cusparseZcsrgeam2_buffe	10.0				hipsparseZcsrgeam2_buffe	3.5.0				
cusparseZcsrgemm		10.2		11.0	hipsparseZcsrgemm	3.1.0	3.9.0			
cusparseZcsrgemm2		11.0		12.0	hipsparseZcsrgemm2	3.1.0	3.9.0			
cusparseZcsrgemm2_buffe		11.0		12.0	hipsparseZcsrgemm2_buffe	3.1.0	3.9.0			

3.7.9 12. CUSPARSE Preconditioners Reference

CUDA	A	D	C	R	HIP
cusparseCbsric02		12.2			hipsparsCbsric02
cusparseCbsric02_analysis		12.2			hipsparsCbsric02_analysis
cusparseCbsric02_bufferSize		12.2			hipsparsCbsric02_bufferSize
cusparseCbsric02_bufferSizeExt		12.2			
cusparseCbsrilu02		12.2			hipsparsCbsrilu02
cusparseCbsrilu02_analysis		12.2			hipsparsCbsrilu02_analysis
cusparseCbsrilu02_bufferSize		12.2			hipsparsCbsrilu02_bufferSize
cusparseCbsrilu02_bufferSizeExt		12.2			
cusparseCbsrilu02_numericBoost		12.2			hipsparsCbsrilu02_numericBoost
cusparseCcsric0		10.2		11.0	
cusparseCcsric02		12.2			hipsparsCcsric02
cusparseCcsric02_analysis		12.2			hipsparsCcsric02_analysis
cusparseCcsric02_bufferSize		12.2			hipsparsCcsric02_bufferSize
cusparseCcsric02_bufferSizeExt		12.2			hipsparsCcsric02_bufferSizeExt
cusparseCcsrilu0		10.2		11.0	
cusparseCcsrilu02		12.2			hipsparsCcsrilu02
cusparseCcsrilu02_analysis		12.2			hipsparsCcsrilu02_analysis
cusparseCcsrilu02_bufferSize		12.2			hipsparsCcsrilu02_bufferSize
cusparseCcsrilu02_bufferSizeExt		12.2			hipsparsCcsrilu02_bufferSizeExt
cusparseCcsrilu02_numericBoost		12.2			hipsparsCcsrilu02_numericBoost
cusparseCgpsvInterleavedBatch	9.2				hipsparsCgpsvInterleavedBatch
cusparseCgpsvInterleavedBatch_bufferSizeExt	9.2				hipsparsCgpsvInterleavedBatch_bufferSizeExt
cusparseCgtsv		10.2		11.0	
cusparseCgtsv2	9.0				hipsparsCgtsv2
cusparseCgtsv2StridedBatch	9.0				hipsparsCgtsv2StridedBatch
cusparseCgtsv2StridedBatch_bufferSizeExt	9.0				hipsparsCgtsv2StridedBatch_bufferSizeExt
cusparseCgtsv2_bufferSizeExt	9.0				hipsparsCgtsv2_bufferSizeExt
cusparseCgtsv2_nopivot	9.0				hipsparsCgtsv2_nopivot
cusparseCgtsv2_nopivot_bufferSizeExt	9.0				hipsparsCgtsv2_nopivot_bufferSizeExt
cusparseCgtsvInterleavedBatch	9.2				hipsparsCgtsvInterleavedBatch
cusparseCgtsvInterleavedBatch_bufferSizeExt	9.2				hipsparsCgtsvInterleavedBatch_bufferSizeExt
cusparseCgtsvStridedBatch		10.2		11.0	
cusparseCgtsv_nopivot		10.2		11.0	
cusparseCsrilu0Ex	8.0	10.2		11.0	
cusparseDbsric02		12.2			hipsparsDbsric02
cusparseDbsric02_analysis		12.2			hipsparsDbsric02_analysis
cusparseDbsric02_bufferSize		12.2			hipsparsDbsric02_bufferSize
cusparseDbsric02_bufferSizeExt		12.2			
cusparseDbsrilu02		12.2			hipsparsDbsrilu02
cusparseDbsrilu02_analysis		12.2			hipsparsDbsrilu02_analysis
cusparseDbsrilu02_bufferSize		12.2			hipsparsDbsrilu02_bufferSize
cusparseDbsrilu02_bufferSizeExt		12.2			
cusparseDbsrilu02_numericBoost		12.2			hipsparsDbsrilu02_numericBoost
cusparseDcsric0	10.2			11.0	
cusparseDcsric02	12.2				hipsparsDcsric02
cusparseDcsric02_analysis	12.2				hipsparsDcsric02_analysis
cusparseDcsric02_bufferSize	12.2				hipsparsDcsric02_bufferSize
cusparseDcsric02_bufferSizeExt	12.2				hipsparsDcsric02_bufferSizeExt
cusparseDcsrilu0	10.2			11.0	

Table 3.23 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseDcsrilu02		12.2			hipsparsedcsrilu02
cusparseDcsrilu02_analysis		12.2			hipsparsedcsrilu02_analysis
cusparseDcsrilu02_bufferSize		12.2			hipsparsedcsrilu02_bufferSize
cusparseDcsrilu02_bufferSizeExt		12.2			hipsparsedcsrilu02_bufferSizeExt
cusparseDcsrilu02_numericBoost		12.2			hipsparsedcsrilu02_numericBoost
cusparseDgpsvInterleavedBatch	9.2				hipsparsedgpsvInterleavedBatch
cusparseDgpsvInterleavedBatch_bufferSizeExt	9.2				hipsparsedgpsvInterleavedBatch_bufferSizeExt
cusparseDgtsv		10.2		11.0	
cusparseDgtsv2	9.0				hipsparsedgtsv2
cusparseDgtsv2StridedBatch	9.0				hipsparsedgtsv2StridedBatch
cusparseDgtsv2StridedBatch_bufferSizeExt	9.0				hipsparsedgtsv2StridedBatch_bufferSizeExt
cusparseDgtsv2_bufferSizeExt	9.0				hipsparsedgtsv2_bufferSizeExt
cusparseDgtsv2_nopivot	9.0				hipsparsedgtsv2_nopivot
cusparseDgtsv2_nopivot_bufferSizeExt	9.0				hipsparsedgtsv2_nopivot_bufferSizeExt
cusparseDgtsvInterleavedBatch	9.2				hipsparsedgtsvInterleavedBatch
cusparseDgtsvInterleavedBatch_bufferSizeExt	9.2				hipsparsedgtsvInterleavedBatch_bufferSizeExt
cusparseDgtsvStridedBatch		10.2		11.0	
cusparseDgtsv_nopivot		10.2		11.0	
cusparseSbsric02		12.2			hipsparsedbsric02
cusparseSbsric02_analysis		12.2			hipsparsedbsric02_analysis
cusparseSbsric02_bufferSize		12.2			hipsparsedbsric02_bufferSize
cusparseSbsric02_bufferSizeExt		12.2			
cusparseSbsrilu02		12.2			hipsparsedbsrilu02
cusparseSbsrilu02_analysis		12.2			hipsparsedbsrilu02_analysis
cusparseSbsrilu02_bufferSize		12.2			hipsparsedbsrilu02_bufferSize
cusparseSbsrilu02_bufferSizeExt		12.2			
cusparseSbsrilu02_numericBoost		12.2			hipsparsedbsrilu02_numericBoost
cusparseScsric0		10.2		11.0	
cusparseScsric02		12.2			hipsparsedcsric02
cusparseScsric02_analysis		12.2			hipsparsedcsric02_analysis
cusparseScsric02_bufferSize		12.2			hipsparsedcsric02_bufferSize
cusparseScsric02_bufferSizeExt		12.2			hipsparsedcsric02_bufferSizeExt
cusparseScsrilu0		10.2		11.0	
cusparseScsrilu02		12.2			hipsparsedcsrilu02
cusparseScsrilu02_analysis		12.2			hipsparsedcsrilu02_analysis
cusparseScsrilu02_bufferSize		12.2			hipsparsedcsrilu02_bufferSize
cusparseScsrilu02_bufferSizeExt		12.2			hipsparsedcsrilu02_bufferSizeExt
cusparseScsrilu02_numericBoost		12.2			hipsparsedcsrilu02_numericBoost
cusparseSgpsvInterleavedBatch	9.2				hipsparsedgpsvInterleavedBatch
cusparseSgpsvInterleavedBatch_bufferSizeExt	9.2				hipsparsedgpsvInterleavedBatch_bufferSizeExt
cusparseSgtsv		10.2		11.0	
cusparseSgtsv2	9.0				hipsparsedgtsv2
cusparseSgtsv2StridedBatch	9.0				hipsparsedgtsv2StridedBatch
cusparseSgtsv2StridedBatch_bufferSizeExt	9.0				hipsparsedgtsv2StridedBatch_bufferSizeExt
cusparseSgtsv2_bufferSizeExt	9.0				hipsparsedgtsv2_bufferSizeExt
cusparseSgtsv2_nopivot	9.0				hipsparsedgtsv2_nopivot
cusparseSgtsv2_nopivot_bufferSizeExt	9.0				hipsparsedgtsv2_nopivot_bufferSizeExt
cusparseSgtsvInterleavedBatch	9.2				hipsparsedgtsvInterleavedBatch
cusparseSgtsvInterleavedBatch_bufferSizeExt	9.2				hipsparsedgtsvInterleavedBatch_bufferSizeExt
cusparseSgtsvStridedBatch		10.2		11.0	

Table 3.23 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseSgtsv_nopivot		10.2		11.0	
cusparseXbsric02_zeroPivot		12.2			hipsparsXbsric02_zeroPivot
cusparseXbsrilu02_zeroPivot		12.2			hipsparsXbsrilu02_zeroPivot
cusparseXcsric02_zeroPivot		12.2			hipsparsXcsric02_zeroPivot
cusparseXcsrilu02_zeroPivot		12.2			hipsparsXcsrilu02_zeroPivot
cusparseZbsric02		12.2			hipsparsZbsric02
cusparseZbsric02_analysis		12.2			hipsparsZbsric02_analysis
cusparseZbsric02_bufferSize		12.2			hipsparsZbsric02_bufferSize
cusparseZbsric02_bufferSizeExt		12.2			
cusparseZbsrilu02		12.2			hipsparsZbsrilu02
cusparseZbsrilu02_analysis		12.2			hipsparsZbsrilu02_analysis
cusparseZbsrilu02_bufferSize		12.2			hipsparsZbsrilu02_bufferSize
cusparseZbsrilu02_bufferSizeExt		12.2			
cusparseZbsrilu02_numericBoost		12.2			hipsparsZbsrilu02_numericBoost
cusparseZcsric0		10.2		11.0	
cusparseZcsric02		12.2			hipsparsZcsric02
cusparseZcsric02_analysis		12.2			hipsparsZcsric02_analysis
cusparseZcsric02_bufferSize		12.2			hipsparsZcsric02_bufferSize
cusparseZcsric02_bufferSizeExt		12.2			hipsparsZcsric02_bufferSizeExt
cusparseZcsrilu0		10.2		11.0	
cusparseZcsrilu02		12.2			hipsparsZcsrilu02
cusparseZcsrilu02_analysis		12.2			hipsparsZcsrilu02_analysis
cusparseZcsrilu02_bufferSize		12.2			hipsparsZcsrilu02_bufferSize
cusparseZcsrilu02_bufferSizeExt		12.2			hipsparsZcsrilu02_bufferSizeExt
cusparseZcsrilu02_numericBoost		12.2			hipsparsZcsrilu02_numericBoost
cusparseZgpsvInterleavedBatch	9.2				hipsparsZgpsvInterleavedBatch
cusparseZgpsvInterleavedBatch_bufferSizeExt	9.2				hipsparsZgpsvInterleavedBatch_bufferSizeExt
cusparseZgtsv		10.2		11.0	
cusparseZgtsv2	9.0				hipsparsZgtsv2
cusparseZgtsv2StridedBatch	9.0				hipsparsZgtsv2StridedBatch
cusparseZgtsv2StridedBatch_bufferSizeExt	9.0				hipsparsZgtsv2StridedBatch_bufferSizeExt
cusparseZgtsv2_bufferSizeExt	9.0				hipsparsZgtsv2_bufferSizeExt
cusparseZgtsv2_nopivot	9.0				hipsparsZgtsv2_nopivot
cusparseZgtsv2_nopivot_bufferSizeExt	9.0				hipsparsZgtsv2_nopivot_bufferSizeExt
cusparseZgtsvInterleavedBatch	9.2				hipsparsZgtsvInterleavedBatch
cusparseZgtsvInterleavedBatch_bufferSizeExt	9.2				hipsparsZgtsvInterleavedBatch_bufferSizeExt
cusparseZgtsvStridedBatch		10.2		11.0	
cusparseZgtsv_nopivot		10.2		11.0	

3.7.10 13. CUSPARSE Reorderings Reference

CUDA	A	D	C	R	HIP	A	D	C	R	E
cusparseCcsrcolor		12.2			hipsparseCcsrcolor	4.5.0	6.2.0			
cusparseDcsrcolor		12.2			hipsparseDcsrcolor	4.5.0	6.2.0			
cusparseScsrcolor		12.2			hipsparseScsrcolor	4.5.0	6.2.0			
cusparseZcsrcolor		12.2			hipsparseZcsrcolor	4.5.0	6.2.0			

3.7.11 14. CUSPARSE Format Conversion Reference

CUDA	A	D	C	R	HIP
cusparseCbsr2csr					hipsparseCbsr2csr
cusparseCcsc2dense		11.1		12.0	hipsparseCcsc2dense
cusparseCcsc2hyb		10.2		11.0	
cusparseCcsr2bsr		12.4			hipsparseCcsr2bsr
cusparseCcsr2csc		10.2		11.0	hipsparseCcsr2csc
cusparseCcsr2csr_compress	8.0	12.2			hipsparseCcsr2csr_compress
cusparseCcsr2csru		12.2			hipsparseCcsr2csru
cusparseCcsr2dense		11.1		12.0	hipsparseCcsr2dense
cusparseCcsr2gebsr					hipsparseCcsr2gebsr
cusparseCcsr2gebsr_bufferSize					hipsparseCcsr2gebsr_bufferSize
cusparseCcsr2gebsr_bufferSizeExt					
cusparseCcsr2hyb		10.2		11.0	hipsparseCcsr2hyb
cusparseCcsru2csr		12.2			hipsparseCcsru2csr
cusparseCcsru2csr_bufferSizeExt		12.2			hipsparseCcsru2csr_bufferSizeExt
cusparseCdense2csc		11.1		12.0	hipsparseCdense2csc
cusparseCdense2csr		11.1		12.0	hipsparseCdense2csr
cusparseCdense2hyb		10.2		11.0	
cusparseCgebsr2csr		12.4			hipsparseCgebsr2csr
cusparseCgebsr2gebsc					hipsparseCgebsr2gebsc
cusparseCgebsr2gebsc_bufferSize					hipsparseCgebsr2gebsc_bufferSi
cusparseCgebsr2gebsc_bufferSizeExt					
cusparseCgebsr2gebsr					hipsparseCgebsr2gebsr
cusparseCgebsr2gebsr_bufferSize					hipsparseCgebsr2gebsr_bufferSi
cusparseCgebsr2gebsr_bufferSizeExt					
cusparseChyb2csc		10.2		11.0	
cusparseChyb2csr		10.2		11.0	hipsparseChyb2csr
cusparseChyb2dense		10.2		11.0	
cusparseCnnz					hipsparseCnnz
cusparseCnnz_compress	8.0	12.2			hipsparseCnnz_compress
cusparseCreateCsru2csrInfo		12.2			hipsparseCreateCsru2csrInfo
cusparseCreateIdentityPermutation		12.2			hipsparseCreateIdentityPermuta
cusparseCsr2cscEx	8.0	10.2		11.0	
cusparseCsr2cscEx2	10.1				hipsparseCsr2cscEx2
cusparseCsr2cscEx2_bufferSize	10.1				hipsparseCsr2cscEx2_bufferSize

Table 3.24 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseDbsr2csr					hipsparsedbsr2csr
cusparseDcsc2dense		11.1		12.0	hipsparsedcsc2dense
cusparseDcsc2hyb		10.2		11.0	
cusparseDcsr2bsr		12.4			hipsparsedcsr2bsr
cusparseDcsr2csc		10.2		11.0	hipsparsedcsr2csc
cusparseDcsr2csr_compress	8.0	12.2			hipsparsedcsr2csr_compress
cusparseDcsr2csru		12.2			hipsparsedcsr2csru
cusparseDcsr2dense		11.1		12.0	hipsparsedcsr2dense
cusparseDcsr2gebsr					hipsparsedcsr2gebsr
cusparseDcsr2gebsr_bufferSize					hipsparsedcsr2gebsr_bufferSize
cusparseDcsr2gebsr_bufferSizeExt					
cusparseDcsr2hyb		10.2		11.0	hipsparsedcsr2hyb
cusparseDcsru2csr		12.2			hipsparsedcsru2csr
cusparseDcsru2csr_bufferSizeExt		12.2			hipsparsedcsru2csr_bufferSizeExt
cusparseDdense2csc		11.1		12.0	hipsparseddense2csc
cusparseDdense2csr		11.1		12.0	hipsparseddense2csr
cusparseDdense2hyb		10.2		11.0	
cusparseDestroyCsr2csrInfo		12.2			hipsparsedestroyCsr2csrInfo
cusparseDgebsr2csr		12.4			hipsparsedgebsr2csr
cusparseDgebsr2gebsc					hipsparsedgebsr2gebsc
cusparseDgebsr2gebsc_bufferSize					hipsparsedgebsr2gebsc_bufferSize
cusparseDgebsr2gebsc_bufferSizeExt					
cusparseDgebsr2gebsr					hipsparsedgebsr2gebsr
cusparseDgebsr2gebsr_bufferSize					hipsparsedgebsr2gebsr_bufferSize
cusparseDgebsr2gebsr_bufferSizeExt					
cusparseDhyb2csc		10.2		11.0	
cusparseDhyb2csr		10.2		11.0	hipsparsedhyb2csr
cusparseDhyb2dense		10.2		11.0	
cusparseDnnz					hipsparsednnz
cusparseDnnz_compress	8.0	12.2			hipsparsednnz_compress
cusparseDpruneCsr2csr	9.0	12.2			hipsparsedpruneCsr2csr
cusparseDpruneCsr2csrByPercentage	9.0	12.2			hipsparsedpruneCsr2csrByPercentage
cusparseDpruneCsr2csrByPercentage_bufferSizeExt	9.0	12.2			hipsparsedpruneCsr2csrByPercentage_bufferSizeExt
cusparseDpruneCsr2csrNnz	9.0	12.2			hipsparsedpruneCsr2csrNnz
cusparseDpruneCsr2csrNnzByPercentage	9.0	12.2			hipsparsedpruneCsr2csrNnzByPercentage
cusparseDpruneCsr2csr_bufferSizeExt	9.0	12.2			hipsparsedpruneCsr2csr_bufferSizeExt
cusparseDpruneDense2csr	9.0	12.2			hipsparsedpruneDense2csr
cusparseDpruneDense2csrByPercentage	9.0	12.2			hipsparsedpruneDense2csrByPercentage
cusparseDpruneDense2csrByPercentage_bufferSizeExt	9.0	12.2			hipsparsedpruneDense2csrByPercentage_bufferSizeExt
cusparseDpruneDense2csrNnz	9.0	12.2			hipsparsedpruneDense2csrNnz
cusparseDpruneDense2csrNnzByPercentage	9.0	12.2			hipsparsedpruneDense2csrNnzByPercentage
cusparseDpruneDense2csr_bufferSizeExt	9.0	12.2			hipsparsedpruneDense2csr_bufferSizeExt
cusparseHpruneCsr2csr	9.0	12.2			
cusparseHpruneCsr2csrByPercentage	9.0	12.2			
cusparseHpruneCsr2csrByPercentage_bufferSizeExt	9.0	12.2			
cusparseHpruneCsr2csrNnz	9.0	12.2			
cusparseHpruneCsr2csrNnzByPercentage	9.0	12.2			
cusparseHpruneCsr2csr_bufferSizeExt	9.0	12.2			
cusparseHpruneDense2csr	9.0	12.2			
cusparseHpruneDense2csrByPercentage	9.0	12.2			

Table 3.24 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseHpruneDense2csrByPercentage_bufferSizeExt	9.0	12.2			
cusparseHpruneDense2csrNnz	9.0	12.2			
cusparseHpruneDense2csrNnzByPercentage	9.0	12.2			
cusparseHpruneDense2csr_bufferSizeExt	9.0	12.2			
cusparseSbsr2csr					hipsparseSbsr2csr
cusparseScsc2dense		11.1		12.0	hipsparseScsc2dense
cusparseScsc2hyb		10.2		11.0	
cusparseScsr2bsr		12.4			hipsparseScsr2bsr
cusparseScsr2csc		10.2		11.0	hipsparseScsr2csc
cusparseScsr2csr_compress	8.0	12.2			hipsparseScsr2csr_compress
cusparseScsr2csru		12.2			hipsparseScsr2csru
cusparseScsr2dense		11.1		12.0	hipsparseScsr2dense
cusparseScsr2gebsr					hipsparseScsr2gebsr
cusparseScsr2gebsr_bufferSize					hipsparseScsr2gebsr_bufferSize
cusparseScsr2gebsr_bufferSizeExt					
cusparseScsr2hyb		10.2		11.0	hipsparseScsr2hyb
cusparseScsru2csr		12.2			hipsparseScsru2csr
cusparseScsru2csr_bufferSizeExt		12.2			hipsparseScsru2csr_bufferSizeExt
cusparseSdense2csc		11.1		12.0	hipsparseSdense2csc
cusparseSdense2csr		11.1		12.0	hipsparseSdense2csr
cusparseSdense2hyb		10.2		11.0	
cusparseSgebsr2csr		12.4			hipsparseSgebsr2csr
cusparseSgebsr2gebsc					hipsparseSgebsr2gebsc
cusparseSgebsr2gebsc_bufferSize					hipsparseSgebsr2gebsc_bufferSize
cusparseSgebsr2gebsc_bufferSizeExt					
cusparseSgebsr2gebsr					hipsparseSgebsr2gebsr
cusparseSgebsr2gebsr_bufferSize					hipsparseSgebsr2gebsr_bufferSize
cusparseSgebsr2gebsr_bufferSizeExt					
cusparseShyb2csc		10.2		11.0	
cusparseShyb2csr		10.2		11.0	hipsparseShyb2csr
cusparseShyb2dense		10.2		11.0	
cusparseSnnz					hipsparseSnnz
cusparseSnnz_compress	8.0	12.2			hipsparseSnnz_compress
cusparseSpruneCsr2csr	9.0	12.2			hipsparseSpruneCsr2csr
cusparseSpruneCsr2csrByPercentage	9.0	12.2			hipsparseSpruneCsr2csrByPercentage
cusparseSpruneCsr2csrByPercentage_bufferSizeExt	9.0	12.2			hipsparseSpruneCsr2csrByPercentage_bufferSizeExt
cusparseSpruneCsr2csrNnz	9.0	12.2			hipsparseSpruneCsr2csrNnz
cusparseSpruneCsr2csrNnzByPercentage	9.0	12.2			hipsparseSpruneCsr2csrNnzByPercentage
cusparseSpruneCsr2csr_bufferSizeExt	9.0	12.2			hipsparseSpruneCsr2csr_bufferSizeExt
cusparseSpruneDense2csr	9.0	12.2			hipsparseSpruneDense2csr
cusparseSpruneDense2csrByPercentage	9.0	12.2			hipsparseSpruneDense2csrByPercentage
cusparseSpruneDense2csrByPercentage_bufferSizeExt	9.0	12.2			hipsparseSpruneDense2csrByPercentage_bufferSizeExt
cusparseSpruneDense2csrNnz	9.0	12.2			hipsparseSpruneDense2csrNnz
cusparseSpruneDense2csrNnzByPercentage	9.0	12.2			hipsparseSpruneDense2csrNnzByPercentage
cusparseSpruneDense2csr_bufferSizeExt	9.0	12.2			hipsparseSpruneDense2csr_bufferSizeExt
cusparseXcoo2csr					hipsparseXcoo2csr
cusparseXcoosortByColumn					hipsparseXcoosortByColumn
cusparseXcoosortByRow					hipsparseXcoosortByRow
cusparseXcoosort_bufferSizeExt					hipsparseXcoosort_bufferSizeExt
cusparseXcscsort					hipsparseXcscsort

Table 3.24 – continued from previous page

CUDA	A	D	C	R	HIP
cusparseXcscsort_bufferSizeExt					hipsparseXcscsort_bufferSizeExt
cusparseXcsr2bsrNnz		12.4			hipsparseXcsr2bsrNnz
cusparseXcsr2coo					hipsparseXcsr2coo
cusparseXcsr2gebsrNnz					hipsparseXcsr2gebsrNnz
cusparseXcsrsort					hipsparseXcsrsort
cusparseXcsrsort_bufferSizeExt					hipsparseXcsrsort_bufferSizeExt
cusparseXgebsr2csr		12.4			
cusparseXgebsr2gebsrNnz					hipsparseXgebsr2gebsrNnz
cusparseZbsr2csr					hipsparseZbsr2csr
cusparseZcsc2dense		11.1		12.0	hipsparseZcsc2dense
cusparseZcsc2hyb		10.2		11.0	
cusparseZcsr2bsr		12.4			hipsparseZcsr2bsr
cusparseZcsr2csc		10.2		11.0	hipsparseZcsr2csc
cusparseZcsr2csr_compress	8.0	12.2			hipsparseZcsr2csr_compress
cusparseZcsr2csru		12.2			hipsparseZcsr2csru
cusparseZcsr2dense		11.1		12.0	hipsparseZcsr2dense
cusparseZcsr2gebsr					hipsparseZcsr2gebsr
cusparseZcsr2gebsr_bufferSize					hipsparseZcsr2gebsr_bufferSize
cusparseZcsr2gebsr_bufferSizeExt					
cusparseZcsr2hyb		10.2		11.0	hipsparseZcsr2hyb
cusparseZcsru2csr		12.2			hipsparseZcsru2csr
cusparseZcsru2csr_bufferSizeExt		12.2			hipsparseZcsru2csr_bufferSizeExt
cusparseZdense2csc		11.1		12.0	hipsparseZdense2csc
cusparseZdense2csr		11.1		12.0	hipsparseZdense2csr
cusparseZdense2hyb		10.2		11.0	
cusparseZgebsr2csr		12.4			hipsparseZgebsr2csr
cusparseZgebsr2gebsc					hipsparseZgebsr2gebsc
cusparseZgebsr2gebsc_bufferSize					hipsparseZgebsr2gebsc_bufferSize
cusparseZgebsr2gebsc_bufferSizeExt					
cusparseZgebsr2gebsr					hipsparseZgebsr2gebsr
cusparseZgebsr2gebsr_bufferSize					hipsparseZgebsr2gebsr_bufferSize
cusparseZgebsr2gebsr_bufferSizeExt					
cusparseZhyb2csc		10.2		11.0	
cusparseZhyb2csr		10.2		11.0	hipsparseZhyb2csr
cusparseZhyb2dense		10.2		11.0	
cusparseZnnz					hipsparseZnnz
cusparseZnnz_compress	8.0	12.2			hipsparseZnnz_compress

3.7.12 15. CUSPARSE Generic API Reference

CUDA	A	D	C	R	HIP	A
cusparseAxpby	11.0		12.0		hipsparseAxpby	4.1.0
cusparseBlockedEllGet	11.2				hipsparseBlockedEllGet	4.5.0
cusparseBsrSetStridedBatch	12.1					
cusparseConstBlockedEllGet	12.0				hipsparseConstBlockedEllGet	6.0.0
cusparseConstCooGet	12.0				hipsparseConstCooGet	6.0.0
cusparseConstCscGet	12.0				hipsparseConstCscGet	6.2.0
cusparseConstCsrGet	12.0				hipsparseConstCsrGet	6.0.0

Table 3.25 – continued from previous page

CUDA	A	D	C	R	HIP	A
cusparseConstDnMatGet	12.0				hipsparseConstDnMatGet	6.0.0
cusparseConstDnMatGetValues	12.0				hipsparseConstDnMatGetValues	6.0.0
cusparseConstDnVecGet	12.0				hipsparseConstDnVecGet	6.0.0
cusparseConstDnVecGetValues	12.0				hipsparseConstDnVecGetValues	6.0.0
cusparseConstSpMatGetValues	12.0				hipsparseConstSpMatGetValues	6.0.0
cusparseConstSpVecGet	12.0				hipsparseConstSpVecGet	6.0.0
cusparseConstSpVecGetValues	12.0				hipsparseConstSpVecGetValues	6.0.0
cusparseConstrainedGeMM	10.2	11.2		12.0		
cusparseConstrainedGeMM_bufferSize	10.2	11.2		12.0		
cusparseCooAoSGet	10.2	11.2		12.0	hipsparseCooAoSGet	4.1.0
cusparseCooGet	10.1				hipsparseCooGet	4.1.0
cusparseCooSetPointers	11.1				hipsparseCooSetPointers	4.2.0
cusparseCooSetStridedBatch	11.0				hipsparseCooSetStridedBatch	5.2.0
cusparseCreateBlockedEll	11.2				hipsparseCreateBlockedEll	4.5.0
cusparseCreateBsr	12.1					
cusparseCreateConstBlockedEll	12.0				hipsparseCreateConstBlockedEll	6.0.0
cusparseCreateConstBsr	12.1					
cusparseCreateConstCoo	12.0				hipsparseCreateConstCoo	6.0.0
cusparseCreateConstCsc	12.0				hipsparseCreateConstCsc	6.0.0
cusparseCreateConstCsr	12.0				hipsparseCreateConstCsr	6.0.0
cusparseCreateConstDnMat	12.0				hipsparseCreateConstDnMat	6.0.0
cusparseCreateConstDnVec	12.0				hipsparseCreateConstDnVec	6.0.0
cusparseCreateConstSlicedEll	12.1					
cusparseCreateConstSpVec	12.0				hipsparseCreateConstSpVec	6.0.0
cusparseCreateCoo	10.1				hipsparseCreateCoo	4.1.0
cusparseCreateCooAoS	10.2	11.2		12.0	hipsparseCreateCooAoS	4.1.0
cusparseCreateCsc	11.1				hipsparseCreateCsc	4.2.0
cusparseCreateCsr	10.2				hipsparseCreateCsr	4.1.0
cusparseCreateDnMat	10.1				hipsparseCreateDnMat	4.2.0
cusparseCreateDnVec	10.2				hipsparseCreateDnVec	4.1.0
cusparseCreateSlicedEll	12.1					
cusparseCreateSpVec	10.2				hipsparseCreateSpVec	4.1.0
cusparseCscGet	11.7				hipsparseCscGet	6.2.0
cusparseCscSetPointers	11.1				hipsparseCscSetPointers	4.2.0
cusparseCsrGet	10.2				hipsparseCsrGet	4.1.0
cusparseCsrSetPointers	11.0				hipsparseCsrSetPointers	4.1.0
cusparseCsrSetStridedBatch	11.0				hipsparseCsrSetStridedBatch	5.2.0
cusparseDenseToSparse_analysis	11.1		12.0		hipsparseDenseToSparse_analysis	4.2.0
cusparseDenseToSparse_bufferSize	11.1		12.0		hipsparseDenseToSparse_bufferSize	4.2.0
cusparseDenseToSparse_convert	11.1		12.0		hipsparseDenseToSparse_convert	4.2.0
cusparseDestroyDnMat	10.1		12.0		hipsparseDestroyDnMat	4.2.0
cusparseDestroyDnVec	10.2		12.0		hipsparseDestroyDnVec	4.1.0
cusparseDestroySpMat	10.1		12.0		hipsparseDestroySpMat	4.1.0
cusparseDestroySpVec	10.2		12.0		hipsparseDestroySpVec	4.1.0
cusparseDnMatGet	10.1				hipsparseDnMatGet	4.2.0
cusparseDnMatGetStridedBatch	10.1		12.0		hipsparseDnMatGetStridedBatch	5.2.0
cusparseDnMatGetValues	10.2				hipsparseDnMatGetValues	4.2.0
cusparseDnMatSetStridedBatch	10.1				hipsparseDnMatSetStridedBatch	5.2.0
cusparseDnMatSetValues	10.2				hipsparseDnMatSetValues	4.2.0
cusparseDnVecGet	10.2				hipsparseDnVecGet	4.1.0

con

Table 3.25 – continued from previous page

CUDA	A	D	C	R	HIP	A
cusparseDnVecGetValues	10.2				hipsparsednvecgetvalues	4.1.0
cusparseDnVecSetValues	10.2				hipsparsednvecsetvalues	4.1.0
cusparseGather	11.0		12.0		hipsparsednvecgather	4.1.0
cusparseRot	11.0	12.2			hipsparsednvecrot	4.1.0
cusparseSDDMM	11.2		12.0		hipsparsednvecrot	4.1.0
cusparseSDDMM_bufferSize	11.2		12.0		hipsparsednvecrot	4.1.0
cusparseSDDMM_preprocess	11.2		12.0		hipsparsednvecrot	4.1.0
cusparseScatter	11.0		12.0		hipsparsednvecrot	4.1.0
cusparseSpGEMM_compute	11.0		12.0		hipsparsednvecrot	4.1.0
cusparseSpGEMM_copy	11.0		12.0		hipsparsednvecrot	4.1.0
cusparseSpGEMM_createDescr	11.0				hipsparsednvecrot	4.1.0
cusparseSpGEMM_destroyDescr	11.0				hipsparsednvecrot	4.1.0
cusparseSpGEMM_estimateMemory	12.0					
cusparseSpGEMM_getNumProducts	12.0					
cusparseSpGEMM_workEstimation	11.0		12.0		hipsparsednvecrot	4.1.0
cusparseSpGEMMreuse_compute	11.3		12.0		hipsparsednvecrot	5.1.0
cusparseSpGEMMreuse_copy	11.3		12.0		hipsparsednvecrot	5.1.0
cusparseSpGEMMreuse_nnz	11.3		12.0		hipsparsednvecrot	5.1.0
cusparseSpGEMMreuse_workEstimation	11.3		12.0		hipsparsednvecrot	5.1.0
cusparseSpMM	10.1		12.0		hipsparsednvecrot	4.2.0
cusparseSpMMOp	11.5					
cusparseSpMMOp_createPlan	11.5					
cusparseSpMMOp_destroyPlan	11.5					
cusparseSpMM_bufferSize	10.1		12.0		hipsparsednvecrot	4.2.0
cusparseSpMM_preprocess	11.2		12.0		hipsparsednvecrot	4.5.0
cusparseSpMV	10.1		12.0		hipsparsednvecrot	4.1.0
cusparseSpMV_bufferSize	10.1		12.0		hipsparsednvecrot	4.1.0
cusparseSpMV_preprocess	12.4				hipsparsednvecrot	5.2.0
cusparseSpMatGetAttribute	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpMatGetFormat	10.1		12.0		hipsparsednvecrot	4.1.0
cusparseSpMatGetIndexBase	10.1		12.0		hipsparsednvecrot	4.1.0
cusparseSpMatGetNumBatches	10.1			10.2		
cusparseSpMatGetSize	11.0		12.0		hipsparsednvecrot	4.1.0
cusparseSpMatGetStridedBatch	10.2		12.0		hipsparsednvecrot	5.2.0
cusparseSpMatGetValues	10.2				hipsparsednvecrot	4.1.0
cusparseSpMatSetAttribute	11.3				hipsparsednvecrot	4.5.0
cusparseSpMatSetNumBatches	10.1			10.2		
cusparseSpMatSetStridedBatch	10.2			12.0	hipsparsednvecrot	5.2.0
cusparseSpMatSetValues	10.2				hipsparsednvecrot	4.1.0
cusparseSpSM_analysis	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpSM_bufferSize	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpSM_createDescr	11.3				hipsparsednvecrot	4.5.0
cusparseSpSM_destroyDescr	11.3				hipsparsednvecrot	4.5.0
cusparseSpSM_solve	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpSM_updateMatrix	12.4					
cusparseSpSV_analysis	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpSV_bufferSize	11.3		12.0		hipsparsednvecrot	4.5.0
cusparseSpSV_createDescr	11.3				hipsparsednvecrot	4.5.0
cusparseSpSV_destroyDescr	11.3				hipsparsednvecrot	4.5.0
cusparseSpSV_solve	11.3		12.0		hipsparsednvecrot	4.5.0

con

Table 3.25 – continued from previous page

CUDA	A	D	C	R	HIP	A
cusparseSpSV_updateMatrix	12.1					
cusparseSpVV	10.1		12.0		hipsparseSpVV	4.1.0
cusparseSpVV_bufferSize	10.1		12.0		hipsparseSpVV_bufferSize	4.1.0
cusparseSpVecGet	10.2				hipsparseSpVecGet	4.1.0
cusparseSpVecGetIndexBase	10.2		12.0		hipsparseSpVecGetIndexBase	4.1.0
cusparseSpVecGetValues	10.2				hipsparseSpVecGetValues	4.1.0
cusparseSpVecSetValues	10.2				hipsparseSpVecSetValues	4.1.0
cusparseSparseToDense	11.1		12.0		hipsparseSparseToDense	4.2.0
cusparseSparseToDense_bufferSize	11.1		12.0		hipsparseSparseToDense_bufferSize	4.2.0

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.8 CUSOLVER API supported by HIP

3.8.1 1. CUSOLVER Data types

CUDA	A	D	C	R	HIP
CUBLAS_DIRECT_BACKWARD	11.0				
CUBLAS_DIRECT_FORWARD	11.0				
CUBLAS_STOREV_COLUMNWISE	11.0				
CUBLAS_STOREV_ROWWISE	11.0				
CUDALIBMG_GRID_MAPPING_COL_MAJOR	10.1				
CUDALIBMG_GRID_MAPPING_ROW_MAJOR	10.1				
CUSOLVERDN_GETRF	11.0				HIPSOLVERDN_GETRF
CUSOLVERDN_POTRF	11.5				
CUSOLVERRF_FACTORIZATION_ALG0					HIPSOLVERRF_FACTORIZATION_ALG0
CUSOLVERRF_FACTORIZATION_ALG1					HIPSOLVERRF_FACTORIZATION_ALG1
CUSOLVERRF_FACTORIZATION_ALG2					HIPSOLVERRF_FACTORIZATION_ALG2
CUSOLVERRF_MATRIX_FORMAT_CSC					HIPSOLVERRF_MATRIX_FORMAT_CSC
CUSOLVERRF_MATRIX_FORMAT_CSR					HIPSOLVERRF_MATRIX_FORMAT_CSR
CUSOLVERRF_NUMERIC_BOOST_NOT_USED					HIPSOLVERRF_NUMERIC_BOOST_NOT_USED
CUSOLVERRF_NUMERIC_BOOST_USED					HIPSOLVERRF_NUMERIC_BOOST_USED
CUSOLVERRF_RESET_VALUES_FAST_MODE_OFF					HIPSOLVERRF_RESET_VALUES_FAST_MODE_OFF
CUSOLVERRF_RESET_VALUES_FAST_MODE_ON					HIPSOLVERRF_RESET_VALUES_FAST_MODE_ON
CUSOLVERRF_TRIANGULAR_SOLVE_ALG1					HIPSOLVERRF_TRIANGULAR_SOLVE_ALG1
CUSOLVERRF_TRIANGULAR_SOLVE_ALG2					HIPSOLVERRF_TRIANGULAR_SOLVE_ALG2
CUSOLVERRF_TRIANGULAR_SOLVE_ALG3					HIPSOLVERRF_TRIANGULAR_SOLVE_ALG3
CUSOLVERRF_UNIT_DIAGONAL_ASSUMED_L					HIPSOLVERRF_UNIT_DIAGONAL_ASSUMED_L
CUSOLVERRF_UNIT_DIAGONAL_ASSUMED_U					HIPSOLVERRF_UNIT_DIAGONAL_ASSUMED_U
CUSOLVERRF_UNIT_DIAGONAL_STORED_L					HIPSOLVERRF_UNIT_DIAGONAL_STORED_L
CUSOLVERRF_UNIT_DIAGONAL_STORED_U					HIPSOLVERRF_UNIT_DIAGONAL_STORED_U
CUSOLVER_ALG_0	11.0				HIPSOLVER_ALG_0
CUSOLVER_ALG_1	11.0				HIPSOLVER_ALG_1
CUSOLVER_ALG_2	11.5				
CUSOLVER_ALLOW_NON_DETERMINISTIC_RESULTS	12.2				
CUSOLVER_C_16BF	11.0				

Table 3.26 – continued from previous page

CUDA	A	D	C	R	HIP
CUSOLVER_C_16F	11.0				
CUSOLVER_C_32F	11.0				
CUSOLVER_C_64F	11.0				
CUSOLVER_C_8I	11.0				
CUSOLVER_C_8U	11.0				
CUSOLVER_C_AP	11.0				
CUSOLVER_C_TF32	11.0				
CUSOLVER_DETERMINISTIC_RESULTS	12.2				
CUSOLVER_EIG_MODE_NOVECTOR	8.0				HIPSOLVER_EIG_MODE_NOVECTOR
CUSOLVER_EIG_MODE_VECTOR	8.0				HIPSOLVER_EIG_MODE_VECTOR
CUSOLVER_EIG_RANGE_ALL	10.1				HIPSOLVER_EIG_RANGE_ALL
CUSOLVER_EIG_RANGE_I	10.1				HIPSOLVER_EIG_RANGE_I
CUSOLVER_EIG_RANGE_V	10.1				HIPSOLVER_EIG_RANGE_V
CUSOLVER_EIG_TYPE_1	8.0				HIPSOLVER_EIG_TYPE_1
CUSOLVER_EIG_TYPE_2	8.0				HIPSOLVER_EIG_TYPE_2
CUSOLVER_EIG_TYPE_3	8.0				HIPSOLVER_EIG_TYPE_3
CUSOLVER_FRO_NORM	10.2				
CUSOLVER_INF_NORM	10.2				
CUSOLVER_IRS_REFINE_CLASSICAL	10.2				
CUSOLVER_IRS_REFINE_CLASSICAL_GMRES	10.2				
CUSOLVER_IRS_REFINE_GMRES	10.2				
CUSOLVER_IRS_REFINE_GMRES_GMRES	10.2				
CUSOLVER_IRS_REFINE_GMRES_NOPCOND	11.0				
CUSOLVER_IRS_REFINE_NONE	10.2				
CUSOLVER_IRS_REFINE_NOT_SET	10.2				
CUSOLVER_MAX_NORM	10.2				
CUSOLVER_ONE_NORM	10.2				
CUSOLVER_PREC_DD	10.2				
CUSOLVER_PREC_SHT	10.2				
CUSOLVER_PREC_SS	10.2				
CUSOLVER_R_16BF	11.0				
CUSOLVER_R_16F	11.0				
CUSOLVER_R_32F	11.0				
CUSOLVER_R_64F	11.0				
CUSOLVER_R_8I	11.0				
CUSOLVER_R_8U	11.0				
CUSOLVER_R_AP	11.0				
CUSOLVER_R_TF32	11.0				
CUSOLVER_STATUS_ALLOC_FAILED					HIPSOLVER_STATUS_ALLOC_FAILED
CUSOLVER_STATUS_ARCH_MISMATCH					HIPSOLVER_STATUS_ARCH_MISMATCH
CUSOLVER_STATUS_EXECUTION_FAILED					HIPSOLVER_STATUS_EXECUTION_FAILED
CUSOLVER_STATUS_INTERNAL_ERROR					HIPSOLVER_STATUS_INTERNAL_ERROR
CUSOLVER_STATUS_INVALID_LICENSE					
CUSOLVER_STATUS_INVALID_VALUE					HIPSOLVER_STATUS_INVALID_VALUE
CUSOLVER_STATUS_INVALID_WORKSPACE	11.0				
CUSOLVER_STATUS_IRS_INFOS_NOT_DESTROYED	11.0				
CUSOLVER_STATUS_IRS_INFOS_NOT_INITIALIZED	10.2				
CUSOLVER_STATUS_IRS_INTERNAL_ERROR	10.2				HIPSOLVER_STATUS_INTERNAL_ERROR
CUSOLVER_STATUS_IRS_MATRIX_SINGULAR	11.0				
CUSOLVER_STATUS_IRS_NOT_SUPPORTED	10.2				HIPSOLVER_STATUS_NOT_SUPPORTED

Table 3.26 – continued from previous page

CUDA	A	D	C	R	HIP
CUSOLVER_STATUS_IRS_NRHS_NOT_SUPPORTED_FOR_REFINE_GMRES	10.2				
CUSOLVER_STATUS_IRS_OUT_OF_RANGE	10.2				
CUSOLVER_STATUS_IRS_PARAMS_INVALID	10.2				HIPSOLVER_STATUS_INVALID_VAL
CUSOLVER_STATUS_IRS_PARAMS_INVALID_MAXITER	11.0				
CUSOLVER_STATUS_IRS_PARAMS_INVALID_PREC	11.0				
CUSOLVER_STATUS_IRS_PARAMS_INVALID_REFINE	11.0				
CUSOLVER_STATUS_IRS_PARAMS_NOT_INITIALIZED	10.2				
CUSOLVER_STATUS_MAPPING_ERROR					HIPSOLVER_STATUS_MAPPING_ERR
CUSOLVER_STATUS_MATRIX_TYPE_NOT_SUPPORTED					HIPSOLVER_STATUS_MATRIX_TYPE
CUSOLVER_STATUS_NOT_INITIALIZED					HIPSOLVER_STATUS_NOT_INITIAL
CUSOLVER_STATUS_NOT_SUPPORTED					HIPSOLVER_STATUS_NOT_SUPPORTT
CUSOLVER_STATUS_SUCCESS					HIPSOLVER_STATUS_SUCCESS
CUSOLVER_STATUS_ZERO_PIVOT					HIPSOLVER_STATUS_ZERO_PIVOT
csrcholInfo	7.5				
csrcholInfoHost	7.5				
csrcholInfoHost_t	7.5				
csrcholInfo_t	7.5				
csrluInfoHost	7.5				
csrluInfoHost_t	7.5				
csrqrInfo					
csrqrInfoHost	7.5				
csrqrInfoHost_t	7.5				
csrqrInfo_t					
cudaLibMgGrid_t	10.1				
cudaLibMgMatrixDesc_t	10.1				
cusolverAlgMode_t	11.0				hipsolverAlgMode_t
cusolverDeterministicMode_t	12.2				
cusolverDirectMode_t	11.0				
cusolverDnContext					
cusolverDnFunction_t	11.0				hipsolverDnFunction_t
cusolverDnHandle_t					hipsolverHandle_t
cusolverDnIRSInfos	10.2				
cusolverDnIRSInfos_t	10.2				
cusolverDnIRSParams	10.2				
cusolverDnIRSParams_t	10.2				
cusolverDnLoggerCallback_t	11.7				
cusolverDnParams	11.0				
cusolverDnParams_t	11.0				hipsolverDnParams_t
cusolverEigMode_t	8.0				hipsolverEigMode_t
cusolverEigRange_t	10.1				hipsolverEigRange_t
cusolverEigType_t	8.0				hipsolverEigType_t
cusolverIRSRefinement_t	10.2				
cusolverMgContext	10.1				
cusolverMgGridMapping_t	10.1				
cusolverMgHandle_t	10.1				
cusolverNorm_t	10.2				
cusolverPrecType_t	11.0				
cusolverRfCommon					
cusolverRfFactorization_t					hipsolverRfFactorization_t
cusolverRfHandle_t					hipsolverRfHandle_t

Table 3.26 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverRfMatrixFormat_t					hipsolverRfMatrixFormat_t
cusolverRfNumericBoostReport_t					hipsolverRfNumericBoostReport_t
cusolverRfResetValuesFastMode_t					hipsolverRfResetValuesFastMode_t
cusolverRfTriangularSolve_t					hipsolverRfTriangularSolve_t
cusolverRfUnitDiagonal_t					hipsolverRfUnitDiagonal_t
cusolverSpContext					
cusolverSpHandle_t					hipsolverSpHandle_t
cusolverStatus_t					hipsolverStatus_t
cusolverStorevMode_t	11.0				
cusolver_int_t	10.1				int
gesvdjInfo	9.0				
gesvdjInfo_t	9.0				hipsolverGesvdjInfo_t
syevjInfo	9.0				
syevjInfo_t	9.0				hipsolverSyevjInfo_t

3.8.2 2. CUSOLVER Function Reference

CUDA	A	D	C	R	HIP
cusolverDnCCgels	11.0				hipsolverDnCCgels
cusolverDnCCgels_bufferSize	11.0				hipsolverDnCCgels_bufferSize
cusolverDnCCgesv	10.2				hipsolverDnCCgesv
cusolverDnCCgesv_bufferSize	10.2				hipsolverDnCCgesv_bufferSize
cusolverDnCEgels	11.0				
cusolverDnCEgels_bufferSize	11.0				
cusolverDnCEgesv	11.0				
cusolverDnCEgesv_bufferSize	11.0				
cusolverDnCKgels	11.0				
cusolverDnCKgels_bufferSize	11.0				
cusolverDnCKgesv	10.2				
cusolverDnCKgesv_bufferSize	10.2				
cusolverDnCYgels	11.0				
cusolverDnCYgels_bufferSize	11.0				
cusolverDnCYgesv	11.0				
cusolverDnCYgesv_bufferSize	11.0				
cusolverDnCgebrd					hipsolverDnCgebrd
cusolverDnCgebrd_bufferSize					hipsolverDnCgebrd_bufferSize
cusolverDnCgeqrf					hipsolverDnCgeqrf
cusolverDnCgeqrf_bufferSize					hipsolverDnCgeqrf_bufferSize
cusolverDnCgesvd					hipsolverDnCgesvd
cusolverDnCgesvd_bufferSize					hipsolverDnCgesvd_bufferSize
cusolverDnCgesvdaStridedBatched	10.1				hipsolverDnCgesvdaStridedBatched
cusolverDnCgesvdaStridedBatched_bufferSize	10.1				hipsolverDnCgesvdaStridedBatched_bufferSize
cusolverDnCgesvdj	9.0				hipsolverDnCgesvdj
cusolverDnCgesvdjBatched	9.0				hipsolverDnCgesvdjBatched
cusolverDnCgesvdjBatched_bufferSize	9.0				hipsolverDnCgesvdjBatched_bufferSize
cusolverDnCgesvdj_bufferSize	9.0				hipsolverDnCgesvdj_bufferSize
cusolverDnCgetrf					hipsolverDnCgetrf
cusolverDnCgetrf_bufferSize					hipsolverDnCgetrf_bufferSize

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnCgetrs					hipsolverDnCgetrs
cusolverDnCheevd	8.0				hipsolverDnCheevd
cusolverDnCheevd_bufferSize	8.0				hipsolverDnCheevd_bufferSize
cusolverDnCheevdx	10.1				hipsolverDnCheevdx
cusolverDnCheevdx_bufferSize	10.1				hipsolverDnCheevdx_bufferSize
cusolverDnCheevj	9.0				hipsolverDnCheevj
cusolverDnCheevjBatched	9.0				hipsolverDnCheevjBatched
cusolverDnCheevjBatched_bufferSize	9.0				hipsolverDnCheevjBatched_bufferSize
cusolverDnCheevj_bufferSize	9.0				hipsolverDnCheevj_bufferSize
cusolverDnChegvd	8.0				hipsolverDnChegvd
cusolverDnChegvd_bufferSize	8.0				hipsolverDnChegvd_bufferSize
cusolverDnChegvdx	10.1				hipsolverDnChegvdx
cusolverDnChegvdx_bufferSize	10.1				hipsolverDnChegvdx_bufferSize
cusolverDnChegvj	9.0				hipsolverDnChegvj
cusolverDnChegvj_bufferSize	9.0				hipsolverDnChegvj_bufferSize
cusolverDnChetrd	8.0				hipsolverDnChetrd
cusolverDnChetrd_bufferSize	8.0				hipsolverDnChetrd_bufferSize
cusolverDnClaswp					
cusolverDnClauum	10.1				
cusolverDnClauum_bufferSize	10.1				
cusolverDnCpotrf					hipsolverDnCpotrf
cusolverDnCpotrfBatched	9.1				hipsolverDnCpotrfBatched
cusolverDnCpotrf_bufferSize					hipsolverDnCpotrf_bufferSize
cusolverDnCpotri	10.1				hipsolverDnCpotri
cusolverDnCpotri_bufferSize	10.1				hipsolverDnCpotri_bufferSize
cusolverDnCpotrs					hipsolverDnCpotrs
cusolverDnCpotrsBatched	9.1				hipsolverDnCpotrsBatched
cusolverDnCreate					hipsolverDnCreate
cusolverDnCreateGesvdjInfo	9.0				hipsolverDnCreateGesvdjInfo
cusolverDnCreateParams	11.0				hipsolverDnCreateParams
cusolverDnCreateSyevjInfo	9.0				hipsolverDnCreateSyevjInfo
cusolverDnCsytrf					hipsolverDnCsytrf
cusolverDnCsytrf_bufferSize					hipsolverDnCsytrf_bufferSize
cusolverDnCsytri	10.1				
cusolverDnCsytri_bufferSize	10.1				
cusolverDnCungbr	8.0				hipsolverDnCungbr
cusolverDnCungbr_bufferSize	8.0				hipsolverDnCungbr_bufferSize
cusolverDnCungqr	8.0				hipsolverDnCungqr
cusolverDnCungqr_bufferSize	8.0				hipsolverDnCungqr_bufferSize
cusolverDnCungtr	8.0				hipsolverDnCungtr
cusolverDnCungtr_bufferSize	8.0				hipsolverDnCungtr_bufferSize
cusolverDnCunmqr					hipsolverDnCunmqr
cusolverDnCunmqr_bufferSize	8.0				hipsolverDnCunmqr_bufferSize
cusolverDnCunmtr	8.0				hipsolverDnCunmtr
cusolverDnCunmtr_bufferSize	8.0				hipsolverDnCunmtr_bufferSize
cusolverDnDBgels	11.0				
cusolverDnDBgels_bufferSize	11.0				
cusolverDnDBgesv	11.0				
cusolverDnDBgesv_bufferSize	11.0				
cusolverDnDDgels	11.0				hipsolverDnDDgels

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnDDgels_bufferSize	11.0				hipsolverDnDDgels_bufferSize
cusolverDnDDgesv	10.2				hipsolverDnDDgesv
cusolverDnDDgesv_bufferSize	10.2				hipsolverDnDDgesv_bufferSize
cusolverDnDHgels	11.0				
cusolverDnDHgels_bufferSize	11.0				
cusolverDnDHgesv	10.2				
cusolverDnDHgesv_bufferSize	10.2				
cusolverDnDSgels	11.0				
cusolverDnDSgels_bufferSize	11.0				
cusolverDnDSgesv	10.2				
cusolverDnDSgesv_bufferSize	10.2				
cusolverDnDXgels	11.0				
cusolverDnDXgels_bufferSize	11.0				
cusolverDnDXgesv	11.0				
cusolverDnDXgesv_bufferSize	11.0				
cusolverDnDestroy					hipsolverDnDestroy
cusolverDnDestroyGesvdjInfo	9.0				hipsolverDnDestroyGesvdjInfo
cusolverDnDestroyParams	11.0				hipsolverDnDestroyParams
cusolverDnDestroySyevjInfo	9.0				hipsolverDnDestroySyevjInfo
cusolverDnDgebrd					hipsolverDnDgebrd
cusolverDnDgebrd_bufferSize					hipsolverDnDgebrd_bufferSize
cusolverDnDgeqrf					hipsolverDnDgeqrf
cusolverDnDgeqrf_bufferSize					hipsolverDnDgeqrf_bufferSize
cusolverDnDgesvd					hipsolverDnDgesvd
cusolverDnDgesvd_bufferSize					hipsolverDnDgesvd_bufferSize
cusolverDnDgesvdaStridedBatched	10.1				hipsolverDnDgesvdaStridedBatched
cusolverDnDgesvdaStridedBatched_bufferSize	10.1				hipsolverDnDgesvdaStridedBatched_bufferSize
cusolverDnDgesvdj	9.0				hipsolverDnDgesvdj
cusolverDnDgesvdjBatched	9.0				hipsolverDnDgesvdjBatched
cusolverDnDgesvdjBatched_bufferSize	9.0				hipsolverDnDgesvdjBatched_bufferSize
cusolverDnDgesvdj_bufferSize	9.0				hipsolverDnDgesvdj_bufferSize
cusolverDnDgetrf					hipsolverDnDgetrf
cusolverDnDgetrf_bufferSize					hipsolverDnDgetrf_bufferSize
cusolverDnDgetrs					hipsolverDnDgetrs
cusolverDnDlaswp					
cusolverDnDlauum	10.1				
cusolverDnDlauum_bufferSize	10.1				
cusolverDnDorgbr	8.0				hipsolverDnDorgbr
cusolverDnDorgbr_bufferSize	8.0				hipsolverDnDorgbr_bufferSize
cusolverDnDorgqr	8.0				hipsolverDnDorgqr
cusolverDnDorgqr_bufferSize	8.0				hipsolverDnDorgqr_bufferSize
cusolverDnDorgtr	8.0				hipsolverDnDorgtr
cusolverDnDorgtr_bufferSize	8.0				hipsolverDnDorgtr_bufferSize
cusolverDnDormqr					hipsolverDnDormqr
cusolverDnDormqr_bufferSize	8.0				hipsolverDnDormqr_bufferSize
cusolverDnDormtr	8.0				hipsolverDnDormtr
cusolverDnDormtr_bufferSize	8.0				hipsolverDnDormtr_bufferSize
cusolverDnDpotrf					hipsolverDnDpotrf
cusolverDnDpotrfBatched	9.1				hipsolverDnDpotrfBatched
cusolverDnDpotrf_bufferSize					hipsolverDnDpotrf_bufferSize

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnDpotri	10.1				hipsolverDnDpotri
cusolverDnDpotri_bufferSize	10.1				hipsolverDnDpotri_bufferSize
cusolverDnDpotrs					hipsolverDnDpotrs
cusolverDnDpotrsBatched	9.1				hipsolverDnDpotrsBatched
cusolverDnDsyevd	8.0				hipsolverDnDsyevd
cusolverDnDsyevd_bufferSize	8.0				hipsolverDnDsyevd_bufferSize
cusolverDnDsyevdx	10.1				hipsolverDnDsyevdx
cusolverDnDsyevdx_bufferSize	10.1				hipsolverDnDsyevdx_bufferSize
cusolverDnDsyevj	9.0				hipsolverDnDsyevj
cusolverDnDsyevjBatched	9.0				hipsolverDnDsyevjBatched
cusolverDnDsyevjBatched_bufferSize	9.0				hipsolverDnDsyevjBatched_bufferSize
cusolverDnDsyevj_bufferSize	9.0				hipsolverDnDsyevj_bufferSize
cusolverDnDsygvd	8.0				hipsolverDnDsygvd
cusolverDnDsygvd_bufferSize	8.0				hipsolverDnDsygvd_bufferSize
cusolverDnDsygvdx	10.1				hipsolverDnDsygvdx
cusolverDnDsygvdx_bufferSize	10.1				hipsolverDnDsygvdx_bufferSize
cusolverDnDsygvj	9.0				hipsolverDnDsygvj
cusolverDnDsygvj_bufferSize	9.0				hipsolverDnDsygvj_bufferSize
cusolverDnDsytrd					hipsolverDnDsytrd
cusolverDnDsytrd_bufferSize	8.0				hipsolverDnDsytrd_bufferSize
cusolverDnDsytrf					hipsolverDnDsytrf
cusolverDnDsytrf_bufferSize					hipsolverDnDsytrf_bufferSize
cusolverDnDsytri	10.1				
cusolverDnDsytri_bufferSize	10.1				
cusolverDnGeqrf	11.0	11.1			
cusolverDnGeqrf_bufferSize	11.0	11.1			
cusolverDnGesvd	11.0	11.1			
cusolverDnGesvd_bufferSize	11.0	11.1			
cusolverDnGetDeterministicMode	12.2				
cusolverDnGetStream					hipsolverGetStream
cusolverDnGetrf	11.0	11.1			
cusolverDnGetrf_bufferSize	11.0	11.1			
cusolverDnGets	11.0	11.1			
cusolverDnIRSInfosCreate	10.2				
cusolverDnIRSInfosDestroy	10.2				
cusolverDnIRSInfosGetMaxIters	10.2				
cusolverDnIRSInfosGetNiters	10.2				
cusolverDnIRSInfosGetOuterNiters	10.2				
cusolverDnIRSInfosGetResidualHistory	10.2				
cusolverDnIRSInfosRequestResidual	10.2				
cusolverDnIRSPParamsCreate	10.2				
cusolverDnIRSPParamsDestroy	10.2				
cusolverDnIRSPParamsDisableFallback	11.0				
cusolverDnIRSPParamsEnableFallback	11.0				
cusolverDnIRSPParamsGetMaxIters	10.2				
cusolverDnIRSPParamsSetMaxIters	10.2				
cusolverDnIRSPParamsSetMaxItersInner	10.2				
cusolverDnIRSPParamsSetRefinementSolver	10.2				
cusolverDnIRSPParamsSetSolverLowestPrecision	10.2				
cusolverDnIRSPParamsSetSolverMainPrecision	10.2				

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnIRSParamsSetSolverPrecisions	10.2				
cusolverDnIRSParamsSetTol	10.2				
cusolverDnIRSParamsSetTolInner	10.2				
cusolverDnIRSXgels	11.0				
cusolverDnIRSXgels_bufferSize	11.0				
cusolverDnIRSXgesv	10.2				
cusolverDnIRSXgesv_bufferSize	10.2				
cusolverDnLoggerForceDisable	11.7				
cusolverDnLoggerOpenFile	11.7				
cusolverDnLoggerSetCallback	11.7				
cusolverDnLoggerSetFile	11.7				
cusolverDnLoggerSetLevel	11.7				
cusolverDnLoggerSetMask	11.7				
cusolverDnPotrf	11.0	11.1			
cusolverDnPotrf_bufferSize	11.0	11.1			
cusolverDnPotrs	11.0	11.1			
cusolverDnSBgels	11.0				
cusolverDnSBgels_bufferSize	11.0				
cusolverDnSBgesv	11.0				
cusolverDnSBgesv_bufferSize	11.0				
cusolverDnSHgels	11.0				
cusolverDnSHgels_bufferSize	11.0				
cusolverDnSHgesv	10.2				
cusolverDnSHgesv_bufferSize	10.2				
cusolverDnSSgels	11.0				hipsolverDnSSgels
cusolverDnSSgels_bufferSize	11.0				hipsolverDnSSgels_bufferSize
cusolverDnSSgesv	10.2				hipsolverDnSSgesv
cusolverDnSSgesv_bufferSize	10.2				hipsolverDnSSgesv_bufferSize
cusolverDnSXgels	11.0				
cusolverDnSXgels_bufferSize	11.0				
cusolverDnSXgesv	11.0				
cusolverDnSXgesv_bufferSize	11.0				
cusolverDnSetAdvOptions	11.0				hipsolverDnSetAdvOptions
cusolverDnSetDeterministicMode	12.2				
cusolverDnSetStream					hipsolverSetStream
cusolverDnSgebrd					hipsolverDnSgebrd
cusolverDnSgebrd_bufferSize					hipsolverDnSgebrd_bufferSize
cusolverDnSgeqrf					hipsolverDnSgeqrf
cusolverDnSgeqrf_bufferSize					hipsolverDnSgeqrf_bufferSize
cusolverDnSgesvd					hipsolverDnSgesvd
cusolverDnSgesvd_bufferSize					hipsolverDnSgesvd_bufferSize
cusolverDnSgesvdaStridedBatched	10.1				hipsolverDnSgesvdaStridedBatched
cusolverDnSgesvdaStridedBatched_bufferSize	10.1				hipsolverDnSgesvdaStridedBatched_bufferSize
cusolverDnSgesvdj	9.0				hipsolverDnSgesvdj
cusolverDnSgesvdjBatched	9.0				hipsolverDnSgesvdjBatched
cusolverDnSgesvdjBatched_bufferSize	9.0				hipsolverDnSgesvdjBatched_bufferSize
cusolverDnSgesvdj_bufferSize	9.0				hipsolverDnSgesvdj_bufferSize
cusolverDnSgetrf					hipsolverDnSgetrf
cusolverDnSgetrf_bufferSize					hipsolverDnSgetrf_bufferSize
cusolverDnSgetrs					hipsolverDnSgetrs

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnSlaswp					
cusolverDnSlauum	10.1				
cusolverDnSlauum_bufferSize	10.1				
cusolverDnSorgbr	8.0				hipsolverDnSorgbr
cusolverDnSorgbr_bufferSize	8.0				hipsolverDnSorgbr_bufferSize
cusolverDnSorgqr	8.0				hipsolverDnSorgqr
cusolverDnSorgqr_bufferSize	8.0				hipsolverDnSorgqr_bufferSize
cusolverDnSorgtr	8.0				hipsolverDnSorgtr
cusolverDnSorgtr_bufferSize	8.0				hipsolverDnSorgtr_bufferSize
cusolverDnSormqr					hipsolverDnSormqr
cusolverDnSormqr_bufferSize	8.0				hipsolverDnSormqr_bufferSize
cusolverDnSormtr	8.0				hipsolverDnSormtr
cusolverDnSormtr_bufferSize	8.0				hipsolverDnSormtr_bufferSize
cusolverDnSpotrf					hipsolverDnSpotrf
cusolverDnSpotrfBatched	9.1				hipsolverDnSpotrfBatched
cusolverDnSpotrf_bufferSize					hipsolverDnSpotrf_bufferSize
cusolverDnSpotri	10.1				hipsolverDnSpotri
cusolverDnSpotri_bufferSize	10.1				hipsolverDnSpotri_bufferSize
cusolverDnSpotrs					hipsolverDnSpotrs
cusolverDnSpotrsBatched	9.1				hipsolverDnSpotrsBatched
cusolverDnSsyevd	8.0				hipsolverDnSsyevd
cusolverDnSsyevd_bufferSize	8.0				hipsolverDnSsyevd_bufferSize
cusolverDnSsyevdx	10.1				hipsolverDnSsyevdx
cusolverDnSsyevdx_bufferSize	10.1				hipsolverDnSsyevdx_bufferSize
cusolverDnSsyevj	9.0				hipsolverDnSsyevj
cusolverDnSsyevjBatched	9.0				hipsolverDnSsyevjBatched
cusolverDnSsyevjBatched_bufferSize	9.0				hipsolverDnSsyevjBatched_bufferSize
cusolverDnSsyevj_bufferSize	9.0				hipsolverDnSsyevj_bufferSize
cusolverDnSsygvd	8.0				hipsolverDnSsygvd
cusolverDnSsygvd_bufferSize	8.0				hipsolverDnSsygvd_bufferSize
cusolverDnSsygvd_x	10.1				hipsolverDnSsygvd_x
cusolverDnSsygvd_x_bufferSize	10.1				hipsolverDnSsygvd_x_bufferSize
cusolverDnSsygvj	9.0				hipsolverDnSsygvj
cusolverDnSsygvj_bufferSize	9.0				hipsolverDnSsygvj_bufferSize
cusolverDnSsytrd					hipsolverDnSsytrd
cusolverDnSsytrd_bufferSize	8.0				hipsolverDnSsytrd_bufferSize
cusolverDnSsytrf					hipsolverDnSsytrf
cusolverDnSsytrf_bufferSize					hipsolverDnSsytrf_bufferSize
cusolverDnSsytri	10.1				
cusolverDnSsytri_bufferSize	10.1				
cusolverDnSsyevd	11.0	11.1			
cusolverDnSsyevd_bufferSize	11.0	11.1			
cusolverDnSsyevdx	11.0	11.1			
cusolverDnSsyevdx_bufferSize	11.0	11.1			
cusolverDnXgeqrf	11.1				
cusolverDnXgeqrf_bufferSize	11.1				
cusolverDnXgesvd	11.1				
cusolverDnXgesvd_bufferSize	11.1				
cusolverDnXgesvdjGetResidual	9.0				hipsolverDnXgesvdjGetResidual
cusolverDnXgesvdjGetSweeps	9.0				hipsolverDnXgesvdjGetSweeps

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnXgesvdjSetMaxSweeps	9.0				hipsolverDnXgesvdjSetMaxSweeps
cusolverDnXgesvdjSetSortEig	9.0				hipsolverDnXgesvdjSetSortEig
cusolverDnXgesvdjSetTolerance	9.0				hipsolverDnXgesvdjSetTolerance
cusolverDnXgesvdp	11.1				
cusolverDnXgesvdp_bufferSize	11.1				
cusolverDnXgesvdr	11.2				
cusolverDnXgesvdr_bufferSize	11.2				
cusolverDnXgetrf	11.1				hipsolverDnXgetrf
cusolverDnXgetrf_bufferSize	11.1				hipsolverDnXgetrf_bufferSize
cusolverDnXgetrs	11.1				hipsolverDnXgetrs
cusolverDnXlarft	12.4				
cusolverDnXlarft_bufferSize	12.4				
cusolverDnXpotrf	11.1				
cusolverDnXpotrf_bufferSize	11.1				
cusolverDnXpotrs	11.1				
cusolverDnXsyevd	11.1				
cusolverDnXsyevd_bufferSize	11.1				
cusolverDnXsyevdx	11.1				
cusolverDnXsyevdx_bufferSize	11.1				
cusolverDnXsyevjGetResidual	9.0				hipsolverDnXsyevjGetResidual
cusolverDnXsyevjGetSweeps	9.0				hipsolverDnXsyevjGetSweeps
cusolverDnXsyevjSetMaxSweeps	9.0				hipsolverDnXsyevjSetMaxSweeps
cusolverDnXsyevjSetSortEig	9.0				hipsolverDnXsyevjSetSortEig
cusolverDnXsyevjSetTolerance	9.0				hipsolverDnXsyevjSetTolerance
cusolverDnXsytrs	11.3				
cusolverDnXsytrs_bufferSize	11.3				
cusolverDnXtrtri	11.4				
cusolverDnXtrtri_bufferSize	11.4				
cusolverDnZcgels	11.0				
cusolverDnZcgels_bufferSize	11.0				
cusolverDnZcgesv	10.2				
cusolverDnZcgesv_bufferSize	10.2				
cusolverDnZEgels	11.0				
cusolverDnZEgels_bufferSize	11.0				
cusolverDnZEgesv	11.0				
cusolverDnZEgesv_bufferSize	11.0				
cusolverDnZKgels	11.0				
cusolverDnZKgels_bufferSize	11.0				
cusolverDnZKgesv	10.2				
cusolverDnZKgesv_bufferSize	10.2				
cusolverDnZYgels	11.0				
cusolverDnZYgels_bufferSize	11.0				
cusolverDnZYgesv	11.0				
cusolverDnZYgesv_bufferSize	11.0				
cusolverDnZZgels	11.0				hipsolverDnZZgels
cusolverDnZZgels_bufferSize	11.0				hipsolverDnZZgels_bufferSize
cusolverDnZZgesv	10.2				hipsolverDnZZgesv
cusolverDnZZgesv_bufferSize	10.2				hipsolverDnZZgesv_bufferSize
cusolverDnZgebrd					hipsolverDnZgebrd
cusolverDnZgebrd_bufferSize					hipsolverDnZgebrd_bufferSize

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnZgeqrf					hipsolverDnZgeqrf
cusolverDnZgeqrf_bufferSize					hipsolverDnZgeqrf_bufferSize
cusolverDnZgesvd					hipsolverDnZgesvd
cusolverDnZgesvd_bufferSize					hipsolverDnZgesvd_bufferSize
cusolverDnZgesvdaStridedBatched	10.1				hipsolverDnZgesvdaStridedBatched
cusolverDnZgesvdaStridedBatched_bufferSize	10.1				hipsolverDnZgesvdaStridedBatched_bufferSize
cusolverDnZgesvdj	9.0				hipsolverDnZgesvdj
cusolverDnZgesvdjBatched	9.0				hipsolverDnZgesvdjBatched
cusolverDnZgesvdjBatched_bufferSize	9.0				hipsolverDnZgesvdjBatched_bufferSize
cusolverDnZgesvdj_bufferSize	9.0				hipsolverDnZgesvdj_bufferSize
cusolverDnZgetrf					hipsolverDnZgetrf
cusolverDnZgetrf_bufferSize					hipsolverDnZgetrf_bufferSize
cusolverDnZgetrs					hipsolverDnZgetrs
cusolverDnZheevd	8.0				hipsolverDnZheevd
cusolverDnZheevd_bufferSize	8.0				hipsolverDnZheevd_bufferSize
cusolverDnZheevdx	10.1				hipsolverDnZheevdx
cusolverDnZheevdx_bufferSize	10.1				hipsolverDnZheevdx_bufferSize
cusolverDnZheevj	9.0				hipsolverDnZheevj
cusolverDnZheevjBatched	9.0				hipsolverDnZheevjBatched
cusolverDnZheevjBatched_bufferSize	9.0				hipsolverDnZheevjBatched_bufferSize
cusolverDnZheevj_bufferSize	9.0				hipsolverDnZheevj_bufferSize
cusolverDnZhegvd	8.0				hipsolverDnZhegvd
cusolverDnZhegvd_bufferSize	8.0				hipsolverDnZhegvd_bufferSize
cusolverDnZhegvdx	10.1				hipsolverDnZhegvdx
cusolverDnZhegvdx_bufferSize	10.1				hipsolverDnZhegvdx_bufferSize
cusolverDnZhegvj	9.0				hipsolverDnZhegvj
cusolverDnZhegvj_bufferSize	9.0				hipsolverDnZhegvj_bufferSize
cusolverDnZhetrd	8.0				hipsolverDnZhetrd
cusolverDnZhetrd_bufferSize	8.0				hipsolverDnZhetrd_bufferSize
cusolverDnZlaswp					
cusolverDnZlauum	10.1				
cusolverDnZlauum_bufferSize	10.1				
cusolverDnZpotrf					hipsolverDnZpotrf
cusolverDnZpotrfBatched	9.1				hipsolverDnZpotrfBatched
cusolverDnZpotrf_bufferSize					hipsolverDnZpotrf_bufferSize
cusolverDnZpotri	10.1				hipsolverDnZpotri
cusolverDnZpotri_bufferSize	10.1				hipsolverDnZpotri_bufferSize
cusolverDnZpotrs					hipsolverDnZpotrs
cusolverDnZpotrsBatched	9.1				hipsolverDnZpotrsBatched
cusolverDnZsytrf					hipsolverDnZsytrf
cusolverDnZsytrf_bufferSize					hipsolverDnZsytrf_bufferSize
cusolverDnZsytri	10.1				
cusolverDnZsytri_bufferSize	10.1				
cusolverDnZungbr	8.0				hipsolverDnZungbr
cusolverDnZungbr_bufferSize	8.0				hipsolverDnZungbr_bufferSize
cusolverDnZungqr	8.0				hipsolverDnZungqr
cusolverDnZungqr_bufferSize	8.0				hipsolverDnZungqr_bufferSize
cusolverDnZungtr	8.0				hipsolverDnZungtr
cusolverDnZungtr_bufferSize	8.0				hipsolverDnZungtr_bufferSize
cusolverDnZunmqr					hipsolverDnZunmqr

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverDnZunmqr_bufferSize	8.0				hipsolverDnZunmqr_bufferSize
cusolverDnZunmtr	8.0				hipsolverDnZunmtr
cusolverDnZunmtr_bufferSize	8.0				hipsolverDnZunmtr_bufferSize
cusolverMgCreate	10.1				
cusolverMgCreateDeviceGrid	10.1				
cusolverMgCreateMatrixDesc	10.1				
cusolverMgDestroy	10.1				
cusolverMgDestroyGrid	10.1				
cusolverMgDeviceSelect	10.1				
cusolverMgGetrf	10.2				
cusolverMgGetrf_bufferSize	10.2				
cusolverMgGetrs	10.2				
cusolverMgGetrs_bufferSize	10.2				
cusolverMgPotrf	11.0				
cusolverMgPotrf_bufferSize	11.0				
cusolverMgPotri	11.0				
cusolverMgPotri_bufferSize	11.0				
cusolverMgPotrs	11.0				
cusolverMgPotrs_bufferSize	11.0				
cusolverMgSyevd	10.1				
cusolverMgSyevd_bufferSize	10.1				
cusolverRfAccessBundledFactorsDevice					hipsolverRfAccessBundledFactorsDevice
cusolverRfAnalyze					hipsolverRfAnalyze
cusolverRfBatchAnalyze					hipsolverRfBatchAnalyze
cusolverRfBatchRefactor					hipsolverRfBatchRefactor
cusolverRfBatchResetValues					hipsolverRfBatchResetValues
cusolverRfBatchSetupHost					hipsolverRfBatchSetupHost
cusolverRfBatchSolve					hipsolverRfBatchSolve
cusolverRfBatchZeroPivot					hipsolverRfBatchZeroPivot
cusolverRfCreate					hipsolverRfCreate
cusolverRfDestroy					hipsolverRfDestroy
cusolverRfExtractBundledFactorsHost					hipsolverRfExtractBundledFactorsHost
cusolverRfExtractSplitFactorsHost					hipsolverRfExtractSplitFactorsHost
cusolverRfGetAlgs					
cusolverRfGetMatrixFormat					hipsolverRfGetMatrixFormat
cusolverRfGetNumericBoostReport					hipsolverRfGetNumericBoostReport
cusolverRfGetNumericProperties					hipsolverRfGetNumericProperties
cusolverRfGetResetValuesFastMode					hipsolverRfGetResetValuesFastMode
cusolverRfRefactor					hipsolverRfRefactor
cusolverRfResetValues					hipsolverRfResetValues
cusolverRfSetAlgs					hipsolverRfSetAlgs
cusolverRfSetMatrixFormat					hipsolverRfSetMatrixFormat
cusolverRfSetNumericProperties					hipsolverRfSetNumericProperties
cusolverRfSetResetValuesFastMode					hipsolverRfSetResetValuesFastMode
cusolverRfSetupDevice					hipsolverRfSetupDevice
cusolverRfSetupHost					hipsolverRfSetupHost
cusolverRfSolve					hipsolverRfSolve
cusolverSpCcsrcholBufferInfo	7.5				
cusolverSpCcsrcholBufferInfoHost	7.5				
cusolverSpCcsrcholDiag	10.1				

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverSpCcsrcholFactor	7.5				
cusolverSpCcsrcholFactorHost	7.5				
cusolverSpCcsrcholSolve	7.5				
cusolverSpCcsrcholSolveHost	7.5				
cusolverSpCcsrcholZeroPivot	7.5				
cusolverSpCcsrcholZeroPivotHost	7.5				
cusolverSpCcsreigsHost					
cusolverSpCcsreigvsi					
cusolverSpCcsreigvsiHost					
cusolverSpCcsrslsqvqrHost					
cusolverSpCcsrslsvchol					
cusolverSpCcsrslsvcholHost					
cusolverSpCcsrslsvluHost					
cusolverSpCcsrslsvqr					
cusolverSpCcsrslsvqrHost					
cusolverSpCcsrluBufferInfoHost	7.5				
cusolverSpCcsrluExtractHost	7.5				
cusolverSpCcsrluFactorHost	7.5				
cusolverSpCcsrluSolveHost	7.5				
cusolverSpCcsrluZeroPivotHost	7.5				
cusolverSpCcsrqrBufferInfo	7.5				
cusolverSpCcsrqrBufferInfoBatched					
cusolverSpCcsrqrBufferInfoHost	7.5				
cusolverSpCcsrqrFactor	7.5				
cusolverSpCcsrqrFactorHost	7.5				
cusolverSpCcsrqrSetup	7.5				
cusolverSpCcsrqrSetupHost	7.5				
cusolverSpCcsrqrSolve	7.5				
cusolverSpCcsrqrSolveHost	7.5				
cusolverSpCcsrqrZeroPivot	7.5				
cusolverSpCcsrqrZeroPivotHost	7.5				
cusolverSpCcsrqrsvBatched					
cusolverSpCcsrzfdHost	9.2				
cusolverSpCreate					hipsolverSpCreate
cusolverSpCreateCsrcholInfo	7.5				
cusolverSpCreateCsrcholInfoHost	7.5				
cusolverSpCreateCsrluInfoHost	7.5				
cusolverSpCreateCsrqrInfo					
cusolverSpCreateCsrqrInfoHost	7.5				
cusolverSpDcsrcholBufferInfo	7.5				
cusolverSpDcsrcholBufferInfoHost	7.5				
cusolverSpDcsrcholDiag	10.1				
cusolverSpDcsrcholFactor	7.5				
cusolverSpDcsrcholFactorHost	7.5				
cusolverSpDcsrcholSolve	7.5				
cusolverSpDcsrcholSolveHost	7.5				
cusolverSpDcsrcholZeroPivot	7.5				
cusolverSpDcsrcholZeroPivotHost	7.5				
cusolverSpDcsreigsHost					
cusolverSpDcsreigvsi					

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverSpDcsreigvsiHost					
cusolverSpDcsrlsqvqrHost					
cusolverSpDcsrlsvchol					hipsolverSpDcsrlsvchol
cusolverSpDcsrlsvcholHost					hipsolverSpDcsrlsvcholHost
cusolverSpDcsrlsvluHost					
cusolverSpDcsrlsvqr					
cusolverSpDcsrlsvqrHost					
cusolverSpDcsrluBufferInfoHost	7.5				
cusolverSpDcsrluExtractHost	7.5				
cusolverSpDcsrluFactorHost	7.5				
cusolverSpDcsrluSolveHost	7.5				
cusolverSpDcsrluZeroPivotHost	7.5				
cusolverSpDcsrqrBufferInfo	7.5				
cusolverSpDcsrqrBufferInfoBatched					
cusolverSpDcsrqrBufferInfoHost	7.5				
cusolverSpDcsrqrFactor	7.5				
cusolverSpDcsrqrFactorHost	7.5				
cusolverSpDcsrqrSetup	7.5				
cusolverSpDcsrqrSetupHost	7.5				
cusolverSpDcsrqrSolve	7.5				
cusolverSpDcsrqrSolveHost	7.5				
cusolverSpDcsrqrZeroPivot	7.5				
cusolverSpDcsrqrZeroPivotHost	7.5				
cusolverSpDcsrqrsvBatched					
cusolverSpDcsrzfdHost	9.2				
cusolverSpDestroy					hipsolverSpDestroy
cusolverSpDestroyCsrcholInfo	7.5				
cusolverSpDestroyCsrcholInfoHost	7.5				
cusolverSpDestroyCsrluInfoHost	7.5				
cusolverSpDestroyCsrqrInfo					
cusolverSpDestroyCsrqrInfoHost	7.5				
cusolverSpGetStream					
cusolverSpScsrcholBufferInfo	7.5				
cusolverSpScsrcholBufferInfoHost	7.5				
cusolverSpScsrcholDiag	10.1				
cusolverSpScsrcholFactor	7.5				
cusolverSpScsrcholFactorHost	7.5				
cusolverSpScsrcholSolve	7.5				
cusolverSpScsrcholSolveHost	7.5				
cusolverSpScsrcholZeroPivot	7.5				
cusolverSpScsrcholZeroPivotHost	7.5				
cusolverSpScsreigsHost					
cusolverSpScsreigvsi					
cusolverSpScsreigvsiHost					
cusolverSpScsrlsqvqrHost					
cusolverSpScsrlsvchol					hipsolverSpScsrlsvchol
cusolverSpScsrlsvcholHost					hipsolverSpScsrlsvcholHost
cusolverSpScsrlsvluHost					
cusolverSpScsrlsvqr					
cusolverSpScsrlsvqrHost					

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverSpScsrluBufferInfoHost	7.5				
cusolverSpScsrluExtractHost	7.5				
cusolverSpScsrluFactorHost	7.5				
cusolverSpScsrluSolveHost	7.5				
cusolverSpScsrluZeroPivotHost	7.5				
cusolverSpScsrqrBufferInfo	7.5				
cusolverSpScsrqrBufferInfoBatched					
cusolverSpScsrqrBufferInfoHost	7.5				
cusolverSpScsrqrFactor	7.5				
cusolverSpScsrqrFactorHost	7.5				
cusolverSpScsrqrSetup	7.5				
cusolverSpScsrqrSetupHost	7.5				
cusolverSpScsrqrSolve	7.5				
cusolverSpScsrqrSolveHost	7.5				
cusolverSpScsrqrZeroPivot	7.5				
cusolverSpScsrqrZeroPivotHost	7.5				
cusolverSpScsrqrsvBatched					
cusolverSpScsrzfdHost	9.2				
cusolverSpSetStream					hipsolverSpSetStream
cusolverSpXcsrcholAnalysis	7.5				
cusolverSpXcsrcholAnalysisHost	7.5				
cusolverSpXcsrissymHost					
cusolverSpXcsrluAnalysisHost	7.5				
cusolverSpXcsrluNnzHost	7.5				
cusolverSpXcsrmetisndHost	9.2				
cusolverSpXcsrpermHost					
cusolverSpXcsrperm_bufferSizeHost					
cusolverSpXcsrqrAnalysis	7.5				
cusolverSpXcsrqrAnalysisBatched					
cusolverSpXcsrqrAnalysisHost	7.5				
cusolverSpXcsrsymamdHost	7.5				
cusolverSpXcsrsymmdqHost	7.5				
cusolverSpXcsrsymrcmHost					
cusolverSpZcsrcholBufferInfo	7.5				
cusolverSpZcsrcholBufferInfoHost	7.5				
cusolverSpZcsrcholDiag	10.1				
cusolverSpZcsrcholFactor	7.5				
cusolverSpZcsrcholFactorHost	7.5				
cusolverSpZcsrcholSolve	7.5				
cusolverSpZcsrcholSolveHost	7.5				
cusolverSpZcsrcholZeroPivot	7.5				
cusolverSpZcsrcholZeroPivotHost	7.5				
cusolverSpZcsreigsHost					
cusolverSpZcsreigvsi					
cusolverSpZcsreigvsiHost					
cusolverSpZcsrlsqvqrHost					
cusolverSpZcsrlsvchol					
cusolverSpZcsrlsvcholHost					
cusolverSpZcsrlsvluHost					
cusolverSpZcsrlsvqr					

Table 3.27 – continued from previous page

CUDA	A	D	C	R	HIP
cusolverSpZcsrslsvqrHost					
cusolverSpZcsrsluBufferInfoHost	7.5				
cusolverSpZcsrsluExtractHost	7.5				
cusolverSpZcsrsluFactorHost	7.5				
cusolverSpZcsrsluSolveHost	7.5				
cusolverSpZcsrsluZeroPivotHost	7.5				
cusolverSpZcsrqrBufferInfo	7.5				
cusolverSpZcsrqrBufferInfoBatched					
cusolverSpZcsrqrBufferInfoHost	7.5				
cusolverSpZcsrqrFactor	7.5				
cusolverSpZcsrqrFactorHost	7.5				
cusolverSpZcsrqrSetup	7.5				
cusolverSpZcsrqrSetupHost	7.5				
cusolverSpZcsrqrSolve	7.5				
cusolverSpZcsrqrSolveHost	7.5				
cusolverSpZcsrqrZeroPivot	7.5				
cusolverSpZcsrqrZeroPivotHost	7.5				
cusolverSpZcsrqrsvBatched					
cusolverSpZcsrzdHost	9.2				

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.9 CURAND API supported by HIP

3.9.1 1. CURAND Data types

CUDA	A	D	C	R	HIP
CURAND_3RD					
CURAND_BINARY_SEARCH					
CURAND_CHOOSE_BEST					
CURAND_DEFINITION					
CURAND_DEVICE_API					
CURAND_DIRECTION_VECTORS_32_JOEKO06					HIPRAND_DIRECTION_VECTORS_32_JOEKO06
CURAND_DIRECTION_VECTORS_64_JOEKO06					HIPRAND_DIRECTION_VECTORS_64_JOEKO06
CURAND_DISCRETE_GAUSS					
CURAND_FAST_REJECTION					
CURAND_HITR					
CURAND_ITR					
CURAND_KNUTH					
CURAND_M1					
CURAND_M2					
CURAND_ORDERING_PSEUDO_BEST					HIPRAND_ORDERING_PSEUDO_BEST
CURAND_ORDERING_PSEUDO_DEFAULT					HIPRAND_ORDERING_PSEUDO_DEFAULT
CURAND_ORDERING_PSEUDO_DYNAMIC	11.5				HIPRAND_ORDERING_PSEUDO_DYNAMIC
CURAND_ORDERING_PSEUDO_LEGACY	11.0				HIPRAND_ORDERING_PSEUDO_LEGACY
CURAND_ORDERING_PSEUDO_SEEDED					HIPRAND_ORDERING_PSEUDO_SEEDED

Table 3.28 – continued from previous page

CUDA	A	D	C	R	HIP
CURAND_ORDERING_QUASI_DEFAULT					HIPRAND_ORDERING_QUASI_DEFAULT
CURAND_POISSON					
CURAND_REJECTION					
CURAND_RNG_PSEUDO_DEFAULT					HIPRAND_RNG_PSEUDO_DEFAULT
CURAND_RNG_PSEUDO_MRG32K3A					HIPRAND_RNG_PSEUDO_MRG32K3A
CURAND_RNG_PSEUDO_MT19937					HIPRAND_RNG_PSEUDO_MT19937
CURAND_RNG_PSEUDO_MTGP32					HIPRAND_RNG_PSEUDO_MTGP32
CURAND_RNG_PSEUDO_PHILOX4_32_10					HIPRAND_RNG_PSEUDO_PHILOX4_32_10
CURAND_RNG_PSEUDO_XORWOW					HIPRAND_RNG_PSEUDO_XORWOW
CURAND_RNG_QUASI_DEFAULT					HIPRAND_RNG_QUASI_DEFAULT
CURAND_RNG_QUASI_SCRAMBLED_SOBOL32					HIPRAND_RNG_QUASI_SCRAMBLED_SOBOL32
CURAND_RNG_QUASI_SCRAMBLED_SOBOL64					HIPRAND_RNG_QUASI_SCRAMBLED_SOBOL64
CURAND_RNG_QUASI_SOBOL32					HIPRAND_RNG_QUASI_SOBOL32
CURAND_RNG_QUASI_SOBOL64					HIPRAND_RNG_QUASI_SOBOL64
CURAND_RNG_TEST					HIPRAND_RNG_TEST
CURAND_SCRAMBLED_DIRECTION_VECTORS_32_JOEKU06					HIPRAND_SCRAMBLED_DIRECTION_VECTORS_32
CURAND_SCRAMBLED_DIRECTION_VECTORS_64_JOEKU06					HIPRAND_SCRAMBLED_DIRECTION_VECTORS_64
CURAND_STATUS_ALLOCATION_FAILED					HIPRAND_STATUS_ALLOCATION_FAILED
CURAND_STATUS_ARCH_MISMATCH					HIPRAND_STATUS_ARCH_MISMATCH
CURAND_STATUS_DOUBLE_PRECISION_REQUIRED					HIPRAND_STATUS_DOUBLE_PRECISION_REQUIRED
CURAND_STATUS_INITIALIZATION_FAILED					HIPRAND_STATUS_INITIALIZATION_FAILED
CURAND_STATUS_INTERNAL_ERROR					HIPRAND_STATUS_INTERNAL_ERROR
CURAND_STATUS_LAUNCH_FAILURE					HIPRAND_STATUS_LAUNCH_FAILURE
CURAND_STATUS_LENGTH_NOT_MULTIPLE					HIPRAND_STATUS_LENGTH_NOT_MULTIPLE
CURAND_STATUS_NOT_INITIALIZED					HIPRAND_STATUS_NOT_INITIALIZED
CURAND_STATUS_OUT_OF_RANGE					HIPRAND_STATUS_OUT_OF_RANGE
CURAND_STATUS_PREEXISTING_FAILURE					HIPRAND_STATUS_PREEXISTING_FAILURE
CURAND_STATUS_SUCCESS					HIPRAND_STATUS_SUCCESS
CURAND_STATUS_TYPE_ERROR					HIPRAND_STATUS_TYPE_ERROR
CURAND_STATUS_VERSION_MISMATCH					HIPRAND_STATUS_VERSION_MISMATCH
curandDirectionVectorSet					hiprandDirectionVectorSet_t
curandDirectionVectorSet_t					hiprandDirectionVectorSet_t
curandDirectionVectors32_t					hiprandDirectionVectors32_t
curandDirectionVectors64_t					
curandDiscreteDistribution_st					hiprandDiscreteDistribution_st
curandDiscreteDistribution_t					hiprandDiscreteDistribution_t
curandDistributionM2Shift_st					
curandDistributionM2Shift_t					
curandDistributionShift_st					
curandDistributionShift_t					
curandDistribution_st					
curandDistribution_t					
curandGenerator_st					hiprandGenerator_st
curandGenerator_t					hiprandGenerator_t
curandHistogramM2K_st					
curandHistogramM2K_t					
curandHistogramM2V_st					
curandHistogramM2V_t					
curandHistogramM2_st					
curandHistogramM2_t					

Table 3.28 – continued from previous page

CUDA	A	D	C	R	HIP
curandMethod					
curandMethod_t					
curandOrdering					hiprandOrdering
curandOrdering_t					hiprandOrdering_t
curandRngType					hiprandRngType_t
curandRngType_t					hiprandRngType_t
curandState					hiprandState
curandStateMRG32k3a					hiprandStateMRG32k3a
curandStateMRG32k3a_t					hiprandStateMRG32k3a_t
curandStateMtg32					hiprandStateMtg32
curandStateMtg32_t					hiprandStateMtg32_t
curandStatePhilox4_32_10					hiprandStatePhilox4_32_10
curandStatePhilox4_32_10_t					hiprandStatePhilox4_32_10_t
curandStateScrambledSobol32					hiprandStateScrambledSobol32
curandStateScrambledSobol32_t					hiprandStateScrambledSobol32_t
curandStateScrambledSobol64					hiprandStateScrambledSobol64
curandStateScrambledSobol64_t					hiprandStateScrambledSobol64_t
curandStateSobol32					hiprandStateSobol32
curandStateSobol32_t					hiprandStateSobol32_t
curandStateSobol64					hiprandStateSobol64
curandStateSobol64_t					hiprandStateSobol64_t
curandStateXORWOW					hiprandStateXORWOW
curandStateXORWOW_t					hiprandStateXORWOW_t
curandState_t					hiprandState_t
curandStatus					hiprandStatus
curandStatus_t					hiprandStatus_t

3.9.2 2. Host API Functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
curandCreateGenerator					hiprandCreateGenerator	1.5.0				
curandCreateGeneratorHost					hiprandCreateGeneratorHost	1.5.0				
curandCreatePoissonDistri					hiprandCreatePoissonDistri	1.5.0				
curandDestroyDistribution					hiprandDestroyDistribution	1.5.0				
curandDestroyGenerator					hiprandDestroyGenerator	1.5.0				
curandGenerate					hiprandGenerate	1.5.0				
curandGenerateLogNormal					hiprandGenerateLogNormal	1.5.0				
curandGenerateLogNormalDo					hiprandGenerateLogNormalDo	1.5.0				
curandGenerateLongLong										
curandGenerateNormal					hiprandGenerateNormal	1.5.0				
curandGenerateNormalDoubl					hiprandGenerateNormalDoubl	1.5.0				
curandGeneratePoisson					hiprandGeneratePoisson	1.5.0				
curandGenerateSeeds					hiprandGenerateSeeds	1.5.0				
curandGenerateUniform					hiprandGenerateUniform	1.5.0				
curandGenerateUniformDoub					hiprandGenerateUniformDoub	1.5.0				
curandGetDirectionVectors					hiprandGetDirectionVector	6.0.0				
curandGetDirectionVectors					hiprandGetDirectionVector	6.0.0				
curandGetProperty	8.0									
curandGetScrambleConstant					hiprandGetScrambleConstan	6.0.0				
curandGetScrambleConstant					hiprandGetScrambleConstan	6.0.0				
curandGetVersion					hiprandGetVersion	1.5.0				
curandMakeMTGP32Constants					hiprandMakeMTGP32Constant	1.5.0				
curandMakeMTGP32KernelSta					hiprandMakeMTGP32KernelSta	1.5.0				
curandSetGeneratorOffset					hiprandSetGeneratorOffset	1.5.0				
curandSetGeneratorOrderin					hiprandSetGeneratorOrderin	6.2.0				6.2.0
curandSetPseudoRandomGene					hiprandSetPseudoRandomGene	1.5.0				
curandSetQuasiRandomGener					hiprandSetQuasiRandomGene	1.5.0				
curandSetStream					hiprandSetStream	1.5.0				

3.9.3 3. Device API Functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
__curand_umul	11.5									
curand					hiprand	1.5.0				
curand_Philox4x32_10										
curand_discrete					hiprand_discrete	1.5.0				
curand_discrete4					hiprand_discrete4	1.5.0				
curand_init					hiprand_init	1.5.0				
curand_log_normal					hiprand_log_normal	1.5.0				
curand_log_normal2					hiprand_log_normal2	1.5.0				
curand_log_normal2_double					hiprand_log_normal2_doub	1.5.0				
curand_log_normal4					hiprand_log_normal4	1.5.0				
curand_log_normal4_double					hiprand_log_normal4_doub	1.5.0				
curand_log_normal_double					hiprand_log_normal_doubl	1.5.0				
curand_mtgp32_single										
curand_mtgp32_single_specif										
curand_mtgp32_specific										
curand_normal					hiprand_normal	1.5.0				
curand_normal2					hiprand_normal2	1.5.0				
curand_normal2_double					hiprand_normal2_double	1.5.0				
curand_normal4					hiprand_normal4	1.5.0				
curand_normal4_double					hiprand_normal4_double	1.5.0				
curand_normal_double					hiprand_normal_double	1.5.0				
curand_poisson					hiprand_poisson	1.5.0				
curand_poisson4					hiprand_poisson4	1.5.0				
curand_uniform					hiprand_uniform	1.5.0				
curand_uniform2_double					hiprand_uniform2_double	1.5.0				
curand_uniform4					hiprand_uniform4	1.5.0				
curand_uniform4_double					hiprand_uniform4_double	1.5.0				
curand_uniform_double					hiprand_uniform_double	1.5.0				

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.10 CUFFT API supported by HIP

3.10.1 1. CUFFT Data types

CUDA	A	D	C	R	HIP	A
CUFFT_ALLOC_FAILED					HIPFFT_ALLOC_FAILED	1.7.
CUFFT_C2C					HIPFFT_C2C	1.7.
CUFFT_C2R					HIPFFT_C2R	1.7.
CUFFT_CB_LD_COMPLEX					HIPFFT_CB_LD_COMPLEX	4.3.
CUFFT_CB_LD_COMPLEX_DOUBLE					HIPFFT_CB_LD_COMPLEX_DOUBLE	4.3.
CUFFT_CB_LD_REAL					HIPFFT_CB_LD_REAL	4.3.
CUFFT_CB_LD_REAL_DOUBLE					HIPFFT_CB_LD_REAL_DOUBLE	4.3.
CUFFT_CB_ST_COMPLEX					HIPFFT_CB_ST_COMPLEX	4.3.
CUFFT_CB_ST_COMPLEX_DOUBLE					HIPFFT_CB_ST_COMPLEX_DOUBLE	4.3.
CUFFT_CB_ST_REAL					HIPFFT_CB_ST_REAL	4.3.
CUFFT_CB_ST_REAL_DOUBLE					HIPFFT_CB_ST_REAL_DOUBLE	4.3.
CUFFT_CB_UNDEFINED					HIPFFT_CB_UNDEFINED	4.3.
CUFFT_COMPATIBILITY_DEFAULT						
CUFFT_COMPATIBILITY_FFTW_PADDING						
CUFFT_COPY_DEVICE_TO_DEVICE						
CUFFT_COPY_DEVICE_TO_HOST						
CUFFT_COPY_HOST_TO_DEVICE						
CUFFT_COPY_UNDEFINED						
CUFFT_D2Z					HIPFFT_D2Z	1.7.
CUFFT_EXEC_FAILED					HIPFFT_EXEC_FAILED	1.7.
CUFFT_FORMAT_UNDEFINED						
CUFFT_FORWARD					HIPFFT_FORWARD	1.7.
CUFFT_INCOMPLETE_PARAMETER_LIST					HIPFFT_INCOMPLETE_PARAMETER_LIST	1.7.
CUFFT_INTERNAL_ERROR					HIPFFT_INTERNAL_ERROR	1.7.
CUFFT_INVALID_DEVICE					HIPFFT_INVALID_DEVICE	1.7.
CUFFT_INVALID_PLAN					HIPFFT_INVALID_PLAN	1.7.
CUFFT_INVALID_SIZE					HIPFFT_INVALID_SIZE	1.7.
CUFFT_INVALID_TYPE					HIPFFT_INVALID_TYPE	1.7.
CUFFT_INVALID_VALUE					HIPFFT_INVALID_VALUE	1.7.
CUFFT_INVERSE					HIPFFT_BACKWARD	1.7.
CUFFT_LICENSE_ERROR						
CUFFT_NOT_IMPLEMENTED					HIPFFT_NOT_IMPLEMENTED	1.7.
CUFFT_NOT_SUPPORTED		8.0			HIPFFT_NOT_SUPPORTED	1.7.
CUFFT_NO_WORKSPACE					HIPFFT_NO_WORKSPACE	1.7.
CUFFT_PARSE_ERROR					HIPFFT_PARSE_ERROR	1.7.
CUFFT_QUERY_1D_FACTORS						
CUFFT_QUERY_UNDEFINED						
CUFFT_R2C					HIPFFT_R2C	1.7.
CUFFT_SETUP_FAILED					HIPFFT_SETUP_FAILED	1.7.
CUFFT_SUCCESS					HIPFFT_SUCCESS	1.7.
CUFFT_UNALIGNED_DATA					HIPFFT_UNALIGNED_DATA	1.7.
CUFFT_WORKAREA_MINIMAL		9.2				
CUFFT_WORKAREA_PERFORMANCE						

contin

Table 3.29 – continued from previous page

CUDA	A	D	C	R	HIP	A
CUFFT_WORKAREA_USER	9.2					
CUFFT_XT_FORMAT_1D_INPUT_SHUFFLED						
CUFFT_XT_FORMAT_DISTRIBUTED_INPUT	11.8					
CUFFT_XT_FORMAT_DISTRIBUTED_OUTPUT	11.8					
CUFFT_XT_FORMAT_INPLACE						
CUFFT_XT_FORMAT_INPLACE_SHUFFLED						
CUFFT_XT_FORMAT_INPUT						
CUFFT_XT_FORMAT_OUTPUT						
CUFFT_Z2D					HIPFFT_Z2D	1.7.
CUFFT_Z2Z					HIPFFT_Z2Z	1.7.
MAX_CUFFT_ERROR						
NVFFT_PLAN_PROPERTY_INT64_MAX_NUM_HOST_THREADS	12.5					
NVFFT_PLAN_PROPERTY_INT64_PATIENT_JIT	12.4					
cufftBox3d	11.8					
cufftBox3d_t	11.8					
cufftCompatibility						
cufftCompatibility_t						
cufftComplex					hipfftComplex	1.7.
cufftDoubleComplex					hipfftDoubleComplex	1.7.
cufftDoubleReal					hipfftDoubleReal	1.7.
cufftHandle					hipfftHandle	1.7.
cufftProperty	12.4					
cufftProperty_t	12.4					
cufftReal					hipfftReal	1.7.
cufftResult					hipfftResult	1.7.
cufftResult_t					hipfftResult_t	1.7.
cufftType					hipfftType	1.7.
cufftType_t					hipfftType_t	1.7.
cufftXt1dFactors						
cufftXt1dFactors_t						
cufftXtCallbackType					hipfftXtCallbackType	4.3.
cufftXtCallbackType_t					hipfftXtCallbackType_t	4.3.
cufftXtCopyType						
cufftXtCopyType_t						
cufftXtQueryType						
cufftXtQueryType_t						
cufftXtSubFormat						
cufftXtSubFormat_t						
cufftXtWorkAreaPolicy	9.2					
cufftXtWorkAreaPolicy_t	9.2					

3.10.2 2. CUFFT API functions

CUDA	A	D	C	R	HIP	A	D	C	R	E
cufftCallbackLoadC					hipfftCallbackLoadC	4.3.0				
cufftCallbackLoadD					hipfftCallbackLoadD	4.3.0				
cufftCallbackLoadR					hipfftCallbackLoadR	4.3.0				
cufftCallbackLoadZ					hipfftCallbackLoadZ	4.3.0				
cufftCallbackStoreC					hipfftCallbackStoreC	4.3.0				
cufftCallbackStoreD					hipfftCallbackStoreD	4.3.0				
cufftCallbackStoreR					hipfftCallbackStoreR	4.3.0				
cufftCallbackStoreZ					hipfftCallbackStoreZ	4.3.0				
cufftCreate					hipfftCreate	1.7.0				
cufftDestroy					hipfftDestroy	1.7.0				
cufftEstimate1d					hipfftEstimate1d	1.7.0				
cufftEstimate2d					hipfftEstimate2d	1.7.0				
cufftEstimate3d					hipfftEstimate3d	1.7.0				
cufftEstimateMany					hipfftEstimateMany	1.7.0				
cufftExecC2C					hipfftExecC2C	1.7.0				
cufftExecC2R					hipfftExecC2R	1.7.0				
cufftExecD2Z					hipfftExecD2Z	1.7.0				
cufftExecR2C					hipfftExecR2C	1.7.0				
cufftExecZ2D					hipfftExecZ2D	1.7.0				
cufftExecZ2Z					hipfftExecZ2Z	1.7.0				
cufftGetPlanPropertyInt64	12.4									
cufftGetProperty	8.0				hipfftGetProperty	2.6.0				
cufftGetSize					hipfftGetSize	1.7.0				
cufftGetSize1d					hipfftGetSize1d	1.7.0				
cufftGetSize2d					hipfftGetSize2d	1.7.0				
cufftGetSize3d					hipfftGetSize3d	1.7.0				
cufftGetSizeMany					hipfftGetSizeMany	1.7.0				
cufftGetSizeMany64	7.5				hipfftGetSizeMany64	1.7.0				
cufftGetVersion					hipfftGetVersion	1.7.0				
cufftMakePlan1d					hipfftMakePlan1d	1.7.0				
cufftMakePlan2d					hipfftMakePlan2d	1.7.0				
cufftMakePlan3d					hipfftMakePlan3d	1.7.0				
cufftMakePlanMany					hipfftMakePlanMany	1.7.0				
cufftMakePlanMany64	7.5				hipfftMakePlanMany64	1.7.0				
cufftPlan1d					hipfftPlan1d	1.7.0				
cufftPlan2d					hipfftPlan2d	1.7.0				
cufftPlan3d					hipfftPlan3d	1.7.0				
cufftPlanMany					hipfftPlanMany	1.7.0				
cufftResetPlanProperty	12.4									
cufftSetAutoAllocation					hipfftSetAutoAllocation	1.7.0				
cufftSetPlanPropertyInt64	12.4									
cufftSetStream					hipfftSetStream	1.7.0				
cufftSetWorkArea					hipfftSetWorkArea	1.7.0				
cufftXtClearCallback					hipfftXtClearCallback	4.3.0				
cufftXtExec	8.0									
cufftXtExecDescriptor	8.0									
cufftXtExecDescriptorC2C										
cufftXtExecDescriptorC2R										
cufftXtExecDescriptorD2Z										

continues on next page

Table 3.30 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
cufftXtExecDescriptorR2C										
cufftXtExecDescriptorZ2D										
cufftXtExecDescriptorZ2Z										
cufftXtFree										
cufftXtGetSizeMany	8.0									
cufftXtMakePlanMany	8.0									
cufftXtMalloc										
cufftXtMemcpy										
cufftXtQueryPlan										
cufftXtSetCallback					hipfftXtSetCallback	4.3.0				
cufftXtSetCallbackSharedSize					hipfftXtSetCallbackSharedSize	4.3.0				
cufftXtSetDistribution	11.8									
cufftXtSetGPUs										
cufftXtSetWorkArea										
cufftXtSetWorkAreaPolicy	9.2									

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.11 CUDNN API supported by HIP

3.11.1 1. CUDNN Data types

CUDA	A	D	C	R	HIP
CUDNN_16BIT_INDICES	6.0.0	9.0.0			HIPDNN_16BIT_IND
CUDNN_32BIT_INDICES	6.0.0	9.0.0			HIPDNN_32BIT_IND
CUDNN_64BIT_INDICES	6.0.0	9.0.0			HIPDNN_64BIT_IND
CUDNN_8BIT_INDICES	6.0.0	9.0.0			HIPDNN_8BIT_INDI
CUDNN_ACTIVATION_CLIPPED_RELU	4.0.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_ELU	6.0.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_IDENTITY	7.1.3	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_RELU	1.0.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_SIGMOID	1.0.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_SWISH	8.2.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ACTIVATION_TANH	1.0.0	9.0.0			HIPDNN_ACTIVATIO
CUDNN_ATTN_DISABLE_PROJ_BIASES	7.6.3				
CUDNN_ATTN_ENABLE_PROJ_BIASES	7.6.3				
CUDNN_ATTN_QUERYMAP_ALL_TO_ONE	7.5.0				
CUDNN_ATTN_QUERYMAP_ONE_TO_ONE	7.5.0				
CUDNN_ATTN_WKIND_COUNT	7.6.3				
CUDNN_ATTR_CONVOLUTION_COMP_TYPE	8.0.1				
CUDNN_ATTR_CONVOLUTION_CONV_MODE	8.0.2				
CUDNN_ATTR_CONVOLUTION_DILATIONS	8.0.1				
CUDNN_ATTR_CONVOLUTION_FILTER_STRIDES	8.0.1				
CUDNN_ATTR_CONVOLUTION_POST_PADDING	8.0.1				
CUDNN_ATTR_CONVOLUTION_PRE_PADDING	8.0.1				
CUDNN_ATTR_CONVOLUTION_SPATIAL_DIMS	8.0.1				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_ATTR_ENGINECFG_ENGINE	8.0.1				
CUDNN_ATTR_ENGINECFG_INTERMEDIATE_INFO	8.0.1				
CUDNN_ATTR_ENGINECFG_KNOB_CHOICES	8.0.1				
CUDNN_ATTR_ENGINECFG_SHARED_MEMORY_USED	9.2.0				
CUDNN_ATTR_ENGINECFG_WORKSPACE_SIZE	9.2.0				
CUDNN_ATTR_ENGINEHEUR_MODE	8.0.1				
CUDNN_ATTR_ENGINEHEUR_OPERATION_GRAPH	8.0.1				
CUDNN_ATTR_ENGINEHEUR_RESULTS	8.0.1				
CUDNN_ATTR_ENGINEHEUR_SM_COUNT_TARGET	8.9.5				
CUDNN_ATTR_ENGINE_BEHAVIOR_NOTE	8.2.0				
CUDNN_ATTR_ENGINE_GLOBAL_INDEX	8.0.1				
CUDNN_ATTR_ENGINE_KNOB_INFO	8.0.2				
CUDNN_ATTR_ENGINE_LAYOUT_INFO	8.0.2				
CUDNN_ATTR_ENGINE_NUMERICAL_NOTE	8.0.1				
CUDNN_ATTR_ENGINE_OPERATION_GRAPH	8.0.1				
CUDNN_ATTR_ENGINE_SM_COUNT_TARGET	8.9.5				
CUDNN_ATTR_EXECUTION_PLAN_COMPUTED_INTERMEDIATE_UIDS	8.0.2				
CUDNN_ATTR_EXECUTION_PLAN_ENGINE_CONFIG	8.0.1				
CUDNN_ATTR_EXECUTION_PLAN_HANDLE	8.0.1				
CUDNN_ATTR_EXECUTION_PLAN_JSON_REPRESENTATION	8.4.0				
CUDNN_ATTR_EXECUTION_PLAN_RUN_ONLY_INTERMEDIATE_UIDS	8.0.2				
CUDNN_ATTR_EXECUTION_PLAN_WORKSPACE_SIZE	8.0.1				
CUDNN_ATTR_INTERMEDIATE_INFO_DEPENDENT_ATTRIBUTES	8.0.2				
CUDNN_ATTR_INTERMEDIATE_INFO_DEPENDENT_DATA_UIDS	8.0.2				
CUDNN_ATTR_INTERMEDIATE_INFO_SIZE	8.0.1				
CUDNN_ATTR_INTERMEDIATE_INFO_UNIQUE_ID	8.0.2				
CUDNN_ATTR_KNOB_CHOICE_KNOB_TYPE	8.0.1				
CUDNN_ATTR_KNOB_CHOICE_KNOB_VALUE	8.0.1				
CUDNN_ATTR_KNOB_INFO_MAXIMUM_VALUE	8.0.1				
CUDNN_ATTR_KNOB_INFO_MINIMUM_VALUE	8.0.1				
CUDNN_ATTR_KNOB_INFO_STRIDE	8.0.1				
CUDNN_ATTR_KNOB_INFO_TYPE	8.0.1				
CUDNN_ATTR_LAYOUT_INFO_TENSOR_UID	8.0.2				
CUDNN_ATTR_LAYOUT_INFO_TYPES	8.0.2				
CUDNN_ATTR_MATMUL_COMP_TYPE	8.1.0				
CUDNN_ATTR_MATMUL_PADDING_VALUE	8.9.0				
CUDNN_ATTR_OPERATIONGRAPH_ENGINE_GLOBAL_COUNT	8.0.1				
CUDNN_ATTR_OPERATIONGRAPH_HANDLE	8.0.1				
CUDNN_ATTR_OPERATIONGRAPH_OPS	8.0.1				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_BN_SCALE_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_DBN_BIAS_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_DBN_SCALE_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_DY_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_EQ_BIAS	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_EQ_DY_SCALE_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_EQ_X_SCALE_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_INVSTD_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_MATH_PREC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_MEAN_DESC	8.2.0				
CUDNN_ATTR_OPERATION_BN_BWD_WEIGHTS_X_DESC	8.2.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_ATTR_OPERATION_BN_FINALIZE_ACCUM_COUNT_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_BIAS_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_EPSILON_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_EQ_BIAS_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_EQ_SCALE_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_EXP_AVERAGE_FACTOR_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_MATH_PREC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_PREV_RUNNING_MEAN_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_PREV_RUNNING_VAR_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_SAVED_INV_STD_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_SAVED_MEAN_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_SCALE_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_STATS_MODE	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_UPDATED_RUNNING_MEAN_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_UPDATED_RUNNING_VAR_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_Y_SQ_SUM_DESC	8.1.0				
CUDNN_ATTR_OPERATION_BN_FINALIZE_Y_SUM_DESC	8.1.0				
CUDNN_ATTR_OPERATION_CONCAT_AXIS	8.5.0				
CUDNN_ATTR_OPERATION_CONCAT_INPLACE_INDEX	8.5.0				
CUDNN_ATTR_OPERATION_CONCAT_INPUT_DESCS	8.5.0				
CUDNN_ATTR_OPERATION_CONCAT_OUTPUT_DESC	8.5.0				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_ALPHA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_BETA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_CONV_DESC	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_DX	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_DY	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_DATA_W	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_ALPHA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_BETA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_CONV_DESC	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_DW	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_DY	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_X	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_ALPHA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_BETA	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_CONV_DESC	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_W	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_X	8.0.1				
CUDNN_ATTR_OPERATION_CONVOLUTION_FORWARD_Y	8.0.1				
CUDNN_ATTR_OPERATION_GENSTATS_MATH_PREC	8.0.1				
CUDNN_ATTR_OPERATION_GENSTATS_MODE	8.0.1				
CUDNN_ATTR_OPERATION_GENSTATS_SQSUMDESC	8.0.1				
CUDNN_ATTR_OPERATION_GENSTATS_SUMDESC	8.0.1				
CUDNN_ATTR_OPERATION_GENSTATS_XDESC	8.0.1				
CUDNN_ATTR_OPERATION_MATMUL_ADESC	8.1.0				
CUDNN_ATTR_OPERATION_MATMUL_BDESC	8.1.0				
CUDNN_ATTR_OPERATION_MATMUL_CDESC	8.1.0				
CUDNN_ATTR_OPERATION_MATMUL_DESC	8.1.0				
CUDNN_ATTR_OPERATION_MATMUL_GEMM_K_OVERRIDE_DESC	8.7.0				
CUDNN_ATTR_OPERATION_MATMUL_GEMM_M_OVERRIDE_DESC	8.7.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_ATTR_OPERATION_MATMUL_GEMM_N_OVERRIDE_DESC	8.7.0				
CUDNN_ATTR_OPERATION_MATMUL_IRREGULARLY_STRIDED_BATCH_COUNT	8.1.0	9.0.0			
CUDNN_ATTR_OPERATION_NORM_BWD_DBIAS_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_DSCALE_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_DXDESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_DYDESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_EPSILON_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_INV_VARIANCE_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_MEAN_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_MODE	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_PEER_STAT_DESCS	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_SCALE_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_BWD_XDESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_BIAS_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_EPSILON_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_EXP_AVG_FACTOR_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_INPUT_RUNNING_MEAN_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_INPUT_RUNNING_VAR_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_INV_VARIANCE_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_MEAN_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_MODE	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_OUTPUT_RUNNING_MEAN_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_OUTPUT_RUNNING_VAR_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_PEER_STAT_DESCS	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_PHASE	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_SCALE_DESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_XDESC	8.5.0				
CUDNN_ATTR_OPERATION_NORM_FWD_YDESC	8.5.0				
CUDNN_ATTR_OPERATION_POINTWISE_ALPHA1	8.0.1				
CUDNN_ATTR_OPERATION_POINTWISE_ALPHA2	8.0.1				
CUDNN_ATTR_OPERATION_POINTWISE_BDESC	8.0.1				
CUDNN_ATTR_OPERATION_POINTWISE_DXDESC	8.1.0				
CUDNN_ATTR_OPERATION_POINTWISE_DYDESC	8.1.0				
CUDNN_ATTR_OPERATION_POINTWISE_PW_DESCRIPTOR	8.0.1				
CUDNN_ATTR_OPERATION_POINTWISE_TDESC	8.3.0				
CUDNN_ATTR_OPERATION_POINTWISE_XDESC	8.0.1				
CUDNN_ATTR_OPERATION_POINTWISE_YDESC	8.0.1				
CUDNN_ATTR_OPERATION_REDUCTION_DESC	8.1.0				
CUDNN_ATTR_OPERATION_REDUCTION_XDESC	8.1.0				
CUDNN_ATTR_OPERATION_REDUCTION_YDESC	8.1.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_ALPHA	8.3.0	9.0.0			
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_BETA	8.3.0	9.0.0			
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_DESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_DXDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_DYDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_IDXDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_XDESC	8.7.0				
CUDNN_ATTR_OPERATION_RESAMPLE_BWD_YDESC	8.7.0				
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_ALPHA	8.3.0	9.0.0			
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_BETA	8.3.0	9.0.0			

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_DESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_IDXDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_XDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_YDESC	8.3.0				
CUDNN_ATTR_OPERATION_RESHAPE_XDESC	8.7.0				
CUDNN_ATTR_OPERATION_RESHAPE_YDESC	8.7.0				
CUDNN_ATTR_OPERATION_RNG_DESC	8.7.0				
CUDNN_ATTR_OPERATION_RNG_OFFSET_DESC	8.8.0				
CUDNN_ATTR_OPERATION_RNG_SEED	8.7.0				
CUDNN_ATTR_OPERATION_RNG_YDESC	8.7.0				
CUDNN_ATTR_OPERATION_SIGNAL_FLAGDESC	8.5.0				
CUDNN_ATTR_OPERATION_SIGNAL_MODE	8.5.0				
CUDNN_ATTR_OPERATION_SIGNAL_VALUE	8.5.0				
CUDNN_ATTR_OPERATION_SIGNAL_XDESC	8.5.0				
CUDNN_ATTR_OPERATION_SIGNAL_YDESC	8.5.0				
CUDNN_ATTR_POINTWISE_AXIS	8.4.0				
CUDNN_ATTR_POINTWISE_ELU_ALPHA	8.1.0				
CUDNN_ATTR_POINTWISE_MATH_PREC	8.0.1				
CUDNN_ATTR_POINTWISE_MODE	8.0.1				
CUDNN_ATTR_POINTWISE_NAN_PROPAGATION	8.0.1				
CUDNN_ATTR_POINTWISE_RELU_LOWER_CLIP	8.0.1				
CUDNN_ATTR_POINTWISE_RELU_LOWER_CLIP_SLOPE	8.1.0				
CUDNN_ATTR_POINTWISE_RELU_UPPER_CLIP	8.0.1				
CUDNN_ATTR_POINTWISE_SOFTPLUS_BETA	8.1.0				
CUDNN_ATTR_POINTWISE_SWISH_BETA	8.1.0				
CUDNN_ATTR_REDUCTION_COMP_TYPE	8.1.0				
CUDNN_ATTR_REDUCTION_OPERATOR	8.1.0				
CUDNN_ATTR_RESAMPLE_COMP_TYPE	8.3.0				
CUDNN_ATTR_RESAMPLE_MODE	8.3.0				
CUDNN_ATTR_RESAMPLE_NAN_PROPAGATION	8.3.0				
CUDNN_ATTR_RESAMPLE_PADDING_MODE	8.3.0				
CUDNN_ATTR_RESAMPLE_POST_PADDINGS	8.3.0				
CUDNN_ATTR_RESAMPLE_PRE_PADDINGS	8.3.0				
CUDNN_ATTR_RESAMPLE_SPATIAL_DIMS	8.3.0				
CUDNN_ATTR_RESAMPLE_STRIDES	8.3.0				
CUDNN_ATTR_RESAMPLE_WINDOW_DIMS	8.3.0				
CUDNN_ATTR_RNG_BERNOULLI_DIST_PROBABILITY	8.7.0				
CUDNN_ATTR_RNG_DISTRIBUTION	8.7.0				
CUDNN_ATTR_RNG_NORMAL_DIST_MEAN	8.7.0				
CUDNN_ATTR_RNG_NORMAL_DIST_STANDARD_DEVIATION	8.7.0				
CUDNN_ATTR_RNG_UNIFORM_DIST_MAXIMUM	8.7.0				
CUDNN_ATTR_RNG_UNIFORM_DIST_MINIMUM	8.7.0				
CUDNN_ATTR_TENSOR_BYTE_ALIGNMENT	8.0.1				
CUDNN_ATTR_TENSOR_DATA_TYPE	8.0.1				
CUDNN_ATTR_TENSOR_DIMENSIONS	8.0.1				
CUDNN_ATTR_TENSOR_IS_BY_VALUE	8.1.0				
CUDNN_ATTR_TENSOR_IS_VIRTUAL	8.0.1				
CUDNN_ATTR_TENSOR_RAGGED_OFFSET_DESC	8.9.0				
CUDNN_ATTR_TENSOR_REORDERING_MODE	8.3.0				
CUDNN_ATTR_TENSOR_STRIDES	8.0.1				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_ATTR_TENSOR_UNIQUE_ID	8.0.1				
CUDNN_ATTR_TENSOR_VECTORIZED_DIMENSION	8.0.1				
CUDNN_ATTR_TENSOR_VECTOR_COUNT	8.0.1				
CUDNN_ATTR_VARIANT_PACK_DATA_POINTERS	8.0.1				
CUDNN_ATTR_VARIANT_PACK_INTERMEDIATES	8.0.1				
CUDNN_ATTR_VARIANT_PACK_UNIQUE_IDS	8.0.1				
CUDNN_ATTR_VARIANT_PACK_WORKSPACE	8.0.1				
CUDNN_BACKEND_CONVOLUTION_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_ENGINECFG_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_ENGINEHEUR_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_ENGINE_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_EXECUTION_PLAN_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_INTERMEDIATE_INFO_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_KNOB_CHOICE_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_KNOB_INFO_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_LAYOUT_INFO_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_MATMUL_DESCRIPTOR	8.1.0				
CUDNN_BACKEND_OPERATIONGRAPH_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_BN_BWD_WEIGHTS_DESCRIPTOR	8.2.0				
CUDNN_BACKEND_OPERATION_BN_FINALIZE_STATISTICS_DESCRIPTOR	8.1.0				
CUDNN_BACKEND_OPERATION_CONCAT_DESCRIPTOR	8.5.0				
CUDNN_BACKEND_OPERATION_CONVOLUTION_BACKWARD_DATA_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_CONVOLUTION_BACKWARD_FILTER_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_CONVOLUTION_FORWARD_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_GEN_STATS_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_MATMUL_DESCRIPTOR	8.1.0				
CUDNN_BACKEND_OPERATION_NORM_BACKWARD_DESCRIPTOR	8.5.0				
CUDNN_BACKEND_OPERATION_NORM_FORWARD_DESCRIPTOR	8.5.0				
CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_OPERATION_REDUCTION_DESCRIPTOR	8.1.0				
CUDNN_BACKEND_OPERATION_RESAMPLE_BWD_DESCRIPTOR	8.3.0				
CUDNN_BACKEND_OPERATION_RESAMPLE_FWD_DESCRIPTOR	8.3.0				
CUDNN_BACKEND_OPERATION_RESHAPE_DESCRIPTOR	8.7.0				
CUDNN_BACKEND_OPERATION_RNG_DESCRIPTOR	8.7.0				
CUDNN_BACKEND_OPERATION_SIGNAL_DESCRIPTOR	8.5.0				
CUDNN_BACKEND_POINTWISE_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_REDUCTION_DESCRIPTOR	8.1.0				
CUDNN_BACKEND_RESAMPLE_DESCRIPTOR	8.3.0				
CUDNN_BACKEND_RNG_DESCRIPTOR	8.7.0				
CUDNN_BACKEND_TENSOR_DESCRIPTOR	8.0.1				
CUDNN_BACKEND_VARIANT_PACK_DESCRIPTOR	8.0.1				
CUDNN_BATCHNORM_OPS_BN	7.4.1	9.0.0			
CUDNN_BATCHNORM_OPS_BN_ACTIVATION	7.4.1	9.0.0			
CUDNN_BATCHNORM_OPS_BN_ADD_ACTIVATION	7.4.1	9.0.0			
CUDNN_BATCHNORM_PER_ACTIVATION	4.0.0	9.0.0			HIPDNN_BATCHNORM
CUDNN_BATCHNORM_SPATIAL	4.0.0	9.0.0			HIPDNN_BATCHNORM
CUDNN_BATCHNORM_SPATIAL_PERSISTENT	7.0.5	9.0.0			HIPDNN_BATCHNORM
CUDNN_BATCH_NORM	8.5.0				
CUDNN_BEHAVIOR_NOTE_REQUIRES_BIAS_INT8x32_REORDER	8.3.0				
CUDNN_BEHAVIOR_NOTE_REQUIRES_FILTER_INT8x32_REORDER	8.3.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_BEHAVIOR_NOTE_RUNTIME_COMPILATION	8.2.0				
CUDNN_BEHAVIOR_NOTE_TYPE_COUNT	8.2.0				
CUDNN_BIDIRECTIONAL	5.0.0				HIPDNN_BIDIRECTI
CUDNN_BN_FINALIZE_STATISTICS_INFERENCE	8.1.0				
CUDNN_BN_FINALIZE_STATISTICS_TRAINING	8.1.0				
CUDNN_BN_MIN_EPSILON	4.0.0				HIPDNN_BN_MIN_EP
CUDNN_CONVOLUTION	1.0.0	9.0.0			HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_0	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_1	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_COUNT	6.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_FFT	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_FFT_TILING	4.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_WINOGRAD	5.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_ALGO_WINOGRAD_NONFUSED	5.1.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_NO_WORKSPACE	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_PREFER_FASTEST	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_DATA_SPECIFY_WORKSPACE_LIMIT	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_0	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_1	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_3	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_COUNT	6.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_FFT	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_FFT_TILING	6.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_WINOGRAD	5.1.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_ALGO_WINOGRAD_NONFUSED	5.1.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_NO_WORKSPACE	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_PREFER_FASTEST	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_BWD_FILTER_SPECIFY_WORKSPACE_LIMIT	3.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_COUNT	6.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_DIRECT	2.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_FFT	3.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_FFT_TILING	4.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_GEMM	2.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_IMPLICIT_GEMM	2.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_IMPLICIT_PRECOMP_GEMM	2.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_WINOGRAD	5.0.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_ALGO_WINOGRAD_NONFUSED	5.1.0				HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_NO_WORKSPACE	2.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_PREFER_FASTEST	2.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CONVOLUTION_FWD_SPECIFY_WORKSPACE_LIMIT	2.0.0	7.6.5		8.0.1	HIPDNN_CONVOLUTI
CUDNN_CROSS_CORRELATION	1.0.0	9.0.0			HIPDNN_CROSS_COR
CUDNN_CTC_LOSS_ALGO_DETERMINISTIC	7.0.5				
CUDNN_CTC_LOSS_ALGO_NON_DETERMINISTIC	7.0.5				
CUDNN_DATA_BFLOAT16	8.1.0				
CUDNN_DATA_BOOLEAN	8.3.0				
CUDNN_DATA_DOUBLE	1.0.0				HIPDNN_DATA_DOUB
CUDNN_DATA_FAST_FLOAT_FOR_FP8	8.7.0				
CUDNN_DATA_FLOAT	1.0.0				HIPDNN_DATA_FLOA
CUDNN_DATA_FP8_E4M3	8.6.0				
CUDNN_DATA_FP8_E5M2	8.6.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_DATA_HALF	3.0.0				HIPDNN_DATA_HALF
CUDNN_DATA_INT32	6.0.0				HIPDNN_DATA_INT32
CUDNN_DATA_INT64	8.1.0				
CUDNN_DATA_INT8	6.0.0				HIPDNN_DATA_INT8
CUDNN_DATA_INT8x32	7.2.1	9.0.0			
CUDNN_DATA_INT8x4	6.0.0	9.0.0			HIPDNN_DATA_INT8
CUDNN_DATA_UINT8	7.1.3				
CUDNN_DATA_UINT8x4	7.1.3	9.0.0			
CUDNN_DEFAULT_MATH	7.0.5				HIPDNN_DEFAULT_M
CUDNN_DEFAULT_REORDER	7.6.0	9.0.0			
CUDNN_DETERMINISTIC	6.0.0				
CUDNN_DIM_MAX	4.0.0				
CUDNN_DIVNORM_PRECOMPUTED_MEANS	3.0.0				
CUDNN_EDGE_VAL_PAD	8.3.0				
CUDNN_ERRQUERY_BLOCKING	7.0.5				
CUDNN_ERRQUERY_NONBLOCKING	7.0.5				
CUDNN_ERRQUERY_RAWCODE	7.0.5				
CUDNN_FMA_MATH	8.0.1				
CUDNN_FUSED_BN_FINALIZE_STATISTICS_INFERENCE	7.6.0				
CUDNN_FUSED_BN_FINALIZE_STATISTICS_TRAINING	7.6.0				
CUDNN_FUSED_CONV_SCALE_BIAS_ADD_ACTIVATION	7.6.0				
CUDNN_FUSED_DACTIVATION_FORK_DBATCHNORM	7.6.0				
CUDNN_FUSED_SCALE_BIAS_ACTIVATION_CONV_BNSTATS	7.6.0				
CUDNN_FUSED_SCALE_BIAS_ACTIVATION_WGRAD	7.6.0				
CUDNN_FUSED_SCALE_BIAS_ADD_ACTIVATION_GEN_BITMASK	7.6.0				
CUDNN_FWD_MODE_INFERENCE	8.0.1				
CUDNN_FWD_MODE_TRAINING	8.0.1				
CUDNN_GENSTATS_SUM_SQSUM	8.0.1				
CUDNN_GROUP_NORM	8.5.0				
CUDNN_GRU	5.0.0				HIPDNN_GRU
CUDNN_HEUR_MODES_COUNT	8.0.1				
CUDNN_HEUR_MODE_A	8.3.0				
CUDNN_HEUR_MODE_B	8.0.1				
CUDNN_HEUR_MODE_FALLBACK	8.3.0				
CUDNN_HEUR_MODE_INSTANT	8.0.1				
CUDNN_INSTANCE_NORM	8.5.0				
CUDNN_KNOB_TYPE_ARRAY_SIZE_PER_THREAD	8.9.0				
CUDNN_KNOB_TYPE_BLOCK_SIZE	8.8.0				
CUDNN_KNOB_TYPE_CHUNK_K	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_COUNTS	8.0.1				
CUDNN_KNOB_TYPE_CTA_SPLIT_K_MODE	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_EDGE	8.0.1				
CUDNN_KNOB_TYPE_IDX_MODE	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_KBLOCK	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_KERNEL_CFG	8.1.0				
CUDNN_KNOB_TYPE_LDGA	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_LDGB	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_LDGC	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_LOAD_SIZE	8.9.5				
CUDNN_KNOB_TYPE_MULTIPLY	8.0.1				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_KNOB_TYPE_NUM_C_PER_BLOCK	8.9.0	9.0.0			
CUDNN_KNOB_TYPE_OCCUPANCY	8.9.0				
CUDNN_KNOB_TYPE_REDUCTION_MODE	8.0.1				
CUDNN_KNOB_TYPE_SINGLEBUFFER	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_SLICED	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_SPECFILT	8.0.1				
CUDNN_KNOB_TYPE_SPLIT_COLS	8.9.5				
CUDNN_KNOB_TYPE_SPLIT_H	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_SPLIT_K	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_SPLIT_K_BUF	8.0.1				
CUDNN_KNOB_TYPE_SPLIT_K_SLC	8.0.1				
CUDNN_KNOB_TYPE_SPLIT_RS	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_STAGES	8.0.1				
CUDNN_KNOB_TYPE_SWIZZLE	8.0.1				
CUDNN_KNOB_TYPE_TILEK	8.0.1				
CUDNN_KNOB_TYPE_TILE_CGA	8.6.0	9.0.0			
CUDNN_KNOB_TYPE_TILE_CGA_M	8.6.0				
CUDNN_KNOB_TYPE_TILE_CGA_N	8.6.0				
CUDNN_KNOB_TYPE_TILE_COLS	8.9.5				
CUDNN_KNOB_TYPE_TILE_ROWS	8.9.5				
CUDNN_KNOB_TYPE_TILE_SIZE	8.0.1				
CUDNN_KNOB_TYPE_USE_TEX	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_WINO_TILE	8.0.1	9.0.0			
CUDNN_KNOB_TYPE_WORKSPACE	8.4.0				
CUDNN_LAYER_NORM	8.5.0				
CUDNN_LAYOUT_TYPE_COUNT	8.0.2				
CUDNN_LAYOUT_TYPE_PREFERRED_NCHW	8.0.1				
CUDNN_LAYOUT_TYPE_PREFERRED_NHWC	8.0.2				
CUDNN_LAYOUT_TYPE_PREFERRED_PAD4CK	8.0.2				
CUDNN_LAYOUT_TYPE_PREFERRED_PAD8CK	8.0.2				
CUDNN_LINEAR_INPUT	5.0.0				HIPDNN_LINEAR_IN
CUDNN_LOSS_NORMALIZATION_NONE	7.6.0				
CUDNN_LOSS_NORMALIZATION_SOFTMAX	7.6.0				
CUDNN_LRN_CROSS_CHANNEL_DIM1	3.0.0				HIPDNN_LRN_CROSS
CUDNN_LRN_MAX_N	3.0.0				
CUDNN_LRN_MIN_BETA	3.0.0				
CUDNN_LRN_MIN_K	3.0.0				
CUDNN_LRN_MIN_N	3.0.0				
CUDNN_LSTM	5.0.0				HIPDNN_LSTM
CUDNN_MH_ATTN_K_BIASES	7.6.3				
CUDNN_MH_ATTN_K_WEIGHTS	7.5.0				
CUDNN_MH_ATTN_O_BIASES	7.6.3				
CUDNN_MH_ATTN_O_WEIGHTS	7.5.0				
CUDNN_MH_ATTN_Q_BIASES	7.6.3				
CUDNN_MH_ATTN_Q_WEIGHTS	7.5.0				
CUDNN_MH_ATTN_V_BIASES	7.6.3				
CUDNN_MH_ATTN_V_WEIGHTS	7.5.0				
CUDNN_NEG_INF_PAD	8.3.0				
CUDNN_NON_DETERMINISTIC	6.0.0				
CUDNN_NORM_ALGO_PERSIST	8.0.1	9.0.0			

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_NORM_ALGO_STANDARD	8.0.1	9.0.0			
CUDNN_NORM_FWD_INFERENCE	8.5.0				
CUDNN_NORM_FWD_TRAINING	8.5.0				
CUDNN_NORM_OPS_NORM	8.0.1	9.0.0			
CUDNN_NORM_OPS_NORM_ACTIVATION	8.0.1	9.0.0			
CUDNN_NORM_OPS_NORM_ADD_ACTIVATION	8.0.1	9.0.0			
CUDNN_NORM_PER_ACTIVATION	8.0.1	9.0.0			
CUDNN_NORM_PER_CHANNEL	8.0.1	9.0.0			
CUDNN_NOT_PROPAGATE_NAN	4.0.0	9.0.0			HIPDNN_NOT_PROPA
CUDNN_NO_REORDER	7.6.0	9.0.0			
CUDNN_NUMERICAL_NOTE_DOWN_CONVERT_INPUTS	8.0.1				
CUDNN_NUMERICAL_NOTE_FFT	8.0.1				
CUDNN_NUMERICAL_NOTE_NONDETERMINISTIC	8.0.1				
CUDNN_NUMERICAL_NOTE_REduced_PRECISION_REDUCTION	8.0.1				
CUDNN_NUMERICAL_NOTE_STRICT_NAN_PROP	9.1.0				
CUDNN_NUMERICAL_NOTE_TENSOR_CORE	8.0.1				
CUDNN_NUMERICAL_NOTE_TYPE_COUNT	8.0.1				
CUDNN_NUMERICAL_NOTE_WINOGRAD	8.0.1				
CUDNN_NUMERICAL_NOTE_WINOGRAD_TILE_13x13	8.3.0				
CUDNN_NUMERICAL_NOTE_WINOGRAD_TILE_4x4	8.3.0				
CUDNN_NUMERICAL_NOTE_WINOGRAD_TILE_6x6	8.3.0				
CUDNN_OP_TENSOR_ADD	5.0.0				HIPDNN_OP_TENSOR
CUDNN_OP_TENSOR_MAX	5.0.0				HIPDNN_OP_TENSOR
CUDNN_OP_TENSOR_MIN	5.0.0				HIPDNN_OP_TENSOR
CUDNN_OP_TENSOR_MUL	5.0.0				HIPDNN_OP_TENSOR
CUDNN_OP_TENSOR_NOT	7.0.5				
CUDNN_OP_TENSOR_SQRT	6.0.0				HIPDNN_OP_TENSOR
CUDNN_PARAM_ACTIVATION_BITMASK_DESC	7.6.0				
CUDNN_PARAM_ACTIVATION_BITMASK_PLACEHOLDER	7.6.0				
CUDNN_PARAM_ACTIVATION_DESC	7.6.0				
CUDNN_PARAM_BN_BIAS_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_DBIAS_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_DSCALE_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_EQBIAS_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_EQSCALEBIAS_DESC	7.6.0				
CUDNN_PARAM_BN_EQSCALE_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_MODE	7.6.0				
CUDNN_PARAM_BN_RUNNING_MEAN_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_RUNNING_VAR_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_SAVED_INVSTD_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_SAVED_MEAN_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_SCALEBIAS_MEANVAR_DESC	7.6.0				
CUDNN_PARAM_BN_SCALE_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_Z_EQBIAS_PLACEHOLDER	7.6.0				
CUDNN_PARAM_BN_Z_EQSCALEBIAS_DESC	7.6.0				
CUDNN_PARAM_BN_Z_EQSCALE_PLACEHOLDER	7.6.0				
CUDNN_PARAM_CONV_DESC	7.6.0				
CUDNN_PARAM_DWDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_DWDESC	7.6.0				
CUDNN_PARAM_DXDATA_PLACEHOLDER	7.6.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_PARAM_DXDESC	7.6.0				
CUDNN_PARAM_DYDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_DYDESC	7.6.0				
CUDNN_PARAM_DZDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_DZDESC	7.6.0				
CUDNN_PARAM_WDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_WDESC	7.6.0				
CUDNN_PARAM_XDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_XDESC	7.6.0				
CUDNN_PARAM_YDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_YDESC	7.6.0				
CUDNN_PARAM_YSQSUM_PLACEHOLDER	7.6.0				
CUDNN_PARAM_YSTATS_DESC	7.6.0				
CUDNN_PARAM_YSUM_PLACEHOLDER	7.6.0				
CUDNN_PARAM_ZDATA_PLACEHOLDER	7.6.0				
CUDNN_PARAM_ZDESC	7.6.0				
CUDNN_POINTWISE_ABS	8.3.0				
CUDNN_POINTWISE_ADD	8.0.1				
CUDNN_POINTWISE_ADD_SQUARE	8.3.0				
CUDNN_POINTWISE_ATAN2	9.1.0				
CUDNN_POINTWISE_BINARY_SELECT	8.4.0				
CUDNN_POINTWISE_CEIL	8.3.0				
CUDNN_POINTWISE_CMP_EQ	8.3.0				
CUDNN_POINTWISE_CMP_GE	8.3.0				
CUDNN_POINTWISE_CMP_GT	8.3.0				
CUDNN_POINTWISE_CMP_LE	8.3.0				
CUDNN_POINTWISE_CMP_LT	8.3.0				
CUDNN_POINTWISE_CMP_NEQ	8.3.0				
CUDNN_POINTWISE_COS	8.3.0				
CUDNN_POINTWISE_DIV	8.3.0				
CUDNN_POINTWISE_ELU_BWD	8.1.0				
CUDNN_POINTWISE_ELU_FWD	8.0.1				
CUDNN_POINTWISE_ERF	8.5.0				
CUDNN_POINTWISE_EXP	8.3.0				
CUDNN_POINTWISE_FLOOR	8.3.0				
CUDNN_POINTWISE_GELU_APPROX_TANH_BWD	8.5.0				
CUDNN_POINTWISE_GELU_APPROX_TANH_FWD	8.5.0				
CUDNN_POINTWISE_GELU_BWD	8.1.0				
CUDNN_POINTWISE_GELU_FWD	8.1.0				
CUDNN_POINTWISE_GEN_INDEX	8.4.0				
CUDNN_POINTWISE_IDENTITY	8.5.0				
CUDNN_POINTWISE_LOG	8.3.0				
CUDNN_POINTWISE_LOGICAL_AND	8.3.0				
CUDNN_POINTWISE_LOGICAL_NOT	8.3.0				
CUDNN_POINTWISE_LOGICAL_OR	8.3.0				
CUDNN_POINTWISE_MAX	8.0.1				
CUDNN_POINTWISE_MIN	8.0.1				
CUDNN_POINTWISE_MOD	8.3.0				
CUDNN_POINTWISE_MUL	8.0.1				
CUDNN_POINTWISE_NEG	8.3.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_POINTWISE_POW	8.3.0				
CUDNN_POINTWISE_RECIPROCAL	8.9.0				
CUDNN_POINTWISE_RELU_BWD	8.1.0				
CUDNN_POINTWISE_RELU_FWD	8.0.1				
CUDNN_POINTWISE_RSQRT	8.3.0				
CUDNN_POINTWISE_SIGMOID_BWD	8.1.0				
CUDNN_POINTWISE_SIGMOID_FWD	8.0.1				
CUDNN_POINTWISE_SIN	8.3.0				
CUDNN_POINTWISE_SOFTPLUS_BWD	8.1.0				
CUDNN_POINTWISE_SOFTPLUS_FWD	8.1.0				
CUDNN_POINTWISE_SQRT	8.0.1				
CUDNN_POINTWISE_SUB	8.3.0				
CUDNN_POINTWISE_SWISH_BWD	8.1.0				
CUDNN_POINTWISE_SWISH_FWD	8.1.0				
CUDNN_POINTWISE_TAN	8.3.0				
CUDNN_POINTWISE_TANH_BWD	8.1.0				
CUDNN_POINTWISE_TANH_FWD	8.0.1				
CUDNN_POOLING_AVERAGE_COUNT_EXCLUDE_PADDING	2.0.0	9.0.0			HIPDNN_POOLING_A
CUDNN_POOLING_AVERAGE_COUNT_INCLUDE_PADDING	2.0.0	9.0.0			HIPDNN_POOLING_A
CUDNN_POOLING_MAX	1.0.0	9.0.0			HIPDNN_POOLING_M
CUDNN_POOLING_MAX_DETERMINISTIC	6.0.0	9.0.0			HIPDNN_POOLING_M
CUDNN_PROPAGATE_NAN	4.0.0	9.0.0			HIPDNN_PROPAGATE
CUDNN_PTR_16B_ALIGNED	7.6.0				
CUDNN_PTR_ACTIVATION_BITMASK	7.6.0				
CUDNN_PTR_BN_BIAS	7.6.0				
CUDNN_PTR_BN_DBIAS	7.6.0				
CUDNN_PTR_BN_DSCALE	7.6.0				
CUDNN_PTR_BN_EQBIAS	7.6.0				
CUDNN_PTR_BN_EQSCALE	7.6.0				
CUDNN_PTR_BN_RUNNING_MEAN	7.6.0				
CUDNN_PTR_BN_RUNNING_VAR	7.6.0				
CUDNN_PTR_BN_SAVED_INVSTD	7.6.0				
CUDNN_PTR_BN_SAVED_MEAN	7.6.0				
CUDNN_PTR_BN_SCALE	7.6.0				
CUDNN_PTR_BN_Z_EQBIAS	7.6.0				
CUDNN_PTR_BN_Z_EQSCALE	7.6.0				
CUDNN_PTR_DWDATA	7.6.0				
CUDNN_PTR_DXDATA	7.6.0				
CUDNN_PTR_DYDATA	7.6.0				
CUDNN_PTR_DZDATA	7.6.0				
CUDNN_PTR_ELEM_ALIGNED	7.6.0				
CUDNN_PTR_NULL	7.6.0				
CUDNN_PTR_WDATA	7.6.0				
CUDNN_PTR_WORKSPACE	7.6.0				
CUDNN_PTR_XDATA	7.6.0				
CUDNN_PTR_YDATA	7.6.0				
CUDNN_PTR_YSQSUM	7.6.0				
CUDNN_PTR_YSUM	7.6.0				
CUDNN_PTR_ZDATA	7.6.0				
CUDNN_REDUCE_TENSOR_ADD	6.0.0	9.0.0			HIPDNN_REDUCE_TE

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_REDUCE_TENSOR_AMAX	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_AVG	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_FLATTENED_INDICES	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_MAX	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_MIN	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_MUL	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_MUL_NO_ZEROS	7.0.5	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_NORM1	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_NORM2	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_REDUCE_TENSOR_NO_INDICES	6.0.0	9.0.0			HIPDNN_REDUCE_TE
CUDNN_RESAMPLE_AVGPOOL	8.3.0				
CUDNN_RESAMPLE_AVGPOOL_EXCLUDE_PADDING	8.6.0				
CUDNN_RESAMPLE_AVGPOOL_INCLUDE_PADDING	8.6.0				
CUDNN_RESAMPLE_BILINEAR	8.3.0				
CUDNN_RESAMPLE_MAXPOOL	8.3.0				
CUDNN_RESAMPLE_NEAREST	8.3.0				
CUDNN_RMS_NORM	8.9.6				
CUDNN_RNG_DISTRIBUTION_BERNOULLI	8.7.0				
CUDNN_RNG_DISTRIBUTION_NORMAL	8.7.0				
CUDNN_RNG_DISTRIBUTION_UNIFORM	8.7.0				
CUDNN_RNN_ALGO_COUNT	7.1.3				
CUDNN_RNN_ALGO_PERSIST_DYNAMIC	6.0.0				HIPDNN_RNN_ALGO_
CUDNN_RNN_ALGO_PERSIST_STATIC	6.0.0				HIPDNN_RNN_ALGO_
CUDNN_RNN_ALGO_PERSIST_STATIC_SMALL_H	8.1.0				HIPDNN_RNN_ALGO_
CUDNN_RNN_ALGO_STANDARD	6.0.0				HIPDNN_RNN_ALGO_
CUDNN_RNN_CLIP_MINMAX	7.2.1				
CUDNN_RNN_CLIP_NONE	7.2.1				
CUDNN_RNN_DATA_LAYOUT_BATCH_MAJOR_UNPACKED	7.2.1				
CUDNN_RNN_DATA_LAYOUT_SEQ_MAJOR_PACKED	7.2.1				
CUDNN_RNN_DATA_LAYOUT_SEQ_MAJOR_UNPACKED	7.2.1				
CUDNN_RNN_DOUBLE_BIAS	7.5.0				HIPDNN_RNN_WITH_
CUDNN_RNN_NO_BIAS	7.5.0				HIPDNN_RNN_NO_BI
CUDNN_RNN_PADDED_IO_DISABLED	7.2.1				
CUDNN_RNN_PADDED_IO_ENABLED	7.2.1				
CUDNN_RNN_RELU	5.0.0				HIPDNN_RNN_RELU
CUDNN_RNN_SINGLE_INP_BIAS	7.5.0				HIPDNN_RNN_WITH_
CUDNN_RNN_SINGLE_REC_BIAS	7.5.0				HIPDNN_RNN_WITH_
CUDNN_RNN_TANH	5.0.0				HIPDNN_RNN_TANH
CUDNN_SAMPLER_BILINEAR	5.0.0				
CUDNN_SCALAR_DOUBLE_BN_EPSILON	7.6.0				
CUDNN_SCALAR_DOUBLE_BN_EXP_AVG_FACTOR	7.6.0				
CUDNN_SCALAR_INT64_T_BN_ACCUMULATION_COUNT	7.6.0				
CUDNN_SCALAR_SIZE_T_WORKSPACE_SIZE_IN_BYTES	7.6.0				
CUDNN_SEQDATA_BATCH_DIM	7.5.0				
CUDNN_SEQDATA_BEAM_DIM	7.5.0				
CUDNN_SEQDATA_DIM_COUNT	7.5.0				
CUDNN_SEQDATA_TIME_DIM	7.5.0				
CUDNN_SEQDATA_VECT_DIM	7.5.0				
CUDNN_SEV_ERROR	7.1.3				
CUDNN_SEV_ERROR_EN	7.1.3				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_SEV_FATAL	7.1.3				
CUDNN_SEV_INFO	7.1.3				
CUDNN_SEV_INFO_EN	7.1.3				
CUDNN_SEV_WARNING	7.1.3				
CUDNN_SEV_WARNING_EN	7.1.3				
CUDNN_SIGNAL_SET	8.5.0				
CUDNN_SIGNAL_WAIT	8.5.0				
CUDNN_SKIP_INPUT	5.0.0				HIPDNN_SKIP_INPU
CUDNN_SOFTMAX_ACCURATE	1.0.0				HIPDNN_SOFTMAX_A
CUDNN_SOFTMAX_FAST	1.0.0				HIPDNN_SOFTMAX_F
CUDNN_SOFTMAX_LOG	3.0.0				HIPDNN_SOFTMAX_L
CUDNN_SOFTMAX_MODE_CHANNEL	1.0.0				HIPDNN_SOFTMAX_M
CUDNN_SOFTMAX_MODE_INSTANCE	1.0.0				HIPDNN_SOFTMAX_M
CUDNN_STATUS_ALLOC_FAILED	1.0.0	9.0.0			HIPDNN_STATUS_AL
CUDNN_STATUS_ARCH_MISMATCH	1.0.0	9.0.0			HIPDNN_STATUS_AR
CUDNN_STATUS_BAD_PARAM	1.0.0				HIPDNN_STATUS_BA
CUDNN_STATUS_BAD_PARAM_ATTRIBUTE_TYPE	9.0.0				
CUDNN_STATUS_BAD_PARAM_DUPLICATED_ENTRIES	9.0.0				
CUDNN_STATUS_BAD_PARAM_MISALIGNED_POINTER	9.0.0				
CUDNN_STATUS_BAD_PARAM_NOT_FINALIZED	9.0.0				
CUDNN_STATUS_BAD_PARAM_NULL_POINTER	9.0.0				
CUDNN_STATUS_BAD_PARAM_OUT_OF_BOUND	9.0.0				
CUDNN_STATUS_BAD_PARAM_SHAPE_MISMATCH	9.0.0				
CUDNN_STATUS_BAD_PARAM_SIZE_INSUFFICIENT	9.0.0				
CUDNN_STATUS_BAD_PARAM_STREAM_MISMATCH	9.0.0				
CUDNN_STATUS_CATEGORY	9.0.0				
CUDNN_STATUS_DEPRECATED	9.0.0				
CUDNN_STATUS_EXECUTION_FAILED	1.0.0				HIPDNN_STATUS_EX
CUDNN_STATUS_EXECUTION_FAILED_CUBLAS	9.0.0				
CUDNN_STATUS_EXECUTION_FAILED_CUDART	9.0.0				
CUDNN_STATUS_EXECUTION_FAILED_CUDA_DRIVER	9.0.0				
CUDNN_STATUS_EXECUTION_FAILED_CURAND	9.0.0				
CUDNN_STATUS_FULL_ERROR_CODE	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR	1.0.0				HIPDNN_STATUS_IN
CUDNN_STATUS_INTERNAL_ERROR_BAD_LAUNCH_PARAM	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR_COMPILATION_FAILED	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR_DEVICE_ALLOCATION_FAILED	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR_HOST_ALLOCATION_FAILED	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR_TEXTURE_CREATION_FAILED	9.0.0				
CUDNN_STATUS_INTERNAL_ERROR_UNEXPECTED_VALUE	9.0.0				
CUDNN_STATUS_INVALID_VALUE	1.0.0	9.0.0			HIPDNN_STATUS_IN
CUDNN_STATUS_LICENSE_ERROR	1.0.0				HIPDNN_STATUS_LI
CUDNN_STATUS_MAPPING_ERROR	1.0.0	9.0.0			HIPDNN_STATUS_MA
CUDNN_STATUS_NOT_INITIALIZED	1.0.0				HIPDNN_STATUS_NO
CUDNN_STATUS_NOT_SUPPORTED	1.0.0				HIPDNN_STATUS_NO
CUDNN_STATUS_NOT_SUPPORTED_ARCH_MISMATCH	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_BAD_LAUNCH_PARAM	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_DATA_TYPE	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_GRAPH_PATTERN	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_INCOMPATIBLE_CUDART	9.0.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_STATUS_NOT_SUPPORTED_INCOMPATIBLE_CUDA_DRIVER	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_LAYOUT	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_PADDING	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_RUNTIME_PREREQUISITE_MISSING	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_SHAPE	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_SHARED_MEMORY_INSUFFICIENT	9.0.0				
CUDNN_STATUS_NOT_SUPPORTED_SUBLIBRARY_UNAVAILABLE	9.0.0				
CUDNN_STATUS_RUNTIME_FP_OVERFLOW	7.0.5				
CUDNN_STATUS_RUNTIME_IN_PROGRESS	7.0.5				
CUDNN_STATUS_RUNTIME_PREREQUISITE_MISSING	6.0.0	9.0.0			HIPDNN_STATUS_RU
CUDNN_STATUS_SERIALIZATION_VERSION_MISMATCH	9.0.0				
CUDNN_STATUS_SPECIFIC_ERROR	9.0.0				
CUDNN_STATUS_SUBLIBRARY_LOADING_FAILED	9.2.0				
CUDNN_STATUS_SUBLIBRARY_VERSION_MISMATCH	9.0.0				
CUDNN_STATUS_SUCCESS	1.0.0				HIPDNN_STATUS_SU
CUDNN_STATUS_VERSION_MISMATCH	8.0.1	9.0.0			
CUDNN_TENSOR_NCHW	1.0.0				HIPDNN_TENSOR_NC
CUDNN_TENSOR_NCHW_VECT_C	6.0.0				HIPDNN_TENSOR_NC
CUDNN_TENSOR_NHWC	1.0.0				HIPDNN_TENSOR_NH
CUDNN_TENSOR_OP_MATH	7.0.5				HIPDNN_TENSOR_OP
CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION	7.2.1				
CUDNN_TENSOR_REORDERING_F16x16	8.8.0				
CUDNN_TENSOR_REORDERING_INT8x32	8.3.0				
CUDNN_TENSOR_REORDERING_NONE	8.3.0				
CUDNN_TRANSFORM_FOLD	7.5.0				
CUDNN_TRANSFORM_UNFOLD	7.5.0				
CUDNN_TYPE_ATTRIB_NAME	8.0.1				
CUDNN_TYPE_BACKEND_DESCRIPTOR	8.0.1				
CUDNN_TYPE_BEHAVIOR_NOTE	8.2.0				
CUDNN_TYPE_BN_FINALIZE_STATS_MODE	8.1.0				
CUDNN_TYPE_BOOLEAN	8.0.1				
CUDNN_TYPE_CHAR	8.4.0				
CUDNN_TYPE_CONVOLUTION_MODE	8.0.1				
CUDNN_TYPE_DATA_TYPE	8.0.1				
CUDNN_TYPE_DOUBLE	8.0.1				
CUDNN_TYPE_FLOAT	8.0.1				
CUDNN_TYPE_FRACTION	8.5.0				
CUDNN_TYPE_GENSTATS_MODE	8.0.1				
CUDNN_TYPE_HANDLE	8.0.1				
CUDNN_TYPE_HEUR_MODE	8.0.1				
CUDNN_TYPE_INT32	8.3.0				
CUDNN_TYPE_INT64	8.0.1				
CUDNN_TYPE_KNOB_TYPE	8.0.1				
CUDNN_TYPE_LAYOUT_TYPE	8.0.2				
CUDNN_TYPE_NAN_PROPOGATION	8.0.1	9.0.0			
CUDNN_TYPE_NORM_FWD_PHASE	8.5.0				
CUDNN_TYPE_NORM_MODE	8.5.0				
CUDNN_TYPE_NUMERICAL_NOTE	8.0.1				
CUDNN_TYPE_PADDING_MODE	8.3.0				
CUDNN_TYPE_POINTWISE_MODE	8.0.1				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
CUDNN_TYPE_REDUCTION_OPERATOR_TYPE	8.1.0				
CUDNN_TYPE_RESAMPLE_MODE	8.3.0				
CUDNN_TYPE_RNG_DISTRIBUTION	8.7.0				
CUDNN_TYPE_SIGNAL_MODE	8.5.0				
CUDNN_TYPE_TENSOR_REORDERING_MODE	8.3.0				
CUDNN_TYPE_VOID_PTR	8.0.1				
CUDNN_UNIDIRECTIONAL	5.0.0				HIPDNN_UNIDIRECT
CUDNN_WGRAD_MODE_ADD	7.5.0				
CUDNN_WGRAD_MODE_SET	7.5.0				
CUDNN_ZERO_PAD	8.3.0				
cudaActivationDescriptor_t	4.0.0	9.0.0			hipdnnActivation
cudaActivationMode_t	1.0.0	9.0.0			hipdnnActivation
cudaActivationStruct	4.0.0	9.0.0			
cudaAlgorithmDescriptor_t	7.1.3			9.0.0	
cudaAlgorithmPerformanceStruct	7.1.3			9.0.0	
cudaAlgorithmPerformance_t	7.1.3			9.0.0	
cudaAlgorithmStruct	7.1.3			9.0.0	
cudaAlgorithmUnionStruct	8.2.0			9.0.0	
cudaAlgorithm_t	7.1.3			9.0.0	
cudaAttnDescriptor_t	7.5.0	9.0.0			
cudaAttnQueryMap_t	7.5.0			9.0.0	
cudaAttnStruct	7.5.0				
cudaBackendAttributeName_t	8.0.1				
cudaBackendAttributeType_t	8.0.1				
cudaBackendBehaviorNote_t	8.2.0				
cudaBackendDescriptorType_t	8.0.1				
cudaBackendDescriptor_t	8.0.1				
cudaBackendHeurMode_t	8.0.1				
cudaBackendKnobType_t	8.0.1				
cudaBackendLayoutType_t	8.0.1				
cudaBackendNormFwdPhase_t	8.5.0				
cudaBackendNormMode_t	8.5.0				
cudaBackendNumericalNote_t	8.0.1				
cudaBackendTensorReordering_t	8.3.0				
cudaBatchNormMode_t	4.0.0	9.0.0			hipdnnBatchNormM
cudaBatchNormOps_t	7.4.1	9.0.0			
cudaBnFinalizeStatsMode_t	8.1.0				
cudaCTCLossAlgo_t	7.0.5				
cudaCTCLossDescriptor_t	7.0.5				
cudaCTCLossStruct	7.0.5				
cudaCallback_t	7.1.3				
cudaContext	1.0.0				
cudaConvolutionBwdDataAlgoPerfStruct	8.2.0	9.0.0			hipdnnConvolutio
cudaConvolutionBwdDataAlgoPerf_t	3.0.0	9.0.0			hipdnnConvolutio
cudaConvolutionBwdDataAlgo_t	3.0.0				hipdnnConvolutio
cudaConvolutionBwdDataPreference_t	3.0.0	7.6.5		8.0.1	hipdnnConvolutio
cudaConvolutionBwdFilterAlgoPerfStruct	8.2.0				hipdnnConvolutio
cudaConvolutionBwdFilterAlgoPerf_t	3.0.0	9.0.0			hipdnnConvolutio
cudaConvolutionBwdFilterAlgo_t	3.0.0				hipdnnConvolutio
cudaConvolutionBwdFilterPreference_t	3.0.0	7.6.5		8.0.1	hipdnnConvolutio

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
cudaConvolutionDescriptor_t	1.0.0	9.0.0			hipDnnConvolutio
cudaConvolutionFwdAlgoPerfStruct	8.2.0				hipDnnConvolutio
cudaConvolutionFwdAlgoPerf_t	3.0.0	9.0.0			hipDnnConvolutio
cudaConvolutionFwdAlgo_t	2.0.0				hipDnnConvolutio
cudaConvolutionFwdPreference_t	2.0.0	7.6.5		8.0.1	hipDnnConvolutio
cudaConvolutionMode_t	1.0.0				hipDnnConvolutio
cudaConvolutionStruct	1.0.0				
cudaDataType_t	1.0.0				hipDnnDataType_t
cudaDebugStruct	8.2.0				
cudaDebug_t	7.1.3				
cudaDeterminism_t	6.0.0				
cudaDirectionMode_t	5.0.0				hipDnnDirectionM
cudaDivNormMode_t	3.0.0				
cudaDropoutDescriptor_t	5.0.0				hipDnnDropoutDes
cudaDropoutStruct	5.0.0				
cudaErrQueryMode_t	7.0.5				
cudaFilterDescriptor_t	1.0.0				hipDnnFilterDesc
cudaFilterStruct	1.0.0	9.0.0			
cudaFoldingDirection_t	7.5.0				
cudaForwardMode_t	8.0.1				
cudaFractionStruct	8.5.0				
cudaFraction_t	8.5.0				
cudaFusedOpsConstParamLabel_t	7.6.0	9.0.0			
cudaFusedOpsConstParamPack_t	7.6.0	9.0.0			
cudaFusedOpsConstParamStruct	7.6.0	9.0.0			
cudaFusedOpsPlanStruct	7.6.0	9.0.0			
cudaFusedOpsPlan_t	7.6.0	9.0.0			
cudaFusedOpsPointerPlaceholder_t	7.6.0	9.0.0			
cudaFusedOpsVariantParamLabel_t	7.6.0	9.0.0			
cudaFusedOpsVariantParamPack_t	7.6.0	9.0.0			
cudaFusedOpsVariantParamStruct	7.6.0	9.0.0			
cudaFusedOps_t	7.6.0	9.0.0			
cudaGenStatsMode_t	8.0.1				
cudaHandle_t	1.0.0				hipDnnHandle_t
cudaIndicesType_t	6.0.0	9.0.0			hipDnnIndicesTyp
cudaLRNDescriptor_t	3.0.0				hipDnnLRNDescrip
cudaLRNMode_t	3.0.0				hipDnnLRNMode_t
cudaLRNStruct	3.0.0				
cudaLossNormalizationMode_t	7.6.0				
cudaMathType_t	7.0.5				hipDnnMathType_t
cudaMultiHeadAttnWeightKind_t	7.5.0				
cudaNanPropagation_t	4.0.0				hipDnnNanPropaga
cudaNormAlgo_t	8.0.1	9.0.0			
cudaNormMode_t	8.0.1	9.0.0			
cudaNormOps_t	8.0.1	9.0.0			
cudaOpTensorDescriptor_t	5.0.0	9.0.0			hipDnnOpTensorDe
cudaOpTensorOp_t	5.0.0				hipDnnOpTensorOp
cudaOpTensorStruct	5.0.0	9.0.0			
cudaPaddingMode_t	8.3.0				
cudaPersistentRNNPlan	6.0.0				

Table 3.31 – continued from previous page

CUDA	A	D	C	R	HIP
cudaPersistentRNNPlan_t	6.0.0				hipDnnPersistent
cudaPointwiseMode_t	8.0.1				
cudaPoolingDescriptor_t	1.0.0	9.0.0			hipDnnPoolingDes
cudaPoolingMode_t	1.0.0	9.0.0			hipDnnPoolingMod
cudaPoolingStruct	1.0.0	9.0.0			
cudaRNNAngo_t	6.0.0				hipDnnRNNAngo_t
cudaRNNBiasMode_t	7.5.0				hipDnnRNNBiasMod
cudaRNNCliMode_t	7.2.1				
cudaRNNDataDescriptor_t	7.2.1				
cudaRNNDataLayout_t	7.2.1				
cudaRNNDataStruct	7.2.1				
cudaRNNDescriptor_t	5.0.0				hipDnnRNNDescrip
cudaRNNIInputMode_t	5.0.0				hipDnnRNNIInputMo
cudaRNNIMode_t	5.0.0				hipDnnRNNIMode_t
cudaRNNIPaddingMode_t	7.2.1				
cudaRNNIStruct	5.0.0				
cudaReduceTensorDescriptor_t	6.0.0	9.0.0			hipDnnReduceTens
cudaReduceTensorIndices_t	6.0.0	9.0.0			hipDnnReduceTens
cudaReduceTensorOp_t	6.0.0				hipDnnReduceTens
cudaReduceTensorStruct	6.0.0	9.0.0			
cudaReorderType_t	7.6.0	9.0.0			
cudaResampleMode_t	8.3.0				
cudaRngDistribution_t	8.7.0				
cudaRuntimeTag_t	7.0.5	9.0.0			
cudaSamplerType_t	5.0.0				
cudaSeqDataAxis_t	7.5.0				
cudaSeqDataDescriptor_t	7.5.0	9.0.0			
cudaSeqDataStruct	7.5.0				
cudaSeverity_t	7.1.3				
cudaSignalMode_t	8.5.0				
cudaSoftmaxAlgorithm_t	1.0.0				hipDnnSoftmaxAlg
cudaSoftmaxMode_t	1.0.0				hipDnnSoftmaxMod
cudaSpatialTransformerDescriptor_t	5.0.0				
cudaSpatialTransformerStruct	5.0.0				
cudaStatus_t	1.0.0				hipDnnStatus_t
cudaTensorDescriptor_t	2.0.0				hipDnnTensorDesc
cudaTensorFormat_t	1.0.0				hipDnnTensorForm
cudaTensorStruct	2.0.0				
cudaTensorTransformDescriptor_t	7.5.0	9.0.0			
cudaTensorTransformStruct	7.5.0	9.0.0			
cudaWgradMode_t	7.5.0				
libraryPropertyType	6.0.0				
libraryPropertyType_t	6.0.0			9.0.0	

3.11.2 2. CUDNN Functions

CUDA	A	D	C	R	HIP
cudaDnnActivationBackward	1.0.0	9.0.0			hipDnnActivationBackward
cudaDnnActivationForward	1.0.0	9.0.0			hipDnnActivationForward
cudaDnnAddTensor	2.0.0	9.0.0			hipDnnAddTensor
cudaDnnAdvInferVersionCheck	8.0.1			9.0.0	
cudaDnnAdvTrainVersionCheck	8.0.1			9.0.0	
cudaDnnAdvVersionCheck	9.0.0				
cudaDnnBackendCreateDescriptor	8.0.1				
cudaDnnBackendDestroyDescriptor	8.0.1				
cudaDnnBackendExecute	8.0.1				
cudaDnnBackendFinalize	8.0.1				
cudaDnnBackendGetAttribute	8.0.1				
cudaDnnBackendInitialize	8.0.1				
cudaDnnBackendSetAttribute	8.0.1				
cudaDnnBatchNormalizationBackward	4.0.0	9.0.0			hipDnnBatchNormalizationBackward
cudaDnnBatchNormalizationBackwardEx	7.4.1	9.0.0			
cudaDnnBatchNormalizationForwardInference	4.0.0	9.0.0			hipDnnBatchNormalizationForwardInference
cudaDnnBatchNormalizationForwardTraining	4.0.0	9.0.0			hipDnnBatchNormalizationForwardTraining
cudaDnnBatchNormalizationForwardTrainingEx	7.4.1	9.0.0			
cudaDnnBuildRNNDynamic	8.0.1				
cudaDnnCTCLoss	7.0.5				
cudaDnnCTCLoss_v8	8.0.1				
cudaDnnCnnInferVersionCheck	8.0.2				
cudaDnnCnnTrainVersionCheck	8.0.2				
cudaDnnConvolutionBackwardBias	1.0.0	9.0.0			hipDnnConvolutionBackwardBias
cudaDnnConvolutionBackwardData	1.0.0	9.0.0			hipDnnConvolutionBackwardData
cudaDnnConvolutionBackwardFilter	1.0.0	9.0.0			hipDnnConvolutionBackwardFilter
cudaDnnConvolutionBiasActivationForward	6.0.0	9.0.0			
cudaDnnConvolutionForward	1.0.0	9.0.0			hipDnnConvolutionForward
cudaDnnCopyAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaDnnCreate	1.0.0				hipDnnCreate
cudaDnnCreateActivationDescriptor	4.0.0	9.0.0			hipDnnCreateActivationDescriptor
cudaDnnCreateAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaDnnCreateAlgorithmPerformance	7.1.3	8.0.2		9.0.0	
cudaDnnCreateAttnDescriptor	7.5.0	9.0.0			
cudaDnnCreateCTCLossDescriptor	7.0.5				
cudaDnnCreateConvolutionDescriptor	1.0.0	9.0.0			hipDnnCreateConvolutionDescriptor
cudaDnnCreateDropoutDescriptor	5.0.0				hipDnnCreateDropoutDescriptor
cudaDnnCreateFilterDescriptor	1.0.0	9.0.0			hipDnnCreateFilterDescriptor
cudaDnnCreateFusedOpsConstParamPack	7.6.0	9.0.0			
cudaDnnCreateFusedOpsPlan	7.6.0	9.0.0			
cudaDnnCreateFusedOpsVariantParamPack	7.6.0	9.0.0			
cudaDnnCreateLRNDescriptor	3.0.0				hipDnnCreateLRNDescriptor
cudaDnnCreateOpTensorDescriptor	5.0.0	9.0.0			hipDnnCreateOpTensorDescriptor
cudaDnnCreatePersistentRNNPlan	6.0.0	8.0.1		9.0.0	hipDnnCreatePersistentRNNPlan
cudaDnnCreatePoolingDescriptor	1.0.0	9.0.0			hipDnnCreatePoolingDescriptor
cudaDnnCreateRNNDataDescriptor	7.2.1				
cudaDnnCreateRNNDescriptor	5.0.0				hipDnnCreateRNNDescriptor
cudaDnnCreateReduceTensorDescriptor	6.0.0	9.0.0			hipDnnCreateReduceTensorDescriptor
cudaDnnCreateSeqDataDescriptor	7.5.0	9.0.0			

Table 3.32 – continued from previous page

CUDA	A	D	C	R	HIP
cudaCreateSpatialTransformerDescriptor	5.0.0				
cudaCreateTensorDescriptor	2.0.0				hipDnnCreateTensorDesc
cudaCreateTensorTransformDescriptor	7.5.0	9.0.0			
cudaDeriveBNTensorDescriptor	4.0.0	9.0.0			hipDnnDeriveBNTensorDe
cudaDeriveNormTensorDescriptor	8.0.1	9.0.0			
cudaDestroy	1.0.0				hipDnnDestroy
cudaDestroyActivationDescriptor	4.0.0	9.0.0			hipDnnDestroyActivatio
cudaDestroyAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaDestroyAlgorithmPerformance	7.1.3	8.0.2		9.0.0	
cudaDestroyAttnDescriptor	7.5.0	9.0.0			
cudaDestroyCTCLossDescriptor	7.0.5				
cudaDestroyConvolutionDescriptor	1.0.0	9.0.0			hipDnnDestroyConvoluti
cudaDestroyDropoutDescriptor	5.0.0				hipDnnDestroyDropoutDe
cudaDestroyFilterDescriptor	1.0.0	9.0.0			hipDnnDestroyFilterDes
cudaDestroyFusedOpsConstParamPack	7.6.0	9.0.0			
cudaDestroyFusedOpsPlan	7.6.0	9.0.0			
cudaDestroyFusedOpsVariantParamPack	7.6.0	9.0.0			
cudaDestroyLRNDescriptor	3.0.0				hipDnnDestroyLRNDescri
cudaDestroyOpTensorDescriptor	5.0.0	9.0.0			hipDnnDestroyOpTensorD
cudaDestroyPersistentRNNPlan	6.0.0	8.0.1		9.0.0	hipDnnDestroyPersisten
cudaDestroyPoolingDescriptor	1.0.0	9.0.0			hipDnnDestroyPoolingDe
cudaDestroyRNNDataDescriptor	7.2.1				
cudaDestroyRNNDescriptor	5.0.0				hipDnnDestroyRNNDescri
cudaDestroyReduceTensorDescriptor	6.0.0	9.0.0			hipDnnDestroyReduceTen
cudaDestroySeqDataDescriptor	7.5.0	9.0.0			
cudaDestroySpatialTransformerDescriptor	5.0.0				
cudaDestroyTensorDescriptor	2.0.0				hipDnnDestroyTensorDes
cudaDestroyTensorTransformDescriptor	7.5.0	9.0.0			
cudaDivisiveNormalizationBackward	3.0.0				
cudaDivisiveNormalizationForward	3.0.0				
cudaDropoutBackward	5.0.0				
cudaDropoutForward	5.0.0				
cudaDropoutGetReserveSpaceSize	5.0.0				
cudaDropoutGetStatesSize	5.0.0				hipDnnDropoutGetStates
cudaFindConvolutionBackwardDataAlgorithm	3.0.0	9.0.0			hipDnnFindConvolutionB
cudaFindConvolutionBackwardDataAlgorithmEx	5.0.0	9.0.0			hipDnnFindConvolutionB
cudaFindConvolutionBackwardFilterAlgorithm	3.0.0	9.0.0			hipDnnFindConvolutionB
cudaFindConvolutionBackwardFilterAlgorithmEx	5.0.0	9.0.0			hipDnnFindConvolutionB
cudaFindConvolutionForwardAlgorithm	3.0.0	9.0.0			hipDnnFindConvolutionF
cudaFindConvolutionForwardAlgorithmEx	5.0.0	9.0.0			hipDnnFindConvolutionF
cudaFindRNNBackwardDataAlgorithmEx	7.1.3	8.0.2		9.0.0	
cudaFindRNNBackwardWeightsAlgorithmEx	7.1.3	8.0.2		9.0.0	
cudaFindRNNForwardInferenceAlgorithmEx	7.1.3	8.0.2		9.0.0	
cudaFindRNNForwardTrainingAlgorithmEx	7.1.3	8.0.2		9.0.0	
cudaFusedOpsExecute	7.6.0	9.0.0			
cudaGetActivationDescriptor	4.0.0	9.0.0			hipDnnGetActivationDes
cudaGetActivationDescriptorSwishBeta	8.2.0	9.0.0			
cudaGetAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaGetAlgorithmPerformance	7.1.3	8.0.2		9.0.0	
cudaGetAlgorithmSpaceSize	7.1.3	8.0.2		9.0.0	

Table 3.32 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGetAttnDescriptor	7.5.0	9.0.0			
cudaGetBatchNormalizationBackwardExWorkspaceSize	7.4.1	9.0.0			
cudaGetBatchNormalizationForwardTrainingExWorkspaceSize	7.4.1	9.0.0			
cudaGetBatchNormalizationTrainingExReserveSpaceSize	7.4.1	9.0.0			
cudaGetCTCLossDescriptor	7.0.5	9.0.0			
cudaGetCTCLossDescriptorEx	7.5.0	9.0.0			
cudaGetCTCLossDescriptor_v8	8.0.1	9.0.0			
cudaGetCTCLossDescriptor_v9	9.0.0				
cudaGetCTCLossWorkspaceSize	7.0.5				
cudaGetCTCLossWorkspaceSize_v8	8.0.1				
cudaGetCallback	7.1.3				
cudaGetConvolution2dDescriptor	2.0.0	9.0.0			hipDnnGetConvolution2dDescriptor
cudaGetConvolution2dForwardOutputDim	2.0.0	9.0.0			hipDnnGetConvolution2dForwardOutputDim
cudaGetConvolutionBackwardDataAlgorithm	3.0.0	7.6.5		8.0.1	hipDnnGetConvolutionBackwardDataAlgorithm
cudaGetConvolutionBackwardDataAlgorithmMaxCount	7.0.5	9.0.0			
cudaGetConvolutionBackwardDataAlgorithm_v7	7.0.5	9.0.0			
cudaGetConvolutionBackwardDataWorkspaceSize	3.0.0	9.0.0			hipDnnGetConvolutionBackwardDataWorkspaceSize
cudaGetConvolutionBackwardFilterAlgorithm	3.0.0	7.6.5		8.0.1	hipDnnGetConvolutionBackwardFilterAlgorithm
cudaGetConvolutionBackwardFilterAlgorithmMaxCount	7.0.5				
cudaGetConvolutionBackwardFilterAlgorithm_v7	7.0.5	9.0.0			
cudaGetConvolutionBackwardFilterWorkspaceSize	3.0.0	9.0.0			hipDnnGetConvolutionBackwardFilterWorkspaceSize
cudaGetConvolutionForwardAlgorithm	2.0.0	7.6.5		8.0.1	hipDnnGetConvolutionForwardAlgorithm
cudaGetConvolutionForwardAlgorithmMaxCount	7.0.5	9.0.0			
cudaGetConvolutionForwardAlgorithm_v7	7.0.5	9.0.0			
cudaGetConvolutionForwardWorkspaceSize	2.0.0	9.0.0			hipDnnGetConvolutionForwardWorkspaceSize
cudaGetConvolutionGroupCount	7.0.5	9.0.0			
cudaGetConvolutionMathType	7.0.5	9.0.0			
cudaGetConvolutionNdDescriptor	2.0.0	9.0.0			
cudaGetConvolutionNdForwardOutputDim	2.0.0	9.0.0			
cudaGetConvolutionReorderType	7.6.0	9.0.0			
cudaGetCudartVersion	6.0.0				
cudaGetDropoutDescriptor	7.0.5				
cudaGetErrorString	2.0.0				hipDnnGetErrorString
cudaGetFilter4dDescriptor	2.0.0	9.0.0			hipDnnGetFilter4dDescriptor
cudaGetFilterNdDescriptor	2.0.0	9.0.0			hipDnnGetFilterNdDescriptor
cudaGetFilterSizeInBytes	7.6.0	9.0.0			
cudaGetFoldedConvBackwardDataDescriptors	7.6.0	9.0.0			
cudaGetFusedOpsConstParamPackAttribute	7.6.0	9.0.0			
cudaGetFusedOpsVariantParamPackAttribute	7.6.0	9.0.0			
cudaGetLRNDescriptor	3.0.0				hipDnnGetLRNDescriptor
cudaGetLastErrorString	9.0.0				
cudaGetMaxDeviceVersion	8.6.0				
cudaGetMultiHeadAttnBuffers	7.5.0	9.0.0			
cudaGetMultiHeadAttnWeights	7.5.0	9.0.0			
cudaGetNormalizationBackwardWorkspaceSize	8.0.1	9.0.0			
cudaGetNormalizationForwardTrainingWorkspaceSize	8.0.1	9.0.0			
cudaGetNormalizationTrainingReserveSpaceSize	8.0.1	9.0.0			
cudaGetOpTensorDescriptor	5.0.0	9.0.0			hipDnnGetOpTensorDescriptor
cudaGetPooling2dDescriptor	2.0.0	9.0.0			hipDnnGetPooling2dDescriptor
cudaGetPooling2dForwardOutputDim	2.0.0	9.0.0			hipDnnGetPooling2dForwardOutputDim

Table 3.32 – continued from previous page

CUDA	A	D	C	R	HIP
cudaGetPoolingNdDescriptor	2.0.0	9.0.0			
cudaGetPoolingNdForwardOutputDim	2.0.0	9.0.0			
cudaGetProperty	6.0.0				
cudaGetRNNBackwardDataAlgorithmMaxCount	7.1.3	8.0.2		9.0.0	
cudaGetRNNBackwardWeightsAlgorithmMaxCount	7.1.3	8.0.2		9.0.0	
cudaGetRNNBiasMode	7.5.0	8.0.1		9.0.0	
cudaGetRNNDataDescriptor	7.2.1				
cudaGetRNNDescriptor	7.0.5	7.6.5		8.0.1	hipdnnGetRNNDescriptor
cudaGetRNNDescriptor_v6	8.0.1	8.0.1		9.0.0	
cudaGetRNNDescriptor_v8	8.0.1				
cudaGetRNNForwardInferenceAlgorithmMaxCount	7.1.3	8.0.2		9.0.0	
cudaGetRNNForwardTrainingAlgorithmMaxCount	7.1.3	8.0.2		9.0.0	
cudaGetRNNLinLayerBiasParams	5.0.0	8.0.1		9.0.0	hipdnnGetRNNLinLayerBi
cudaGetRNNLinLayerMatrixParams	5.0.0	8.0.1		9.0.0	hipdnnGetRNNLinLayerMa
cudaGetRNNMatrixMathType	7.1.3	8.0.1		9.0.0	
cudaGetRNNPaddingMode	7.2.1	8.0.1		9.0.0	
cudaGetRNNParamsSize	5.0.0	8.0.1		9.0.0	hipdnnGetRNNParamsSize
cudaGetRNNProjectionLayers	7.1.3	8.0.1		9.0.0	
cudaGetRNNTempSpaceSizes	8.0.1				
cudaGetRNNTrainingReserveSize	5.0.0	8.0.1		9.0.0	hipdnnGetRNNTrainingRe
cudaGetRNNWeightParams	8.0.1				
cudaGetRNNWeightSpaceSize	8.0.1				
cudaGetRNNWorkspaceSize	5.0.0	8.0.1		9.0.0	hipdnnGetRNNWorkspaceS
cudaGetReduceTensorDescriptor	6.0.0	9.0.0			hipdnnGetReduceTensorD
cudaGetReductionIndicesSize	6.0.0	9.0.0			
cudaGetReductionWorkspaceSize	6.0.0	9.0.0			hipdnnGetReductionWork
cudaGetSeqDataDescriptor	7.5.0	9.0.0			
cudaGetStream	1.0.0				hipdnnGetStream
cudaGetTensor4dDescriptor	1.0.0				hipdnnGetTensor4dDescr
cudaGetTensorNdDescriptor	2.0.0				hipdnnGetTensorNdDescr
cudaGetTensorSizeInBytes	6.0.0				
cudaGetTensorTransformDescriptor	7.5.0	9.0.0			
cudaGetVersion	2.0.0				hipdnnGetVersion
cudaGraphVersionCheck	9.0.0				
cudaIm2Col	2.0.0	9.0.0			
cudaInitTransformDest	7.5.0	9.0.0			
cudaLRNCrossChannelBackward	3.0.0				hipdnnLRNCrossChannelB
cudaLRNCrossChannelForward	3.0.0				hipdnnLRNCrossChannelF
cudaMakeFusedOpsPlan	7.6.0	9.0.0			
cudaMultiHeadAttnBackwardData	7.5.0	9.0.0			
cudaMultiHeadAttnBackwardWeights	7.5.0	9.0.0			
cudaMultiHeadAttnForward	7.5.0	9.0.0			
cudaNormalizationBackward	8.0.1	9.0.0			
cudaNormalizationForwardInference	8.0.1	9.0.0			
cudaNormalizationForwardTraining	8.0.1	9.0.0			
cudaOpTensor	5.0.0	9.0.0			hipdnnOpTensor
cudaOpsInferVersionCheck	8.0.1				
cudaOpsTrainVersionCheck	8.0.1			9.0.0	
cudaOpsVersionCheck	9.0.0				
cudaPoolingBackward	1.0.0	9.0.0			hipdnnPoolingBackward

Table 3.32 – continued from previous page

CUDA	A	D	C	R	HIP
cudaPoolingForward	1.0.0	9.0.0			hipDnnPoolingForward
cudaQueryRuntimeError	7.0.5	9.0.0			
cudaRNNBackwardData	5.0.0	8.0.2		9.0.0	hipDnnRNNBackwardData
cudaRNNBackwardDataEx	7.2.1	8.0.2		9.0.0	
cudaRNNBackwardData_v8	8.0.2				
cudaRNNBackwardWeights	5.0.0	8.0.2		9.0.0	hipDnnRNNBackwardWeights
cudaRNNBackwardWeightsEx	7.2.1	8.0.2		9.0.0	
cudaRNNBackwardWeights_v8	8.0.2				
cudaRNNForward	8.0.1				
cudaRNNForwardInference	5.0.0	8.0.1		9.0.0	hipDnnRNNForwardInference
cudaRNNForwardInferenceEx	7.2.1	8.0.1		9.0.0	
cudaRNNForwardTraining	5.0.0	8.0.1		9.0.0	hipDnnRNNForwardTraining
cudaRNNForwardTrainingEx	7.2.1	8.0.1		9.0.0	
cudaRNNGetClip	7.2.1	8.0.1		9.0.0	
cudaRNNGetClip_v8	8.0.1				
cudaRNNGetClip_v9	9.0.0				
cudaRNNSetClip	7.2.1	8.0.1		9.0.0	
cudaRNNSetClip_v8	8.0.1				
cudaRNNSetClip_v9	9.0.0				
cudaReduceTensor	6.0.0	9.0.0			hipDnnReduceTensor
cudaReorderFilterAndBias	7.6.0	9.0.0			
cudaRestoreAlgorithm	7.1.3	8.0.2		9.0.0	
cudaRestoreDropoutDescriptor	7.0.5				
cudaSaveAlgorithm	7.1.3	8.0.2		9.0.0	
cudaScaleTensor	2.0.0	9.0.0			hipDnnScaleTensor
cudaSetActivationDescriptor	4.0.0	9.0.0			hipDnnSetActivationDescriptor
cudaSetActivationDescriptorSwishBeta	8.2.0	9.0.0			
cudaSetAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaSetAlgorithmPerformance	7.1.3	8.0.2		9.0.0	
cudaSetAttnDescriptor	7.5.0	9.0.0			
cudaSetCTCLossDescriptor	7.0.5	9.0.0			
cudaSetCTCLossDescriptorEx	7.6.0	9.0.0			
cudaSetCTCLossDescriptor_v8	8.0.1	9.0.0			
cudaSetCTCLossDescriptor_v9	9.0.0				
cudaSetCallback	7.1.3				
cudaSetConvolution2dDescriptor	2.0.0	9.0.0			hipDnnSetConvolution2dDescriptor
cudaSetConvolutionGroupCount	7.0.5	9.0.0			hipDnnSetConvolutionGroupCount
cudaSetConvolutionMathType	7.0.5	9.0.0			hipDnnSetConvolutionMathType
cudaSetConvolutionNdDescriptor	2.0.0	9.0.0			hipDnnSetConvolutionNdDescriptor
cudaSetConvolutionReorderType	7.6.0	9.0.0			
cudaSetDropoutDescriptor	5.0.0				hipDnnSetDropoutDescriptor
cudaSetFilter4dDescriptor	2.0.0	9.0.0			hipDnnSetFilter4dDescriptor
cudaSetFilterNdDescriptor	2.0.0	9.0.0			hipDnnSetFilterNdDescriptor
cudaSetFusedOpsConstParamPackAttribute	7.6.0	9.0.0			
cudaSetFusedOpsVariantParamPackAttribute	7.6.0	9.0.0			
cudaSetLRNDescriptor	3.0.0				hipDnnSetLRNDescriptor
cudaSetOpTensorDescriptor	5.0.0	9.0.0			hipDnnSetOpTensorDescriptor
cudaSetPersistentRNNPlan	6.0.0	8.0.1		9.0.0	hipDnnSetPersistentRNNPlan
cudaSetPooling2dDescriptor	2.0.0	9.0.0			hipDnnSetPooling2dDescriptor
cudaSetPoolingNdDescriptor	2.0.0	9.0.0			hipDnnSetPoolingNdDescriptor

Table 3.32 – continued from previous page

CUDA	A	D	C	R	HIP
cudaSetRNNAlgorithmDescriptor	7.1.3	8.0.2		9.0.0	
cudaSetRNNBiasMode	7.5.0	8.0.1		9.0.0	
cudaSetRNNDataDescriptor	7.2.1				
cudaSetRNNDescriptor	5.0.0	7.6.5		8.0.1	hipDnnSetRNNDescriptor
cudaSetRNNDescriptor_v5	7.0.5	7.6.5		8.0.1	hipDnnSetRNNDescriptor
cudaSetRNNDescriptor_v6	6.0.0	8.0.1		9.0.0	hipDnnSetRNNDescriptor
cudaSetRNNDescriptor_v8	8.0.1				
cudaSetRNNMatrixMathType	7.0.5	8.0.1		9.0.0	
cudaSetRNNPaddingMode	7.2.1	8.0.1		9.0.0	
cudaSetRNNProjectionLayers	7.1.3	8.0.1		9.0.0	
cudaSetReduceTensorDescriptor	6.0.0	9.0.0			hipDnnSetReduceTensorD
cudaSetSeqDataDescriptor	7.5.0	9.0.0			
cudaSetSpatialTransformerNdDescriptor	5.0.0				
cudaSetStream	1.0.0				hipDnnSetStream
cudaSetTensor	2.0.0				hipDnnSetTensor
cudaSetTensor4dDescriptor	1.0.0				hipDnnSetTensor4dDescr
cudaSetTensor4dDescriptorEx	1.0.0				hipDnnSetTensor4dDescr
cudaSetTensorNdDescriptor	2.0.0				hipDnnSetTensorNdDescr
cudaSetTensorNdDescriptorEx	6.0.0				
cudaSetTensorTransformDescriptor	7.5.0	9.0.0			
cudaSoftmaxBackward	1.0.0				hipDnnSoftmaxBackward
cudaSoftmaxForward	1.0.0				hipDnnSoftmaxForward
cudaSpatialTfGridGeneratorBackward	5.0.0				
cudaSpatialTfGridGeneratorForward	5.0.0				
cudaSpatialTfSamplerBackward	5.0.0				
cudaSpatialTfSamplerForward	5.0.0				
cudaTransformFilter	7.6.0	9.0.0			
cudaTransformTensor	2.0.0	9.0.0			
cudaTransformTensorEx	7.5.0	9.0.0			

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

3.12 CUB API supported by HIP

3.12.1 1. CUB Data types

CUDA	A	D	C	R	HIP	A	D	C	R	E
CUB_ALIGN										
CUB_CAT										
CUB_CAT_										
CUB_COMPILER_DEPRECATION										
CUB_COMPILER_DEPRECATION_SOFT										
CUB_COMP_DEPR_IMPL										
CUB_COMP_DEPR_IMPL0										
CUB_COMP_DEPR_IMPL1										
CUB_CPLUSPLUS										

continues on next page

Table 3.33 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
CUB_CPP_DIALECT										
CUB_DEFINE_DETECT_NESTED_TYPE										
CUB_DEFINE_VECTOR_TYPE										
CUB_DEPRECATED										
CUB_DEVICE_COMPILER										
CUB_DEVICE_COMPILER_CLANG										
CUB_DEVICE_COMPILER_GCC										
CUB_DEVICE_COMPILER_MSVC										
CUB_DEVICE_COMPILER_NVCC										
CUB_DEVICE_COMPILER_UNKNOWN										
CUB_HOST_COMPILER										
CUB_HOST_COMPILER_CLANG										
CUB_HOST_COMPILER_GCC										
CUB_HOST_COMPILER_MSVC										
CUB_HOST_COMPILER_UNKNOWN										
CUB_IGNORE_DEPRECATED_API										
CUB_IGNORE_DEPRECATED_COMPILER										
CUB_IGNORE_DEPRECATED_CPP_11										
CUB_IGNORE_DEPRECATED_CPP_DIALECT										
CUB_IGNORE_DEPRECATED_DIALECT										
CUB_INCLUDE_DEVICE_CODE										
CUB_INCLUDE_HOST_CODE										
CUB_IS_DEVICE_CODE										
CUB_IS_HOST_CODE										
CUB_LOG_SMEM_BANKS										
CUB_LOG_WARP_THREADS										
CUB_MAX					CUB_MAX		4.5.0			
CUB_MAX_DEVICES										
CUB_MIN					CUB_MIN		4.5.0			
CUB_MSVC_VERSION										
CUB_MSVC_VERSION_FULL										
CUB_NAMESPACE_BEGIN					BEGIN_HIPCUB_NAMESPACE		2.5.0			
CUB_NAMESPACE_END					END_HIPCUB_NAMESPACE		2.5.0			
CUB_PREFER_CONFLICT_OVER_PADDING										
CUB_PREVENT_MACRO_SUBSTITUTION										
CUB_PTX_ARCH					HIPCUB_ARCH		2.5.0			
CUB_PTX_LOG_SMEM_BANKS										
CUB_PTX_LOG_WARP_THREADS										
CUB_PTX_PREFER_CONFLICT_OVER_PADDING										
CUB_PTX_SMEM_BANKS										
CUB_PTX_SUBSCRIPTION_FACTOR										
CUB_PTX_WARP_THREADS					HIPCUB_WARP_THREADS		2.5.0			
CUB_QUOTIENT_CEILING										
CUB_QUOTIENT_FLOOR										
CUB_ROUND_DOWN_NEAREST										
CUB_ROUND_UP_NEAREST										
CUB_RUNTIME_ENABLED										
CUB_RUNTIME_FUNCTION					HIPCUB_RUNTIME_FUNCTION		2.5.0			
CUB_SMEM_BANKS										
CUB_STATIC_ASSERT										

continues on next page

Table 3.33 – continued from previous page

CUDA	A	D	C	R	HIP	A	D	C	R	E
CUB_STDERR					HIPCUB_STDERR	2.5.0				
CUB_SUBSCRIPTION_FACTOR										
CUB_USE_COOPERATIVE_GROUPS										
CubDebug					HipcubDebug	2.5.0				
CubDebugExit										
CubVector										
_CUB_ASM_PTR_										
_CUB_ASM_PTR_SIZE_										
_CubLog					_HipcubLog	2.5.0				
__CUB_ALIGN_BYTES					__HIPCUB_ALIGN_BYTES	4.5.0				
__CUB_LP64__										

*A - Added; D - Deprecated; C - Changed; R - Removed; E - Experimental

LICENSE

Copyright © 2024 Advanced Micro Devices, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.